




CL 45.973

3.0000

A

IL 42.997

1500mm $\varnothing$ diverted surface water sewer

IL 41.722

CL 45.793

3.0000

225mm Ø
S104 surface
water sewer
connection from
network 5
discharge rate
limited to 15.1l/s

IL 42.997

1500mm Ø diverted
surface water sewer

IL 41.722

IL 41.722

NOTE ALL CONNECTIONS TO BE MADE SOFFIT
LEVEL UNLESS INDICATED OTHERWISE

PLEASE NOTE THAT THIS DRAWING IS ISSUED FOR INFORMATION/TENDER
PURPOSES ONLY UNTIL TECHNICAL APPROVAL HAS BEEN GRANTED.
ANY WORK UNDERTAKEN PRIOR TO TECHNICAL APPROVAL BEING GRANTED IS AT THE CLIENTS RISK.

- | | | |
|---|---|-------------|
|  | 45 Bridgeman Terrace
Wigan, Lancs
WN1 1TT
Tel:-(01942) 826020
Fax:-(01942) 230816 | |
| | <u>CONSULTING ENGINEERS</u> | |
| | CIVIL • STRUCTURAL | |
| | GEOTECHNICAL • ENVIRONMENTAL | |
| Date
18.11.22 | Scale
1:20 | Drawn
AS |
| DRAWING No | 22122/104/5 | Rev G |
| (C) This drawing is the property of REFA and should not be copied, used or its contents divulged without written consent. | | |