


Fenton House

Material Schedule: A1225-Z100-A-01


Rev	Date	Reason For Issue	A1225-Z100-A-01 MATERIAL SCHEDULE
-	04/08/2022	INITIAL ISSUE	
A	03/04/2023	AMENDED SCHEDULE	
B	18/04/2023	AMENDED ROOF SKILIGHT; ADDED WINDOWS DETAILS	

MATERIAL	DESCRIPTION	LOCATION	COLOUR	TYPE	PRODUCT SAMPLE IMAGE	NOTES
EXTERNAL FINISHES						
RENDER	Hydraulic lime mix render New rendering to be completed in two coats of hydraulic lime: sand with an overall thickness of 15 mm. First coat to be one part NHL 3.5 two-part sharp sand laid at 10 mm thick.	Elevations	ANTIQUE WHITE	Lime		Refer to heritage report for further details https://limeliteheritage.co.uk/lime/nhl-3-5-natural-hydraulic-lime/
ROOF	Natural slate to roof Blue / Black butt jointed clay tiles to roof ridge	Roof	GREY SLATE	Slate		Refer to heritage report for further details
SKYLIGHT	Clement Conservation Roofligh ROOFLIGHT MANUFACTURED FROM 3.5mm THICK MILD STEEL SHEET CURB PRESSINGS AND 3mm THICK MILD STEEL SHEET VENT PRESSINGS	Roof	RAL 9005 (BLACK) MATT	POLYZINC 770 AFTER ALL FABRICATION. 1 POWDER COATED TO BS6497 / BS EN 13438 POLYESTER POWDER COATED		Refer to heritage report for further details https://clementwindows.co.uk/conservation-rooflights/

Fenton House

Material Schedule: A1225-Z100-A-01

Rev	Date	Reason For Issue	A1225-Z100-A-01 MATERIAL SCHEDULE
-	04/08/2022	INITIAL ISSUE	
A	03/04/2023	AMENDED SCHEDULE	
B	18/04/2023	AMENDED ROOF SKILIGHT; ADDED WINDOWS DETAILS	

MATERIAL	DESCRIPTION	LOCATION	COLOUR	TYPE	PRODUCT SAMPLE IMAGE	NOTES
WINDOWS	No7 Timber Framed Sash Window Types.	Window	White	Timber		Refer to heritage report for further details. Doc.11 Window and Door Schedule. Proposed window type details
RAINWATER GOODS	In cast aluminium black rainwater pipe to match existing	Roof fascia / external wall	BLACK	In cast aluminium		Refer to heritage report for further details https://www.alumascwms.co.uk/products/rainwater/aluminium-rainwater/heritage-cast-aluminium-gutters-downpipes/