All Rights reserved. Buro Happold and its group companies assert (unless otherwise agreed in writing) their rights under s.77 to 89 of the Copyright, Designs and Patents Act 1988.

DO NOT SCALE THIS DRAWING.

Suitability Code (as defined in ISO 19650-2:2018)

Work in Progress (WIP)
S0 - Initial Status

Shared (Non- Contractual)
S1 - Suitable for co-ordination
S2 - Suitable for information
S3 - Suitable for review & comment
S4 - Suitable for stage approval
S5 - Withdrawn
S6 - Suitable for PIM authorisation
S7 - Suitable for AIM authorisation

Published (Contractual)
A1, A2, A3, Etc - Authorised and accepted
B1,B2,B3, Etc, - Partial sign-off (with comments)

Published (AIM Acceptance)
CR - As constructed record document

SAFETY HEALTH AND ENVIRONMENTAL INFORMATION

IN ADDITION TO THE HAZARDS/RISKS NORMALLY ASSOCIATED WITH THE TYPES OF WORK DETAILED ON THIS DRAWING, NOTE THE FOLLOWING.

CONSTRUCTION

- EXISTING BURIED UTILITIES
- EXISTING LIVE HIGHWAY AND CAR PARK

MAINTENANCE/CLEANING/OPERATION

- NO UNUSUAL RISKS

DECOMMISSIONING/DEMOLITION


- NO UNUSUAL RISKS


Notes

1. ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED
2. DO NOT SCALE FROM THIS DRAWING
3. THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH OTHER DISCIPLINE'S DRAWINGS
4. THIS DRAWING REFERENCES THE FOLLOWING INFORMATION:
   - POPULOUS (ARCHITECT) - LEVEL 00 RECEIVED ON THE 02.11.21
   - TOPO SURVEY FROM SURVEY OPERATIONS REFERENCE 190065 A RECEIVED ON THE 12.09.2019
   - BAM AS-BUILT DRAWING "SCW KERB LINE REV8 - BOLLARD SET OUT" RECEIVED 24.11.2023.
5. REFER TO BRA-BHE-XX-XX-DR-C-0301 FOR BELOW GROUND STORM WATER DRAINAGE PROPOSALS
6. ALL GULLY CONNECTOR PIPES TO BE 150mm DIAMETER.
7. BOLLARD DRAINAGE TO BE Ø100mm PIPEWORK LAID TO 1:100 FALLS.

LEGEND

- EXISTING CONTOURS MAJOR (500mm) / MINOR (100mm)
- PLANNING BOUNDARY
- LAND OWNERSHIP BOUNDARY
- 125mm UPSTAND BEANY KERB WITH BASE 260
- 25mm UPSTAND BEANY KERB WITH BASE 260
- PROPOSED BUILDING DRAINAGE
- PROPOSED SPORTS CITY WAY PIPEWORK
- EXISTING STORM DRAINAGE
- GULLY
- OUTLET BOX
- ACCESS POINT
- 600Ø DRAINAGE INSPECTION CHAMBER
- BAM AS-BUILT PIPEWORK





Rev	Date	Description
C03	CR AJH	30.11.23 A4 AUTHORISED AND ACCEPTED
C02	SG AJH	13.07.23 A4 AUTHORISED AND ACCEPTED
C01	GM AJH	22.12.21 A4 AUTHORISED AND ACCEPTED
P06	SBH TH	03.07.20 STAGE 4a TENDER
P05	SBH NJH	28.05.20 STAGE 4a DRAFT
P04	SBH NJH	27.04.20 STAGE 4a DRAFT
P03	SBH NJH	09.04.20 STAGE 4a DRAFT
P02	SBH NJH	13.02.20 STAGE 3
P01	SBH JB	29.11.19 DRAFT STAGE 3

OVG INTERNATIONAL

BURO HAPPOLD

Camden Mill
Lower Bristol Road
Bath BA2 3DQ
UK

Tel: +44 (0)1225 320 600
Fax: +44 (0)8707 874 148
Email: 0042841@burohappold.com
Web: www.burohappold.com

Co-op Live

title HIGHWAYS
SPORT CITY WAY PUBLIC REALM
PROPOSED LEVELS + DRAINAGE

purpose of issue
A4 AUTHORISED & ACCEPTED

scale	1:250	drawn	SBH	Job no.	Suitability
date	Apr-20	checked	NJH	0042841	A4

reference	project code	originator	volume	level	type	role	number	rev.
BRA-BHE-XX-XX-DR-C-0212								C03