

OS reference: 384206E 399236N
Eye level: 31 m AOD
Direction of view: 61.0°
Distance: 44m

Horizontal field of view: 90° (cylindrical projection)
Principal distance 522 mm

Camera: Canon EOS 6D Mark II
Lens: 50mm (Canon EF 50mm f/1.4)
Camera height: 1.5 m AGL
Date and time: 21/10/2021, 15:55

Existing

Figure: 6.23a
Viewpoint 16: Red Bank



OS reference:	384206E 399236N	**Horizontal field of view:**	90° (cylindrical projection)	**Camera:**	Canon EOS 6D Mark II
Eye level:	31 m AOD	**Principal distance**	522 mm	**Lens:**	50mm (Canon EF 50mm f/1.4)
Direction of view:	61.0°			**Camera height:**	1.5 m AGL
Distance:	44m			**Date and time:**	21/10/2021, 15:55

Proposed: Red Bank (Outline Application 4)

Figure: 6.23b
Viewpoint 16: Red Bank



OS reference:	384206E 399236N	**Horizontal field of view:**	90° (cylindrical projection)	**Camera:**	Canon EOS 6D Mark II	**Proposed: NT02-04 (Application 5)**	**Figure: 6.23c**
Eye level:	31 m AOD	**Principal distance**	522 mm	**Lens:**	50mm (Canon EF 50mm f/1.4)		**Viewpoint 16: Red Bank**
Direction of view:	61.0°			**Camera height:**	1.5 m AGL		
Distance:	418m			**Date and time:**	21/10/2021, 15:55		



OS reference: 384206E 399236N
Eye level: 31 m AOD
Direction of view: 61.0°
Distance: 418m

Horizontal field of view: 90° (cylindrical projection)
Principal distance 522 mm

Camera: Canon EOS 6D Mark II
Lens: 50mm (Canon EF 50mm f/1.4)
Camera height: 1.5 m AGL
Date and time: 21/10/2021, 15:55

Cumulative: NT02-04 (Application 5)

Figure: 6.23d
Viewpoint 16: Red Bank