





Rev	Date	Notes	By	Chk
P01	17.07.23	First Issue	AG	MS
P02	03.08.2023	Updated survey	MAS	EW
P03	25.09.2023	Areas added ; Pointing specification amended	MAS	EW



Arch 8 Internal Elevation 1



Arch 8 Internal Elevation 2

	Brickwork
	Sandstone detailing
	Blue engineering brick bullnose detail
	Infill (presumed blockwork)
	Metal plate concealing drainage pipe
	'Type C' lining to walls with Plasterboard
	'Type C' lining to soffits with panels
	Copper Panels - removed unless noted otherwise
	Other soffit linings - removed unless noted otherwise
	Floors / Structure: concealing wall - presumed retained
	Area inaccessible or concealed from view - presumed brickwork

It is noted that for areas of hard cement mortar, limited use of power tools may be required to breach the mortar. Pointing:
NHL 3.5 lime mortar (colour matched to original mortar) generally.
NHL 5 lime mortar to blue engineering brick details.

elliswilliams

Drawing Status: S0
Drawing Number: **10608**
Drawing Name: Unit 8 Internal Elevations - proposed
Date: 13.07.2023
Rev: P03
Drawn By: AG
Scale: 1:50 @ A1

Wellfield Chester Road Preston Brook WA7 3BA
T: 01928 752200 E: info@ewa.co.uk W: ewa.co.uk