

SCOPE DETAILS

CAVITY BARRIER & FIRE STOP
OLD CENTURY BUILDING










HORIZONTAL FIRE STOPS

- To be Siderise CW-FS120.

VERTICAL FIRE STOPS

- To be Siderise CW-FS120.

Refer to tech sub pack TS-005



1 DRAWING SUBJECT TO BUILDING CONTROL & FIRE OFFICER APPROVAL
2 INTERNAL ATRIUM ELEVATIONS. REFER TO DRAWING 1006 FOR GA PLAN
3 BASED ON OPTION 2: CAVITY BARRIERS INSTALLED FROM WITHIN
APARTMENTS.

N	P02
	P03
	P04
	C01

INTERNAL REVIEW UPDATES
WALL REFERENCES UPDATED & UPDATES FROM AIREY
MILLER COMMENTS (23/05/23)
NOTES RELATING TO CLADDING & STAIR CORE HORIZONTAL
FIRE STOPS OMITTED
ISSUED FOR CONSTRUCTION

09/08/23
02/10/23

THALL
THALL

PROJECT NUMBER:	CLIENT:
20-M254	CREST NICHOLSON

							DRAWING NUMBER:						
							M254- FILL-OL-ZZ-DR-W-1005						
PROJECT	ORGANATOR	VOLUME	LEVEL	TYPE	ROLE	NUMBER							

DRAWN DATE:
24/03/2023

DRAWING NUMBER:
M254- FILL-OL-ZZ-DR-W-1005

PROJECT	ORIGINATOR	VOLUME	LEVEL	TYPE	ROLE	NUMBER
---------	------------	--------	-------	------	------	--------

REVISION:
C01