



Zerum Planning Limited
South Central
11 Peter Street
Manchester
M2 5QR

0161 667 0990
Info@zerum.co.uk
www.zerum.co.uk

16th November 2023

FAO: Ms J Atkinson
Manchester City Council,
Planning Department,
PO Box 532,
Town Hall,
Albert Square,
Manchester,
M60 2LA

Planning Portal ref: PP- 12609137

Dear Jen,

**APPLICATION FOR THE DISCHARGE OF CONDITION 8 RELATING TO PHASE 3, No. 2 ST MICHAEL'S
ATTACHED TO APPLICATION REFERENCE REF. 135827/JO/2022
LAND BOUNDED BY JACKSON'S ROW, BOOTLE STREET, SOUTHMILL STREET AND 201 DEANS GATE**

This application is submitted on behalf of the applicant, Jacksons Row Developments Limited. The application is to discharge the condition relating to acoustic insulation (Cond 8) of planning consent ref. 135827/JO/2022 concerning Phase 3 (No.2) of the development on land bounded by Jacksons Row, Bootle Street, Southmill Street and 201 Deansgate, known as St Michael's.

The description of development is:

"Variation of conditions 2 (approved drawings and documents), 5 (ground conditions), 7 (waste management), 10 (drainage), 40 (piling), and 48 (building contract) so as to make minor material changes to consent referenced 131612/JO/2021 (as amended by 133317/NMC/2022, 134638/NMC/2022 and 135828/NMC/2022) to remove synagogue space and introduction of grade A office space at levels 1-5, reconfiguration of ground floor entrance, frontage and loading, increase depth of basement below tower podium a further two levels and creation of a third basement resulting reduction of parking and increase in cycle provision, remodelling of level 6 internal space and roof terrace, expansion of plant area to block A, increase in tower, elevational alterations, reduction of hotel rooms and increase in residential apartments"

The application comprises:

- Completed planning application forms;
- Noise Insulation Scheme Report, prepared by Jameson Acoustics; and
- A planning application fee of £116.00 (PP- 12609137)

DISCHARGE OF CONDITIONS 8

Condition wording:

No	Condition	Information Submitted
11	<p>No above ground construction of the tower podium (Phase 3 as defined by condition 51) shall take place unless and until a scheme for acoustically insulating the proposed residential accommodation against noise from the local area, including nearby road network, venues and other sources of noise, has been submitted to and approved in writing by the City Council as local planning authority. There may be other actual or potential sources of noise which require consideration on or near the site, including any local commercial/industrial premises. The approved noise insulation scheme shall be completed before any of the dwelling units are occupied.</p> <p>Noise survey data must include measurements taken during a rush-hour period and night time to determine the appropriate sound insulation measures necessary. The internal noise criterion are as follows:</p> <ul style="list-style-type: none"> o Bedrooms (night time - 23.00 - 07.00) 30 dB LAeq (individual noise events should not normally exceed 45 dB L_{Amax} by more than 15 times) o Living Rooms (daytime - 07.00 - 23.00) 35 dB LAeq o Gardens and terraces (daytime) 55 dB LAeq <p>Additionally, where entertainment noise is a factor, in the noise climate, the sound insulation scheme shall be designed to achieve internal noise levels in the 63Hz and 125 Hz octave centre frequency bands so as not to exceed (in habitable rooms) 47dB and 41dB, respectively.</p>	Noise Insulation Scheme Report, prepared by Jameson Acoustics

I trust the enclosed is satisfactory to allow you to register the application and I look forward to acknowledgement of its receipt. Should you wish to discuss the information provided or have any queries please do not hesitate to contact me.

Yours sincerely,



Nikki Sills
Divisional Director