






Front Elevation Showing Shop Front



Front Elevation Showing Shop Front



Details showing shutter NTS



Vertical Section Showing the window and shutter details NTS

The builder must check the site and the approved drawings before commencing the works and must take any working measurements as necessary. Any discrepancy in the drawing must be reported to the client .

Shutter Details

1. Doors to BS PAS 24 or LPS 1175 SR2+
2. Window certificate to BS 7050 with key lockable handles.(All lights (opening or fixed) should be internally beaded.
- 3.New perforated shutters should be certified to LPS 1175 SR1
- 4.New ground floor glazing should include 12.5mm laminated glass.
5. All new shutters to be Brick Bon type to Planning Approval.

There shall be installation of toughened or laminated glass. An external open mesh grille shutters with roller shutter box housing shall to be recessed behind the main frontage of the property and shall not project forward to the fascia or altering the traditional proportions of the windows. In all order areas every attempt should be made to avoid increasing the depth of the fascia to conceal the box housing.

H S H Engineering Design Services LTD 428 Cheetham Hill Road Cheetham Manchester M8 9LE. UK. 01617956385,07940197 333			
project title	Proposed change of use from a house to a ground floor shop A1 use , front elevation alteration including installation of shutter .		
client	Mr Zakaria Khan		
dwg. title	Proposed Elevation & Standard Details		
dwg.no.	sheet no.	scale.	job no.
06		1:100 @ A3	
4 Willow Bank Church Lane Monton M9 4WH			
drawn by.	checked by.	approved by.	date
TZ			July 23