DALTON FIELDS, CHORLTON

BOUNDARY TREATMENT PLAN



Boundary Treatment Key

- 1.8m high close boarded fence with gates as required
- 1.8m high screen brick wall
- 2.1m high timber acoustic fencing
- Existing boundary to be fenced with 1.8m timber close boarded fence with 300mm trellis
- 1.8m high enhanced timber fence on entrance
- 1.8m high close boarded fence with 300mm trellis
- 0.9m high ball top metal railings
- 0.9m high ball top metal railings with hedgerow (refer to landscaping layout for further specification)
- Position of site entrance wall/ plaque
- Hedgehog highway. Boundaries to be constructed with 100mm(h)x150mm(w) hedgehog gaps at a maximum of 5m centres. Access gaps to be aligned where possible to make movement through the development as simple as possible

REV	BY	DATE	DESCRIPTION

PROJECT
DALTON FIELDS
CHORLTON

DRAWING TITLE
BOUNDARY TREATMENT PLAN

SCALE	1:500	PAPER SIZE	A1
DATE	APRIL 23	DRAWN	TM
STATUS	CONSTRUCTION		
JOB No: H1193	DRAWING No: BTP01		REVISION: -

ANWYL thoughtful homes

DO NOT SCALE OFF THIS DRAWING. Copyright Anwyl Group
This drawing must be read in conjunction with relevant Anwyl Homes Specifications & Standard Details.