



THIS DRAWING IS COPYRIGHT PROTECTED AND MAY NOT BE REPRODUCED IN WHOLE OR PART WITHOUT WRITTEN AUTHORITY FROM THE OWNER.

- NOTES:**
1. Do not scale from this drawing.
 2. Always work to noted dimensions.
 3. All dimensions are in millimetres unless otherwise stated.
 4. All setting out, levels and dimensions to be checked on site.
 5. The dimensions of all materials must be checked on site before being laid out.
 6. This drawing must be read with the relevant specification clauses and detail drawings.
 7. Order of construction and setting out to be agreed on site.

- FURNITURE & LIGHTING**
- F1 Free Standing Timber Seating**
Material: Powder coated steel frame and legs with FSC Hardwood timber seating slats
Finish: Duro UV Protection Oil, clear
Sizes: 500mm(W)x450mm(H) varies (L)
Supplier: Bramhall 1840 or similar approved
Notes: To be not fixed to concrete pad foundation.
PL2190.1-PLA-XX-XX-DR-L-7000
Refer to specification clause: Q50/220B
- F2 Timber Top on Granite Plinth**
By planting terrace and water feature integrated into stone/steel planting edges
Bench top: Stainless steel frame with FSC Hardwood timber seating slats
Finish: Duro UV Protection Oil, clear
Size: 400mm(W)x270mm(H)
Plinth: Portuguese granite
Size: 500mm(W)x450mm(H) varies (L)
Supplier: Seating top Bramhall 1840 or similar approved Stone plinth landscape or similar approved
PL2190.1-PLA-XX-XX-DR-L-7004
Refer to specification clause: Q50/220C
- F3 Handrails**
Free-standing Handrail.
Posts
Material: 1100mm flat bar hot dipped galvanised steel frame.
Finish: Powder coated
Colour: RAL 9005.
Size: 900-1100mm above ground.
Handrail
Material: stainless steel.
Finish: Satin brushed.
Size: 30mm diameter circular profile.
Colour: RAL 9005
Accessories: To include a collar base plate to the bottom to match steel work
Fixing: Core drilled and fixed to engineer / supplier's specification.
Structural performance requirements: Loading shall withstand a minimum loading of 0.74 kN/m at 1100mm from pitch line or floor.
Supplier to provide structural calculations and fixing details.
Handrail design must comply with Part M and DfA2 guidance.
Supplier: Urban Street Designs or other equal and approved.
2190.1-PLA-XX-XX-DR-L-5006
Refer to specification clause: L37/150
- F4 Natural Stone Water Feature**
Refer to drawing 2190.1-PLA-XX-XX-DR-L-7007
Refer to specification clause: Q51/200
- F5 Natural Stone Water Channel**
Refer to drawing 2190.1-PLA-XX-XX-DR-L-7007
Refer to specification clause: Q51/150
- F6 Ballards**
To prevent vehicle access
Static
Material: Rhinoguard® 12170 bollard
Material: Grade 316 Stainless Steel
Finish: Brushed
Size: 114mm dia x 1000mm Above Ground.
Foundation: Rhinoguard Shallow Mount system
Refer to drawing 2190.1-PLA-XX-XX-DR-L-7008
Refer to specification clause: Q50/100A
- F7 Wind Mitigation Screens**
Material: Corten steel with a bespoke laser cut design. 20% porous.
Size: 1100(W)x2800mm(H) x 45mm (D)
2190.1-PLA-XX-XX-DR-L-7000
Refer to specification clause: Q50/340
- F8 Cycle Shelter**
Product: Garda Shelter
Roof: Green roof
Cladding: Decorated metal sheet Pan
Size: 3200mm(L)x 2000mm(D) x 2755mm(H)
Supplier: Artform urban furniture
Refer to specification clause: Q50/210B

S4-P06	15-09-23	Stage 3 Update Issue	EKH	MS
S4-P05	05-09-23	Stage 3 Issue	EKH	MS
S4-P04	09-08-23	Update to notes as clouded	EKH	MS
S4-P03	10-07-23	Update to Key	EKH	MS
S4-P02	07-07-23	Stage 3+ Issue	EKH	MS
S4-P01	05-05-23	Interim Issue	EKH	MS

Revision	Date	Description	Drawn	Apprvd.
----------	------	-------------	-------	---------

Plantit I.E. Limited
E: info@plantit-ie.com W: plantit-ie.com
MANCHESTER
2 Back Grafton St, Altrincham, WA14 1DY
T: 0161 928 9281
LEEDS
No.1 Aire Street, Leeds Station, Leeds, LS1 4PR
T: 0113 824 6413
LIVERPOOL
Tempest 5.3, 12 Tithebarn Street, Liverpool, L2 2DT
T: 0151 363 1230
LONDON
Unit 6 Waterside, 44-48 Wharf Road, London, N1 7UX
T: 0207 253 5678
STANDISH
Standish Gatehouse, Stonehouse, Gloucestershire, GL10 3BZ
T: 0145 360 7080

Client MEPC

Project 2&3 Angel Square

Drg Title Furniture General Arrangement

Created on	Created by	Approved by
12/05/22	LB	MS

Scale	Size	Workstage
1:250	A1	Stage 3+

Drg No.	Suitability	Revision
2190.1-PLA-XX-XX-DR-L-3001	S4	P06