


MKCC - Mosque

Material Schedule:A1522-Z100-A-01


Rev	Date	Reason For Issue	A1522-Z100-A-01 MATERIAL SCHEDULE
-	09/10/2023	INITIAL ISSUE	

MATERIAL	DESCRIPTION	LOCATION	COLOUR	TYPE	PRODUCT SAMPLE IMAGE	NOTES
EXTERNAL FINISHES						
CURTAIN WALLING SYSTEM	Full height double glazed curtain walling system to the external walls / Mullion Set 10mm above FFL	EXTERNAL WALL	GREY PPC	AA100 50mm Curtain Wall system		To be constructed in accordance to manufacturers requirements Website: https://www.kawneer.co.uk/products/curtain-wall/aa100-50mm-curtain-wall-system/
BRASS METAL	Brass fin vertical columns / Brass trim to eaves	EXTERNAL ELEVATION	BRASS	BRASS METAL		To be constructed in accordance to manufacturers requirements Website: https://www.nes-solutions.co.uk/brass-cladding
BRICKWORK	NR Taylor Cinder Coal Brick	BRICK PLINTH	CINDER COAL WHITE	BRICK		To be constructed in accordance to manufacturers requirements Website: https://www.nrtaylor.co.uk/brick/101025/cinder-coal-white-2

MKCC - Mosque

Material Schedule:A1522-Z100-A-01


Rev	Date	Reason For Issue	A1522-Z100-A-01 MATERIAL SCHEDULE
-	09/10/2023	INITIAL ISSUE	

MATERIAL	DESCRIPTION	LOCATION	COLOUR	TYPE	PRODUCT SAMPLE IMAGE	NOTES
TIMBER	Vertical Timber batten cladding	TO EXISTING STRUCTURE	CREAM	TIMBER CLADDING		To be constructed in accordance to manufacturers requirements Website: https://www.lathamtimber.co.uk/products/timber-cladding/thermowood
PERFORATED METAL PANEL	Perforated Metal Panel / Finish: Anodised (Perforated pattern to be agreed with Client)	EXTERNAL WALL	BRASS	DECORATIVE PERFORATED METAL		To be constructed in accordance to manufacturers requirements Website: https://www.graepels.co.uk/products/decorative-metal-sheet-manufacturers-uk/
FLAT ROOF	Waterproof coating: Topseal HD System - GRP waterproofing system / Heavy Duty Roofing (30-year guarantee) / Components: OSB3 decking-Topseal resin layer-Topseal finish, comprising: 600 g/m² reinforcement mat, resin layer and topcoat layer-Upstands to be formed in GRP trimming	ROOF	GREY	COLD ROOF		To be constructed in accordance to manufacturers requirements Website: https://source.thenbs.com/product/topseal-hd-system/dbnoha5rEQf7oHnuZMiyWC/qXey46kBwPiQYJ83kvzXTg

MKCC - Mosque

Material Schedule:A1522-Z100-A-01

Rev	Date	Reason For Issue	A1522-Z100-A-01 MATERIAL SCHEDULE
-	09/10/2023	INITIAL ISSUE	

MATERIAL	DESCRIPTION	LOCATION	COLOUR	TYPE	PRODUCT SAMPLE IMAGE	NOTES
EXTERNAL COVER FLASHING AND TRIMS	Aluminium: Coated sheet/strip / Alloy designation: EN AW-1050A / Temper: To BS EN 573-3 / Finish: PPC Aluminium;. Thickness: 3mm / Joints: Single lock welt / Edge details: Beaded drip to both edges, mitred corners / Fixing: Fixed clips at 450mm centres	ABOVE CURTAIN WALLING	GREY	ALUMINIUM		To be constructed in accordance to manufacturers requirements Website: https://www.roofdepot.co.uk
DOOR	Outward opening single action single leaf glazed door sets and side screens comprising anodized aluminium framing and full height glazing; anodized aluminium panel / Frame: PPC aluminium / Minimum film thickness: 60 micrometres / Glazing: Insulating glass units to meet specified thermal and acoustic criteria and Building Regulations / Fixing: As manufacturer's recommendations / Ironmongery: Emergency Push bar / Perimeter seals: EPDM weather seal	EXTERNAL DOOR	TO MATCH CURTAIN WALL	DX-01		To be constructed in accordance to manufacturers requirements Website: https://www.aluminiumtradewindows.co.uk/