

ENDER

2. PLEASE DO NOT SCALE FROM THIS DRAWING.
3. THIS DRAWING FORMS PART OF THE MEP DETAILED DESIGN PACKAGE AND SHOULD BE READ IN CONJUNCTION WITH THE COMPLETE PACKAGE INCLUDING UO STANDARDS / PROCEDURES AND DESIGNERS INFORMATION
4. THE ACCESS POINT REFERENCES INDICATED ON THIS DRAWING REFLECT THE ROC TECHNOLOGIES REFERENCES AND FOLLOW THE THEIR CONVENTION, IE:
 - FXX-T(M)-A, WHERE
F = FLOOR NUMBER
XX = AP# NUMBER
T = AP TYPE
L = AP-345
L = AP-315
B = AP-930
M = MOUNTING TYPE
C = CEILING
W = WALL
D = OVERHUNG BRACKET
(A) = ACTION
R = REFRESH
N = MOVE
N = NEW
D = DECOMMISSION
K = KEEP
5. ALL NEW AP POINTS TO BE PROVIDED WITH 2NO DATA CABLES ON COMING ROOM
6. CONSIDERATION HAS BEEN MADE TO ENSURE NO NEWLY INSTALLED CABLES EXCEED UO ADVISED MAX LENGTH OF 90m. CONTRACTOR TO PROVIDE 19" FIBRE DUCT FOR NEW INSTALLATION
7. ALL ROUTES AND WORKS TO BE COORDINATED WITH UNIVERSITY AND HERITAGE STAFF
8. ROUTING FOR TENDER PURPOSES, ALL ROUTES TO BE VERIFIED ON SITE

TROUP
BYWATERS
+ ANDERS
Bringing Buildings to Life

3rd Floor, Oxford Place
61 Oxford Street
Manchester M1 6EQ
t: +44 (0)161 974 1710
e: manchester@tbanda.com
w: www.tbanda.com

Title
WHITWORTH HALL
FIRST FLOOR
WIF-FI SYSTEM ENHANCEMENT

Project No.	Drawn By	Date	Checked	Scale
EA0029	MM	10/04/2023	KM	1:100

Acad Model	Revision
------------	----------

Acad Model	Revision
Drawing No. EA0028-WH-E-65-01-001	T02

- NO ABNORMAL HAZARDS HAVE BEEN IDENTIFIED AT THIS STAGE OF THE DESIGN.

