


MAG – HANGAR 4 – MANCHESTER AIRPORT

SAMPLES SCHEDULE BOOKLET



MANCHESTER AIRPORT SAMPLES SCHEDULE

Document status

Version	Purpose of document	Authored by	Reviewed by	Approved by	Review date
P01	Client Review	AM	JM/	JM/	23.03.23

Approval for issue

Joanna Matsumiya

23 March 2023

The report has been prepared for the exclusive use and benefit of our client and solely for the purpose for which it is provided. Unless otherwise agreed in writing by RPS Group Plc, any of its subsidiaries, or a related entity (collectively 'RPS') no part of this report should be reproduced, distributed or communicated to any third party. RPS does not accept any liability if this report is used for an alternative purpose from which it is intended, nor to any third party in respect of this report. The report does not account for any changes relating to the subject matter of the report, or any legislative or regulatory changes that have occurred since the report was produced and that may affect the report.

The report has been prepared using the information provided to RPS by its client, or others on behalf of its client. To the fullest extent permitted by law, RPS shall not be liable for any loss or damage suffered by the client arising from fraud, misrepresentation, withholding of information material relevant to the report or required by RPS, or other default relating to such information, whether on the client's part or that of the other information sources, unless such fraud, misrepresentation, withholding or such other default is evident to RPS without further enquiry. It is expressly stated that no independent verification of any documents or information supplied by the client or others on behalf of the client has been made. The report shall be used for general information only.

Prepared by:

RPS

Abigail McCay
Associate Architect

Sherwood House
Sherwood Avenue
Newark
Nottinghamshire
NG24 1QQ

T Click or tap here to enter text.
E Click or tap here to enter text.

Prepared for:

MAG

Emily Fleet – on behalf of Columbia Threadneedle
Development Manager

MAG Property
6th Floor
Olympic House
Manchester Airport
M90 1QX

T +44 7563397281
E Emily.Fleet@magairports.com

Contents

Hangar 4 Architectural Samples Schedule..... Page 3 – 8

Samples Sign Off Sheets Schedule..... Page 9 – 49

Office

Samples Schedule				
Contract Number:				
Contract:				
File Reference:				
Reference Number	Description of Sample	Proposed Location	Signed off (Date)	Comments
Architectural Samples				
F1	Altro Walkway 20 Vinyl floor or similar approved Colour: TBC	Ground Floor Stair and Escape Stair, First Floor Kitchen Area, Stair and Escape Stair		
F2	Heckmondwike Supacord carpet tiles 600x600mm Colour TBC	First Floor Office Area Ground Floor (as per fit out drawing '020993-RPS-SI-XX-DR-A-9039 (Proposed Fit Out – Office Plan Option 03)		
F3	Matt Porcelain floor tiles 600 x 600mm Colour: TBC Minimum Slip Resistance R12	Ground Floor Reception Area		
F4	Altro Aquarius Vinyl floor or similar approved Colour: TBC	Ground Floor Acc WC, First Floor WCs, Acc WC, ACC Shower Room Locker Room and Shower Room at ground floor (as per fit out drawing '020993-RPS-SI-XX-DR-A-9039 (Proposed Fit Out – Office Plan Option 03)		
F5	Kingspan RMG600 raised access floor.	First Floor Open Plan Office Space		
F6	Concrete Floor Finish sealed with dust inhibitor	Warehouse Floor		
SK1	Altro vinyl Coved Skirting	Ground Floor Acc WC, First Floor WCs, Acc WC, ACC Shower Room		

MANCHESTER AIRPORT SAMPLES SCHEDULE

		Locker Room and Shower Room at ground floor (as per fit out drawing '020993-RPS-SI-XX-DR-A-9039 (Proposed Fit Out – Office Plan Option 03)		
SK2	150mm x 600mm Porcelain tile skirting, colour to match floor colour.	Ground Floor Reception Area.		
SK3	95mm chamfered softwood MDF painted skirting	Ground Floor Stair and escape stair, First Floor office, kitchen area, Stair, Escape Stair, WCs, Acc WC, ACC Shower Room Locker Room and Shower Room at ground floor (as per fit out drawing '020993-RPS-SI-XX-DR-A-9039 (Proposed Fit Out – Office Plan Option 03)		
W1	Painted: Eggshell one mist coat & two full coats, except behind full height tiling to shower room. Colour: White TBC. Tiles to be 150mm x 150mm, Johnson Prismatics, Colour: White. Tiles to Kitchen & WC splashback. Full height to Shower Room.	Ground Floor Acc WC, First Floor WCs, Acc WC, Kitchen area, ACC Shower Room Locker Room at ground floor (as per fit out drawing '020993-RPS-SI-XX-DR-A-9039 (Proposed Fit Out – Office Plan Option 03)		
W2	Full height tiles to walls. 150mm x 150mm, Johnson Prismatics, Colour: White	First Floor Shower Room		
W3	Painted: Eggshell one mist & two full coats Colour: White TBC	Ground Floor Stair, escape stair and reception. Locker Room. First Floor Stair, escape stair and office area.		
L1	Kone Monospace DX 300 or similar approved. 8-Person 630kg Passenger Lift	From Ground Floor to First Floor.		

MANCHESTER AIRPORT SAMPLES SCHEDULE

	Stainless Steel entrance doors and surround. Stainless steel push-button controls. Hard wearing floor, stainless steel internal finish and ceiling with long life LED lighting. Half height rear mirror, balustrade and above.			
C1	Lay in grid suspended ceiling system, 600mm x 600mm Tegular tiles, Colour: White Armstrong Dune or Similar approved	Ground Floor Reception and escape stair, First floor office area, escape stair, stair, and Kitchen area.		
C2	Lay-in grid suspended ceiling system, 600mm x 600mm Moisture resistant tegular tiles, Colour: White Armstrong Dune or similar approved	First Floor WC, Acc WC, ACC Shower Room Locker Room and Shower Room at ground floor (as per fit out drawing '020993-RPS-SI-XX-DR-A-9039 (Proposed Fit Out – Office Plan Option 03)		
C3	MF plasterboard ceiling system, Colour: White British Gypsum or similar approved	Ground Floor Reception, Stair, and Escape stair. First floor Stair and Office Area.		
C4	MF insulated plasterboard ceiling system, Colour: White British Gypsum or similar approved	Ground Floor Office Space Undercroft.		
DT1	Single leaf – solid core veneered finish. Door finish – Non tropical American light oak hardwood veneer with concealed lipping. Frame finish – Non tropical American light oak to match the adjacent door. Stainless steel lever handle & grab rail as approved doc M. Facility indicator bolt. 2 no. SSS kickplates.	Ground Floor – Acc WC to Reception Area. First Floor – Open office plan to Acc WC, ACC Shower Room Locker Room and Shower Room at ground floor (as per fit out drawing '020993-RPS-SI-XX-DR-A-9039 (Proposed Fit Out – Office Plan Option 03)		

MANCHESTER AIRPORT SAMPLES SCHEDULE

DT2	Single leaf – solid core veneered finish. Door finish – Non tropical American light oak hardwood veneer with concealed lipping. Frame finish – Non tropical American light oak to match the adjacent door. Stainless steel lever handle. Facility indicator bolt. 2 no. SSS kickplates.	First Floor – Open plan office to WC and Locker area to open plan office.		
DT3	Single leaf – solid core veneered finish. Door finish – Non tropical American light oak hardwood veneer with concealed lipping. Frame finish – Non tropical American light oak to match the adjacent door. Stainless steel push pad/ D pull handle. 2 no. SSS kickplates.	Ground Floor – office space undercroft to escape stair. First floor – open plan office space to escape stair.		
DT4	Double leaf – solid core veneered finish. Door finish – Non tropical American light oak hardwood veneer with concealed lipping. Frame finish – Non tropical American light oak to match the adjacent door. Stainless steel push pad/ D pull handle. 4 no. SSS kickplates.	Ground Floor – Office space undercroft to Lobby. First Floor – stair to open plan office space.		
DT5	Double leaf – solid core veneered finish. Door finish – Non tropical American light oak hardwood veneer with concealed lipping. Frame finish – Non tropical American light oak to match the adjacent door. Stainless steel push pad/ D pull handle. Euro profile mortice dead lock, cylinder and turn and roses. 4 no. SSS kickplates.	First Floor – Electrical Riser to open plan office space and mechanical riser to open plan office space.		
DT6	Double manual push/pull door to match surrounding curtain walling. Door finish – PPC, Colour: Anthracite	Ground Floor - Reception area.		






MANCHESTER AIRPORT SAMPLES SCHEDULE


	RAL 7016 (to match curtain walling). Frame finish – Aluminium with PPC finish to match door and curtain walling. 1 no. SSS stainless steel full height pull handles per leaf. 2 no. SSS push plates internally.			
DT7	Steel framed personnel door, polyester powdered coated finish. Colour: Light grey RAL 7035. Door finish – PPC, Colour: Light grey RAL 7035. Frame finish – Steel with PPC finish to match door. Panic release bar internally. External SS lever handle. Heavy duty large case dead lock euro profile cylinder external access device with manual override from internal panic bar.	Ground Floor		
DT8	Steel framed personnel door, polyester powdered coated finish. Colour: Light grey RAL 7035. Required Door finish – PPC, Colour: Light grey RAL 7035. Frame finish – Steel with PPC finish to match door. Panic release bar internally. Heavy duty large case dead lock euro profile cylinder external access device with manual override from internal panic bar.	Ground Floor entrance and into Escape Stair		
S1	Armitage Shanks approved S6960(AC) Doc M Shower room pack consisting of folding shower seat and back support, 2 x hinged rails, 3 x grab rails, shower curtain and rail and TMV3 approved thermostatic shower valve, fixed and moveable shower head, Colour: Charcoal	Office First Floor		

MANCHESTER AIRPORT SAMPLES SCHEDULE

S2	Armitage Shanks S0683(AC) Doc M Contour 21+ close coupled left hand corner pack with Charcoal rail and toilet seat. Pack Includes WC pan, water saving delay fill cistern with spatula lever, basin, grab rails, hinged support rail with toilet roll holder, seat no cover with retaining buffer, TMV3 mixer tap.	Office Ground Floor & First Floor		
S3	Armitage Shanks S0681(AC) Doc M Contour 21 Ambulant care WC pack includes close coupled WC and cistern with spatula lever, grab rails, seat no cover with retaining buffers and white plastic clothes hook. S2474-Contour 21 37mm handrinse washbasin right hand taphole no overflow or chainstay hole, bottom outlet. B8263(AA) – Avon 21 Push button self- Closing mixer with copper tails.	Office First Floor		
S4	Armitage Shanks S0683(AC) Doc M Contour 21+ close coupled right hand corner pack with Charcoal rail and toilet seat. Pack Includes WC pan, water saving delay fill cistern with spatula lever, basin, grab rails, hinged support rail with toilet roll holder, seat no cover with retaining buffer, TMV3 mixer tap.	Office Ground Floor & First Floor		
S5	Armitage Shanks S0745(MY) Sandringham Stainless Steel kitchen sink. B5344(AA) Cerasprint 1 hole single lever sink mixer.	Office First Floor Kitchen		

Sample Sign Off Sheets



Samples Sign off sheet	
Supplier/Contractor: Altro	
Date Submitted:	
Area to be installed on project: Office - Ground Floor Stair and Escape Stair, First Floor Kitchen Area, Stair and Escape Stair	
Location of Sample:	
Architectural Samples	
Description:	F1 - Altro Walkway 20 Vinyl floor or similar approved Colour To be confirmed from the available colours below.          
Status:	A= Approved without comment. B= Approved Subject to Compliance with Comments as noted. C= Rejected see comments.










Architectural Samples	
Description:	F1 - Altro Walkway 20 Vinyl floor or similar approved Available colours continued.
	 Waterfall VM20912 WR155 / A1M135 / LRV 31 Skyline VM20332 WR52 / A1M52 / LRV 24 Tarragon VMi2052 WR52 / A1M52 / LRV 26 Blue VM20412 WR71 / A1M71 / LRV 22 River VMi2057 WR71 / A1M71 / LRV 22 Lupin VMi2059 WR286 / A1M286 / LRV 17 Midnight VM20421 WR72 / A1M72 / LRV 11 Runway VM2006P WR72 / A1M72 / LRV 9 Nightfall VMi2056 WR72 / A1M72 / LRV 10 Black VM20892 WR100 / A1M100 / LRV 6
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.





Architectural Samples	
Description:	F1 - Altro Walkway 20 Vinyl floor or similar approved Available colours continued.
	 Swan VMi2012P WR291 / A1M01 / LRV 75 Winter VMi2053 WR105 / A1M01 / LRV 61 Minster VM2018P WR289 / A1M265 / LRV 40 Sand VMi2051 WR20 / A1M20 / LRV 40 Bone VM20215 WR20 / A1M20 / LRV 37 Biscuit VM20907 WR148 / A1M20 / LRV 30 Tundra VM20910 WR153 / A1M239 / LRV 17 Savannah VMi2050 WR153 / A1M239 / LRV 19 Cherry VM20920 WR148 / A1M148 / LRV 10 Tango VM2031 WR42 / A1M42 / LRV 14
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

<u>Samples Sign off sheet</u>										
Supplier/Contractor:	Heckmondwike									
Date Submitted:										
Area to be installed on project:	Office - First Floor Office Area									
Location of Sample:										
<u>Architectural Samples</u>										
Description:	F2 - Heckmondwike Supacord 600x600mm carpet tiles Colour To be confirmed from the available colours below. <table border="0"> <tr> <td>Anthracite </td> <td>Steel Grey </td> <td>Graphite </td> </tr> <tr> <td>Flint </td> <td>Pacific Blue </td> <td>Mulberry </td> </tr> <tr> <td>Pale Olive </td> <td colspan="2"></td> </tr> </table>	Anthracite 	Steel Grey 	Graphite 	Flint 	Pacific Blue 	Mulberry 	Pale Olive 		
Anthracite 	Steel Grey 	Graphite 								
Flint 	Pacific Blue 	Mulberry 								
Pale Olive 										
Status:	A= Approved without comment. B= Approved Subject to Compliance with Comments as noted. C= Rejected see comments.									






MANCHESTER AIRPORT SAMPLES SCHEDULE


Supplier/Contractor: Johnson Tiles	
Date Submitted:	
Area to be installed on project: Office - Ground Floor Reception Area	
Location of Sample:	
Architectural Samples	
Description:	F3 - Porcelain floor tiles 600 x 600mm Minimum Slip Resistance R12 Colour: To be confirmed from the available colours below.
	Johnsons Tiles - Coast and Kerastar range shown below.
	 Coast Beige Natural WF F    Coast Charcoal Natural WF F    Coast Grey Natural WF F    Coast Ivory Natural WF F    Coast Taupe Natural WF F    Kerastar Biscuit Natural WF F    Kerastar Bronze Natural WF F    Kerastar Chalk Natural WF F  
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

Architectural Samples																
Description:	F3 - Porcelain floor tiles 600 x 600mm Minimum Slip Resistance R12 Available colours continued.															
	Johnsons Tiles - Kerastar range shown below. <table><tr><td></td><td></td><td></td><td></td></tr><tr><td>Kerastar Chalk Speckle Natural   </td><td>Kerastar Clay Natural   </td><td>Kerastar Clay Speckle Natural   </td><td>Kerastar Denim Natural   </td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td>Kerastar Forest Natural   </td><td>Kerastar Ivory Natural   </td><td>Kerastar Khaki Natural   </td><td>Kerastar Marine Natural   </td></tr></table>					Kerastar Chalk Speckle Natural   	Kerastar Clay Natural   	Kerastar Clay Speckle Natural   	Kerastar Denim Natural   					Kerastar Forest Natural   	Kerastar Ivory Natural   	Kerastar Khaki Natural   
																
Kerastar Chalk Speckle Natural   	Kerastar Clay Natural   	Kerastar Clay Speckle Natural   	Kerastar Denim Natural   													
																
Kerastar Forest Natural   	Kerastar Ivory Natural   	Kerastar Khaki Natural   	Kerastar Marine Natural   													
Status:	A= Approved without comment.															
	B= Approved Subject to Compliance with Comments as noted.															
	C= Rejected see comments.															


Architectural Samples	
Description:	F3 - Porcelain floor tiles 600 x 600mm Minimum Slip Resistance R12 Available colours continued.
	Johnsons Tiles - Kerastar range shown below.  Kerastar Mocha Natural WF    Kerastar Night Natural WF    Kerastar Siena Natural WF    Kerastar Terracotta Natural WF    Kerastar Zinc Natural WF  
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

Architectural Samples	
Description:	F3 - Porcelain floor tiles 600 x 600mm Minimum Slip Resistance R12 Available colours continued.
	Johnsons Tiles - Essential range shown below.  Essential Beige Natural W F Download icon  Essential Charcoal Natural W F Download icon  Essential Ivory Natural W F Download icon  Essential Pebble Natural W F Download icon  Essential Silver Natural W F Download icon
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

Architectural Samples	
Description:	F3 - Porcelain floor tiles 600 x 600mm Minimum Slip Resistance R12 Available colours continued.
	Johnsons Tiles - Method range shown below.  Method Bone Natural W F  Method Bone Natural W F  Method Mink Natural W F  Method Mink Natural W F  Method Silver Natural W F  Method Silver Natural W F  Method Steel Natural W F  Method Steel Natural W F  Method White Natural W F  Method White Natural W F
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

<u>Samples Sign off sheet</u>																					
Supplier/Contractor:	Altro																				
Date Submitted:																					
Area to be installed on project:	Office - Ground Floor Acc WC, First Floor WCs, Acc WC, Locker Room and Shower Room																				
Location of Sample:																					
<u>Architectural Samples</u>																					
Description:	F4 - Altro Aquarius Vinyl floor or similar approved. Colour: To be confirmed from the available colours below.  <table border="1"> <tbody> <tr> <td>Cygnets AQI2004 WR287 / A1M79 / LRV 46</td> <td>Sea Snail AQI2024 WR370 / A1M370 / LRV 50</td> <td>Iguana AQI2021 WR297 / A1M20 / LRV 41</td> <td>Swan AQI2012 WR291 / A1M01 / LRV 75</td> </tr> <tr> <td>Puffin AQI2005 WR287 / A1M79 / LRV 46</td> <td>Dragonfly AQI2001 WR292 / A1M292 / LRV 33</td> <td>Vole AQI2010 WR289 / A1M265 / LRV 43</td> <td>Treefrog AQI2003 WR293 / A1M271 / LRV 33</td> </tr> <tr> <td>Walrus AQI2007 WR261 / A1M61 / LRV 29</td> <td>Blue Penguin AQI2002 WR288 / A1M71 / LRV 24</td> <td>Terrapin AQI2009 WR289 / A1M265 / LRV 40</td> <td>Gosling AQI2023 WR369 / A1M369 / LRV 59</td> </tr> <tr> <td>Tern AQI2008 WR261 / A1M61 / LRV 31</td> <td>Newt AQI2022 WR368 / A1M368 / LRV 10</td> <td>Otter AQI2006 WR290 / A1M239 / LRV 26</td> <td>Salamander AQI2011 WR294 / A1M294 / LRV 41</td> </tr> <tr> <td>Hippo AQI2013 WR301 / A1M82 / LRV 11</td> <td>Mallard AQI2015 WR302 / A1M302 / LRV 13</td> <td>Coral Crab AQI2014 WR300 / A1M42 / LRV 14</td> <td>Spoonbill AQI2016 WR303 / A1M303 / LRV 11</td> </tr> </tbody> </table>	Cygnets AQI2004 WR287 / A1M79 / LRV 46	Sea Snail AQI2024 WR370 / A1M370 / LRV 50	Iguana AQI2021 WR297 / A1M20 / LRV 41	Swan AQI2012 WR291 / A1M01 / LRV 75	Puffin AQI2005 WR287 / A1M79 / LRV 46	Dragonfly AQI2001 WR292 / A1M292 / LRV 33	Vole AQI2010 WR289 / A1M265 / LRV 43	Treefrog AQI2003 WR293 / A1M271 / LRV 33	Walrus AQI2007 WR261 / A1M61 / LRV 29	Blue Penguin AQI2002 WR288 / A1M71 / LRV 24	Terrapin AQI2009 WR289 / A1M265 / LRV 40	Gosling AQI2023 WR369 / A1M369 / LRV 59	Tern AQI2008 WR261 / A1M61 / LRV 31	Newt AQI2022 WR368 / A1M368 / LRV 10	Otter AQI2006 WR290 / A1M239 / LRV 26	Salamander AQI2011 WR294 / A1M294 / LRV 41	Hippo AQI2013 WR301 / A1M82 / LRV 11	Mallard AQI2015 WR302 / A1M302 / LRV 13	Coral Crab AQI2014 WR300 / A1M42 / LRV 14	Spoonbill AQI2016 WR303 / A1M303 / LRV 11
Cygnets AQI2004 WR287 / A1M79 / LRV 46	Sea Snail AQI2024 WR370 / A1M370 / LRV 50	Iguana AQI2021 WR297 / A1M20 / LRV 41	Swan AQI2012 WR291 / A1M01 / LRV 75																		
Puffin AQI2005 WR287 / A1M79 / LRV 46	Dragonfly AQI2001 WR292 / A1M292 / LRV 33	Vole AQI2010 WR289 / A1M265 / LRV 43	Treefrog AQI2003 WR293 / A1M271 / LRV 33																		
Walrus AQI2007 WR261 / A1M61 / LRV 29	Blue Penguin AQI2002 WR288 / A1M71 / LRV 24	Terrapin AQI2009 WR289 / A1M265 / LRV 40	Gosling AQI2023 WR369 / A1M369 / LRV 59																		
Tern AQI2008 WR261 / A1M61 / LRV 31	Newt AQI2022 WR368 / A1M368 / LRV 10	Otter AQI2006 WR290 / A1M239 / LRV 26	Salamander AQI2011 WR294 / A1M294 / LRV 41																		
Hippo AQI2013 WR301 / A1M82 / LRV 11	Mallard AQI2015 WR302 / A1M302 / LRV 13	Coral Crab AQI2014 WR300 / A1M42 / LRV 14	Spoonbill AQI2016 WR303 / A1M303 / LRV 11																		
Status:	A= Approved without comment. B= Approved Subject to Compliance with Comments as noted. C= Rejected see comments.																				

<u>Samples Sign off sheet</u>


Supplier/Contractor: TBC	
Date Submitted:	
Area to be installed on project: Office - First Floor Open Plan Office Space	
Location of Sample:	
<u>Architectural Samples</u>	
Description:	F5 - Kingspan RMG600 raised access floor to receive Heckmondwike Supacord 600x600mm carpet tiles.
	
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor: TBC	
Date Submitted:	
Area to be installed on project: Warehouse/ Undercroft	
Location of Sample:	
<u>Architectural Samples</u>	
Description:	F6 - Concrete Floor Finish sealed with dust
	
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor: Altro	
Date Submitted:	
Area to be installed on project: Office - Ground Floor Acc WC, First Floor WCs, Acc WC, Locker Room and Shower Room	
Location of Sample:	
<u>Architectural Samples</u>	
Description:	SK1 -Altro Vinyl Coved Skirting colour to match floor area.
	
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor: Johnson Tiles	
Date Submitted:	
Area to be installed on project: Office - Ground Floor Reception Area. D	
Location of Sample:	
<u>Architectural Samples</u>	
Description:	SK2 - 150mm x 600mm Porcelain tile skirting, colour to match floor colour.
	
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor: TBC	
Date Submitted:	
Area to be installed on project: Office - Ground Floor Stair and escape stair, First Floor office, kitchen area, Stair, Escape Stair, WCs, Acc WC, Locker Room, Shower Area	
Location of Sample:	
<u>Architectural Samples</u>	
Description:	SK3 - 95mm chamfered softwood MDF painted skirting
	(Colour: White eggshell) 
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor: Johnson Tiles	
Date Submitted:	
Area to be installed on project: Office - Ground Floor Acc WC, First Floor WCs, Acc WC, Kitchen area, Locker Room	
Location of Sample:	
<u>Architectural Samples</u>	
Description:	W1 - Painted: Eggshell one mist coat & two full coats, except behind full height tiling to shower room. Colour: White TBC. Tiles to be 150mm x 150mm, Johnson Prismatics, Colour: White. Tiles to Kitchen & WC splashback. Full height to Shower Room.
	 
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.


<u>Samples Sign off sheet</u>	
Supplier/Contractor: TBC	
Date Submitted:	
Area to be installed on project: Office - First Floor Shower Room	
Location of Sample:	
<u>Architectural Samples</u>	
Description:	W2 - Full height tiles to walls. 150mm x 150mm, Johnson Prismatics, Colour: White
	
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.


<u>Samples Sign off sheet</u>	
Supplier/Contractor: TBC	
Date Submitted:	
Area to be installed on project: Office - Ground Floor Stair, escape stair and reception. First Floor Stair, escape stair and office area.	
Location of Sample:	
<u>Architectural Samples</u>	
Description:	W3 - Painted: Eggshell one mist & two full coats Colour: White TBC.
	
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

Samples Sign off sheet	
Supplier/Contractor: Gartec	
Date Submitted:	
Area to be installed on project: From Ground Floor to First Floor	
Location of Sample:	
Architectural Samples	
Description:	L1 - Kone Monospace DX 300 or similar approved. 8-Person 630kg Passenger Lift Stainless Steel entrance doors and surround. Stainless steel push-button controls. Hard wearing floor, stainless steel internal finish and ceiling with long life LED lighting. Half height rear mirror, balustrade and above.
	MATERIALS AND ACCESSORIES WALL MATERIALS P51 Misty Gray Painted Steel P62 Blue Reflection Painted Steel P63 Cottongrass White Painted Steel K Scottish Quad Textured Stainless Steel TS1 Flemish Linen Textured Stainless Steel F Asturias Satin Brushed Stainless Steel L235 Whitened Ash Laminate L236 Natural Oak Laminate L238 Warm Oak Laminate L243 Quartz Gray Smart-surface Laminate FLOOR MATERIALS SF42 Gray Granite Composite Stone / Ceramic RC30 Carbon Black Rubber RC32 Beige Gray Rubber 0 Raw surface for local finishing DOOR MATERIALS F Asturias Satin Brushed Stainless Steel P51 Misty Gray Painted Steel P63 Cottongrass White Painted Steel K Scottish Quad Textured Stainless Steel TS1 Flemish Linen Textured Stainless Steel Z Zinc coated Local paint or decopanel CEILING MATERIALS CL80 Asturias Satin (F) Cottongrass White (P63) CL96 Cottongrass White (P63) Asturias Satin (F) RL12 Asturias Satin (F) Cottongrass White (P63) HANDRAILS HR50 Aluminum HR53 Brushed stainless steel SKIRTING F Asturias Satin Brushed Stainless Steel CAR OPERATING PANEL (COP) KSC 266 Full height, surface mounted KSC 286 Partial height, surface mounted Faceplate finishings: Asturias Satin Brushed Stainless Steel (F) Displays: Segmented LCD reddot design award winner 2012 LANDING DEVICES KSI 286 KSH 280 KSJ 280 KSL 270 KSL 286 Simplex KSL 286 Duplex KSL 284 TENANT DIRECTORIES TD3/TD4 Brushed stainless steel base, tempered glass door. Sizes: A4 A3 TD3 TD4
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor: Zentia	
Date Submitted:	
Area to be installed on project: Office - Ground Floor Reception and escape stair, First floor office area, escape stair, stair, and Kitchen area.	
Location of Sample:	
<u>Architectural Samples</u>	
Description:	C1 – Lay in grid suspended ceiling system, 600mm x 600mm Tegular tiles, Colour: White. Armstrong Dune or Similar approved
	(Dune Evo) 
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor: Zentia	
Date Submitted:	
Area to be installed on project: Office - First Floor WC, Acc WC, Shower Room and Locker Room.	
Location of Sample:	
<u>Architectural Samples</u>	
Description:	C2 - Lay-in grid suspended ceiling system, 600mm x 600mm Moisture resistant tegular tiles, Colour: White. Armstrong Dune or similar approved
	(Aquabloc) 
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor: British Gypsum	
Date Submitted:	
Area to be installed on project: Office - Ground Floor Reception, Stair, and Escape stair. First floor Stair and Office Area.	
Location of Sample:	
<u>Architectural Samples</u>	
Description:	C3 – MF plasterboard ceiling system, Colour: White British Gypsum or similar approved
	 
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor: British Gypsum	
Date Submitted:	
Area to be installed on project: Office - Ground Floor Office Space Undercroft.	
Location of Sample:	
<u>Architectural Samples</u>	
Description:	C4 – MF insulated plasterboard ceiling system, Colour: White British Gypsum or similar approved
	 
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor:	Contractor to advise
Date Submitted:	
Area to be installed on project:	Office - Ground Floor – Acc WC to Reception Area. First Floor – Open office plan to Acc WC, and Shower Room to locker area.
Location of Sample:	
<u>Architectural Samples</u>	
Description:	DT1 - Single leaf – solid core veneered finish. Door finish – Non tropical American light oak hardwood veneer with concealed lipping. Frame finish – Non tropical American light oak to match the adjacent door. Stainless steel lever handle & grab rail as approved doc M. Facility indicator bolt. 2 no. SSS kickplates.    Non tropical American light oak hardwood veneer finish 2No. 150mm Stainless Steel Kickplates 3No. Zoo ZHSS243RS Grade 13 Ball Bearing Hinge    Stainless steel lever handle and Facility bolt indicator as approved Document M. Stainless Steel Grab rail as approved Document M. Zoo ZSS07SS Disabled Symbol Disc Sign.
Status:	A= Approved without comment. B= Approved Subject to Compliance with Comments as noted.

MANCHESTER AIRPORT SAMPLES SCHEDULE

	C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor:	Contractor to advise
Date Submitted:	
Area to be installed on project:	Office - First Floor – Open plan office to WC and Locker area to open plan office.
Location of Sample:	
<u>Architectural Samples</u>	
Description:	DT2 - Single leaf – solid core veneered finish. Door finish – Non tropical American light oak hardwood veneer with concealed lipping. Frame finish – Non tropical American light oak to match the adjacent door. Stainless steel lever handle. Facility indicator bolt. 2 no. SSS kickplates.    Non tropical American light oak hardwood veneer finish 2No. 150mm Stainless Steel Kickplates 3No. Zoo ZHSS243RS Grade 13 Ball Bearing Hinge    2No. Zoo ZCS30SSS 19mm Return Door Handle Lever Stainless Steel Thumbturn and facility indicator Zoo ZSS03SS Unisex Disc Sign
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor: Contractor to advise	
Date Submitted:	
Area to be installed on project: Office - Ground Floor – office space under croft to escape stair. First floor – open plan office space to escape stair.	
Location of Sample:	
<u>Architectural Samples</u>	
Description:	DT3 - Single leaf – solid core veneered finish. Door finish – Non tropical American light oak hardwood veneer with concealed lipping. Frame finish – Non tropical American light oak to match the adjacent door. Stainless steel push plate/ D pull handle. 2 no. SSS kickplates.
	   Non tropical American light oak hardwood veneer finish 2No. 150mm Stainless Steel Kickplates 3No. Zoo ZHSS243RS Grade 13 Ball Bearing Hinge    1No. Stainless steel push plate 1No. Z 300mm Stainless Steel Handle 1No. 15mm Pilkington Pyrostop Vision Panel

	 2No. Zoo ZSS09SS Fire Door Keep Shut Sign  1No. Briton 1120B Door Closer
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

Samples Sign off sheet	
Supplier/Contractor: Contractor to advise	
Date Submitted:	
Area to be installed on project: Office - Ground Floor – Office space undercroft to Lobby. First Floor – stair to open plan office space. Plant Level – Plant space to stair.	
Location of Sample:	
Architectural Samples	
Description:	DT4 - Double leaf – solid core veneered finish. Door finish – Non tropical American light oak hardwood veneer with concealed lipping. Frame finish – Non tropical American light oak to match the adjacent door. Stainless steel push plates/ D pull handles. 4 no. SSS kickplates.  Non tropical American light oak hardwood veneer finish  4No. 150mm Stainless Steel Kickplates  2No. Pilkington Pyrostop Vision Panels  6No. Zoo ZHSS243RS Grade 13 Ball Bearing Hinge  2No. Stainless Steel Push Plates  2No. Z 300mm Stainless Steel Handles  

MANCHESTER AIRPORT SAMPLES SCHEDULE

	2No. Briton 1120B Door Closer 4No. Zoo ZSS09SS Fire Door Keep Shut Disc Sign
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor:	Contractor to advise
Date Submitted:	
Area to be installed on project:	Office - First Floor – Electrical Riser to open plan office space and mechanical riser to open plan office space.
Location of Sample:	
<u>Architectural Samples</u>	
Description:	DT5- Double leaf – solid core veneered finish. Door finish – Non tropical American light oak hardwood veneer with concealed lipping. Frame finish – Non tropical American light oak to match the adjacent door. Stainless steel push pad/ D pull handle. Euro profile mortice dead lock, cylinder and turn and roses. 4 no. SSS kickplates.       Non tropical American light oak hardwood veneer finish 4No. 150mm Stainless Steel Kickplates 3No. Zoo ZHSS243RS Grade 13 Ball Bearing Hinge 2No. Zoo ZCS30SSS 19mm Return Door Handle Lever Euro profile mortice deadlock. Cylinder, turn and roses 2No. Zoo ZSS10SS Fire Door Keep Locked Disc Sign
Status:	A= Approved without comment. B= Approved Subject to Compliance with Comments as noted. C= Rejected see comments.

Samples Sign off sheet	
Supplier/Contractor:	Contractor to advise
Date Submitted:	
Area to be installed on project:	Office - Ground Floor - Reception area.
Location of Sample:	
Architectural Samples	
Description:	DT6 - Double manual push/pull door to match surrounding curtain walling. Door finish – PPC, Colour: Anthracite RAL 7016 (to match curtain walling). Frame finish – Aluminium with PPC finish to match door and curtain walling. 1 no. SSS stainless steel full height pull handles per leaf. 2 no. SSS push plates internally.    Kawneer AA190TB thermally broken doors with Ash 122.C full height 44mm Dia. Pull handles 2No. Stainless Steel Push Plates internally Concealed Overhead Door Closer with 90degree Hold Open Facility   Orca Multi-Hook Lock Mechanism with Euro Profile Cylinder Key operation to both sides 2No. Zoo ZSS09SS Fire Door Keep Shut Disc Sign
Status:	A= Approved without comment. B= Approved Subject to Compliance with Comments as noted.

MANCHESTER AIRPORT SAMPLES SCHEDULE

	C= Rejected see comments.


<u>Samples Sign off sheet</u>	
Supplier/Contractor:	Assay Abloy
Date Submitted:	
Area to be installed on project:	Office - Ground Floor – Office.
Location of Sample:	
<u>Architectural Samples</u>	
Description:	DT7 - Steel framed personnel door, polyester powdered coated finish. Colour: Light grey RAL 7035. Door finish – PPC, Colour: Light grey RAL 7035. Frame finish – Steel with PPC finish to match door. Panic release bar internally. External SS lever handle. Heavy duty large case dead lock euro profile cylinder external access device with manual override from internal panic bar.    Assa Abloy Clandeboye (LPCB SR2) Steel Door Abloy EL160 Mechanical Lock Abloy PBE011 Panic Bar    Abloy DC300A Door Closer – Silver finish 4No. Stainless Steel Dog Bolt Hinges 2No. Zoo ZSS11SS Fire Door Keep Clear Disc Signs
Status:	A= Approved without comment. B= Approved Subject to Compliance with Comments as noted. C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor: Assay Abloy	
Date Submitted:	
Area to be installed on project: Office - Ground Floor – Into Office and into Escape Stair.	
Location of Sample:	
<u>Architectural Samples</u>	
Description:	DT8- Steel framed personnel door with vision panel, polyester powdered coated finish. Colour: Light grey RAL 7035. Door finish – PPC, Colour: Light grey RAL 7035. Frame finish – Steel with PPC finish to match door. Panic release bar internally. Heavy duty large case dead lock euro profile cylinder external access device with manual override from internal panic bar.    Assa Abloy Clandeboye (LPCB SR2) Steel Door Abloy EL160 Mechanical Lock Abloy PBE011 Panic Bar    Abloy DC300A Door Closer – Silver finish 4No. Stainless Steel Dog Bolt Hinges 1No. Zoo ZCS30SSS 19mm Return Door Handle Lever

			
	564 A Low profile step threshold	166 x 617mm TSG DCT20 Glass Vision Panel	2No. Zoo ZSS11SS Fire Door Keep Clear Disc Signs
Status:	A= Approved without comment.		
	B= Approved Subject to Compliance with Comments as noted.		
	C= Rejected see comments.		

<u>Samples Sign off sheet</u>	
Supplier/Contractor:	Armitage Shanks
Date Submitted:	
Area to be installed on project:	Office First Floor
Location of Sample:	
<u>Architectural Samples</u>	
Description:	S1-Armitage Shanks approved S6960(AC) Doc M Shower room pack consisting of folding shower seat and back support, 2 x hinged rails, 3 x grab rails, shower curtain and rail and TMV3 approved thermostatic shower valve, fixed and moveable shower head, Colour: Charcoal.  Armitage Shanks S6960(AC) Doc M Shower pack  Grab Rails to be Charcoal colour
Status:	A= Approved without comment. B= Approved Subject to Compliance with Comments as noted. C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor:	Armitage Shanks
Date Submitted:	
Area to be installed on project:	Office Ground Floor & First Floor
Location of Sample:	
<u>Architectural Samples</u>	
Description:	S2 - Armitage Shanks S0683(AC) Doc M Contour 21+ close coupled left hand corner pack with Charcoal rail and toilet seat. Pack Includes WC pan, water saving delay fill cistern with spatula lever, basin, grab rails, hinged support rail with toilet roll holder, seat no cover with retaining buffer, TMV3 mixer tap.  Armitage Shanks S0683(AC) Doc M Contour 21+ close coupled left hand corner pack with Charcoal grab rails and toilet seat.
Status:	A= Approved without comment. B= Approved Subject to Compliance with Comments as noted. C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor:	Armitage Shanks
Date Submitted:	
Area to be installed on project:	Office First Floor
Location of Sample:	
<u>Architectural Samples</u>	
Description:	S3- Armitage Shanks S0681(AC) Doc M Contour 21 Ambulant care WC pack includes close coupled WC and cistern with spatula lever, grab rails, seat no cover with retaining buffers and white plastic clothes hook. S2474-Contour 21 37mm handrinse washbasin right hand taphole no overflow or chainstay hole, bottom outlet. B8263(AA) – Avon 21 Push button self-Closing mixer with copper tails.
	 Armitage Shanks S0681(AC) Doc M Contour 21 Ambulant care WC pack with Charcoal grab rails and toilet seat.
Status:	A= Approved without comment.
	B= Approved Subject to Compliance with Comments as noted.
	C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor:	Armitage Shanks
Date Submitted:	
Area to be installed on project:	Office Ground Floor & First Floor
Location of Sample:	
<u>Architectural Samples</u>	
Description:	S4 - Armitage Shanks S0683(AC) Doc M Contour 21+ close coupled right hand corner pack with Charcoal rail and toilet seat. Pack Includes WC pan, water saving delay fill cistern with spatula lever, basin, grab rails, hinged support rail with toilet roll holder, seat no cover with retaining buffer, TMV3 mixer tap.  Armitage Shanks S0683(AC) Doc M Contour 21+ close coupled right hand corner pack with Charcoal grab rails and toilet seat.
Status:	A= Approved without comment. B= Approved Subject to Compliance with Comments as noted. C= Rejected see comments.

<u>Samples Sign off sheet</u>	
Supplier/Contractor:	Armitage Shanks
Date Submitted:	
Area to be installed on project:	Office First Floor
Location of Sample:	
<u>Architectural Samples</u>	
Description:	S5 - Armitage Shanks S0745(MY) Sandringham Stainless Steel kitchen sink. B5344(AA) Cerasprint 1 hole single lever sink mixer.  Armitage Shanks S0745(MY) Sandringham Stainless Steel kitchen sink.  Armitage Shanks B5344(AA) Cerasprint 1 hole single lever sink mixer.
Status:	A= Approved without comment. B= Approved Subject to Compliance with Comments as noted. C= Rejected see comments.