FirstFence

Doing the undoable, first.

2020 ★★★★★ feefo
Gold Trusted Service Award

- In House Manufacturing
- 24 / 7 Sales Line
- Same Day Delivery
- Order Tracking System
- Customisation
- Order Online

For more information and to purchase our products please visit **www.firstfence.co.uk**

First Fence

Doing the undoable, first.

Established in 2010 by two brothers, First Fence and has since expanded to become a front-runner within the UK fencing market. Supplying a vast array of products from security fencing, temporary fencing, plastic barriers to construction supplies, we source and manufacture only the highest quality products.

Operating with an exceptional customer focus, we are consistently investing in improving our service to make the whole experience easier for our customers. This investment has allowed us to have upwards of £2.5m of stock on the grounds at our depots, meaning we are able to drastically reduce lead times on many of our product ranges.

By Utilising depots nationwide, operating an impressive logistics fleet and with a 'can-do' attitude, we go one step further than meeting the expectations of our customers – we exceed them. We also employ sophisticated, bespoke internal systems to process and manage our orders we can ensure a smooth daily operation. Ordering is easy via our 24/7 sales line, e-commerce website or even through the secure, quick-pay links on all our quotes. These systems all contribute towards easy and trusting relationships between ourselves and our clients so throughout our time working together, we both know exactly where we stand.

In late 2016 we purchased a galvanizing plant, a long-term supplier gone into administration, and invested heavily in regeneration; now unveiled as First Galvanizing. 2017 has seen two further companies, Fabrication First and First Charters.

Get In Touch

Derby, Head Office	01283 512 111
Bradford Depot	01274 752 237
Birmingham Depot	01213 060 7161
Bristol Depot	01173 021 055
Glasgow Depot	01414 337 650
London Depot	01322 466 167

01283 480 522 **sales@firstfence.co.uk** **www.firstfence.co.uk**

Services

In House Manufacturing

At First Fence we manufacture a wide range of our products to ensure quality, traceability and control, using the finest materials to bring the best products to the market.

Customisation

We understand that every order is different, and by offering a bespoke service, we enable our customers to personalise their order with either a polyester powder coated finish, or accessorize a system for extra security, helping to meet each customer's exact specifications.

Order Tracking System

Customers are able to utilise our online order tracking system once their transaction is complete.

24 / 7 Sales Line

Our Sales line is open 24 hours a day, 7 days a week to discuss orders, request a free no obligation quote or enquire with us, you will always receive an instant response. Our Sales Line operates for all of our depots across the UK.

Same Day Delivery

Having a huge stock holding allows us to provide a Same Day Delivery service on a nationwide scale if ordered before 12pm on weekdays.

Click and Collect

Our Click and Collect service is available at all branches, collection requests will be taken over the phone and customers will be able to organise their dates and times.

Order Online

When ordering through our website, our easy calc system will evaluate the size and structure of the security or access solution required for our customers. We also have a shopping list that will feature all of the essential products plus any additional accessories that you may wish to purchase.

Contents

Palisade Fencing	6
Mesh Fencing	10
Railings	14
Temporary Fencing	20
Steel Hoarding	26
Crowd Control	30
Armco Products	34
Plastic Barriers	40
Water Filled Barriers	46
Verge Posts	54
Gates and Barriers	56
Agriculture	60
Civils and Construction	64

Icon Key

- Customisable
- Same Day Delivery
- In Stock
- Hire Service
- Made in UK

Can't find what you're looking for?

Our products are updated daily, contact us with your requirements

01283 512 111 sales@firstfence.co.uk

***Please note all images are for illustration purposes only and actual products may vary.**

Palisade Fencing

Palisade fencing is a great solution for areas requiring high security providing a boundary around your premises which is secure and clear to see. Permanent and long-lasting, it is a very popular choice of security fencing among customers due to its strength and reliability.

Our palisade fencing is available in heights from 1.8m - 3.0m, with either a galvanised or polyester powder coated finish.

Cold Rolled Steel

Palisade fencing is manufactured using a cold rolling process, so whilst this makes the steel lighter in weight than other metals, it doesn't compromise its strength in any way. Cold rolling involves steel being passed through a number of rollers at room temperature, where the steel is manipulated gradually until its shape is formed, so no heat is required for this manufacturing process

Anti Tamper Fixing

Clever anti-tamper fixings designed specifically for this type of fencing, offer a secure connection for the palisade. The bolt will fit tightly within the bolthole where the top section of the nut will snap off. This feature means bolts cannot be tampered with or removed once the palisade fencing has been installed preventing the palisade system from being dismantled.

'W' Section Pales

The most important feature of palisade systems is the 'w' section pales which offer great strength and make the fencing difficult to grip, therefore making climbing difficult and preventing any potential intruders gaining access.

Due to palisade fencing requiring a number of components for assembly, we provided palisade as kit that comes with all the components need for each 2.75m bay.

If you are purchasing a bolt down fence kit, ground anchor bolts can be purchased separately as they depend on the ground you are installing them within. Also available are a wide range of manual palisade gates, from pedestrian to vehicle gates with widths ranging from 1.2m to 10.0m.

Accessories such as end and corner kits, as well as replacement posts, pales and rails are sold separately.

Customisation

Pale Types	Post Types	Polyester Powder Coating Colour
Triple Pointed	Dig In	Green
Round and Notched	Bolt Down	Black
Single Point		Blue
		Custom colours available on request

Kit Table

Item	Quantity
Palisade Fencing Posts	1
'W' Section Palisade Fencing Pales	17
Palisade Fencing Top Rails	1
Palisade Fencing Bottom Rails	1
Palisade Fencing Fishplates	2
Palisade Fencing M12 Bolts	4
Palisade Fencing M8 Bolts	34

*Components per kit may vary dependant on fence specification, correct at time of printing. Please ensure that you purchase an end post if required.

Palisade Fencing



Fence Height	1,800mm	2,000mm	2,100mm	2,400mm	3,000mm
Pale Height	1,750mm	1,950mm	2,050mm	2,400mm	2,950mm
Bay Width	2,750mm (post centre to post centre)				
Material	Galvanised Steel				
Finish	Optional added PPC in Green and Black as standard, other colours available on request.				
Pale Types	Triple Pointed, Round & Notched, Single Point				
Post Types	Dig In, Bolt Down				
Compliant To	BS EN ISO 1461.2009				

Palisade Gates

Height	1,800mm	2,000mm	2,100mm	2,400mm	3,000mm
Gate Width	1200mm to 5000mm (Single Leaf), 2000mm to 10,000mm (Double Leaf)				
Material	Galvanised Steel				
Finish	Optional added PPC in Green and Black as standard, other colours available on request.				
Pale Types	Triple Pointed, Round & Notched, Single Point				
Post Types	Dig In, Bolt Down				

Palisade Pales

Height	1,800mm	2,000mm	2,100mm	2,400mm	3,000mm
Weight	2.0kg	2.23kg	2.35kg	2.69kg	3.37kg
Material	Galvanised Steel				
Finish	Galvanised, optional added PPC in Green and Black as standard, other colours available on request.				
Pale Types	Triple Pointed, Round & Notched, Single Point				

Palisade Fencing Posts

Height	1,800mm	2,000mm	2,100mm	2,400mm	3,000mm
RSJ Dimensions	127mm x 45mm				
Material	Galvanised Steel				
Finish	Optional added PPC in Green and Black as standard, other colours available on request.				
Post Types	Dig In, Bolt Down				

Palisade Fencing Rails



Type Available	Top Rail and Bottom Rail
Length	2750mm
Weight	6.11kg
Material	Galvanised Steel
Finish	Optional added PPC in Green and Black as standard, other colours available on request.

Accessories

Fishplates

Type Available	Standard, Corner, End
Material	Galvanised Steel
Finish	Optional added PPC in Green and Black as standard, other colours available on request.

Snap Off Bolts

Features	Capability to snap off at the end to prevent the palisade system from being dismantled.
Type Available	M8 Bolts (for pales) M12 Bolts (for rails)

M20 Ground Anchor Bolts

Secures bolt down posts to the ground with materials such as concrete.

Master Coat Spray

RAL matching touch up spray paint.

Post Mix Cement

Individual bags or bulk purchase available.

Mesh Fencing

Offering a stylish design and rigid construction, mesh fencing is an extremely reliable security fencing system. This perimeter fencing style is commonly used to protect industrial sites, schools, sports stadiums, airports and commercial buildings throughout the UK.

Our security mesh fencing is available in heights from 0.9m – 3.0m and is made from high-quality steel which is galvanized with a zinc coating to help prevent rust. As standard, mesh fencing is polyester powder coated to provide increased resilience to damage and weathering, as well as a more aesthetically pleasing look. We offer a range of standard PPC as well as custom colours.

There is a vast range of security mesh fencing to choose from, each with their own look and benefits. Available from First Fence is 656 and 868 Twin Mesh, 358 Prison Mesh, 358 D prison mesh, V Mesh and Safe Top Mesh.



High Visibility Through the Fence

Despite the small apertures, the mesh still provides sufficient visibility so both CCTV cameras and patrolling security guards can see clearly through the fencing structure.



Resistant to Vandalism

For maximum strength, the horizontal and vertical wires within the mesh are securely wielded together at each intersection. The thickness of each mesh wire makes it difficult to cut through with standard cutting tools.



Difficult to Scale

358 Prison Mesh and 358 D Mesh have narrow apertures which are difficult to grip and climb

Customisation

Post types – dig in, bolt down
Polyester powder coated colour – green, black, blue, custom colours available on request

Mesh Fencing is supplied as a kit which contains the correct posts, panels and fixings that will be required for assembly. We also have a range of accessories from fixings, clips and bolts, to mesh fencing posts. If you are purchasing a bolt down fence kit, ground anchor bolts can be purchased separately as they depend on the ground you are installing them within.

We have a wide range manual twin and prison mesh gates, from pedestrian to vehicle gates with widths ranging from 1.2m to 10.0m.

Item	Quantity
Mesh Fencing Posts	1
Mesh Fencing Panels	1
Fixing Packs to Suit	1

*Components per kit may vary dependant on fence specification, correct at time of printing. Please ensure that you purchase an end post if required.

358 Prison Mesh Fencing



Height	1,800mm	2,000mm	2,400mm	3,000mm
Bay Width	2,515mm			
Material	Pre-Galvanised Steel			
Finish	Green, Blue, Black, Red, Grey, Brown, other colours available			
Post Types	Dig In, Bolt Down			
Compliant To	BS 10244-2:2001 Class D (Galvanised Wire)			

358 D Prison Mesh Fencing



Height	1,800mm	2,100mm	2,400mm	3,000mm
Bay Width	2,500mm			
Material	Pre-Galvanised Steel			
Finish	PPC in Green and Black as standard, other colours available on request.			
Post Types	Dig In, Bolt Down			
Compliant To	BS EN 10218 -2:2012 T2			

656 & 868 Twin Mesh Fencing



Height	1,800mm	2,000mm	2,400mm	3,000mm
Bay Width	2,500mm			
Material	Pre-Galvanised Steel			
Finish	PPC in Green and Black as standard, other colours available on request.			
Post Types	Dig In, Bolt Down			
Compliant To	BS EN 10218 -2:2012 T2			

‘V’ Mesh Fencing



Height	1,800mm	2,000mm	2,400mm	3,000mm
Bay Width	3,000mm			2,500mm
No. of Beams	3			4
Material	Pre-Galvanised Steel			
Finish	PPC in Green and Black as standard, other colours available on request.			
Post Types	Dig In, Bolt Down			
Compliant To	BS 10244-2:2001 Class D (Galvanised Wire)			

Mesh Fencing Gates



Height	1,800mm	2,000mm	2,400mm	3,000mm
Widths	1200mm to 5000mm (Single Leaf), 2000mm to 10,000mm (Double Leaf)			
Infills	358 Prison Mesh, 868 Prison Mesh			
Material	Pre-Galvanised Steel			
Finish	PPC in Green and Black as standard, other colours available on request.			
Post Types	Dig In, Bolt Down			

Mesh Fencing Posts

Height	1,800mm	2,000mm	2,400mm	3,000mm
Post Dimensions	60x40 mm, 60x60 mm, 80x80 mm			
Material	Pre-Galvanised Steel			
Finish	PPC in Green and Black as standard, other colours available on request.			
Post Types	Dig In, Bolt Down			
Compliant To	BS 10244-2:2001 Class D (Galvanised Wire)			
Width	2515mm			

Accessories

M8 Mesh Bolts

Component & Sold Individually

Ribbed Post Cap

Component & Sold Individually

Mesh Fencing Clip

Component & Sold Individually

Mesh Torque Bit

Sold Individually

This is required for use with the mesh bolts for installation.

M20 Ground Anchor Bolts

Sold Individually

Secures bolt down posts to the ground with materials such as concrete.

Spray Cans and Post Mix Cement also available, **see page 9 for details**

Railings

Railings are a very popular choice for many public and domestic locations, as they offer a safe and attractive design. Suitable for places that require a low to medium level of security, railing fences are useful for providing boundary demarcation around properties and other outdoor areas.

Our railings also have four design styles; Bow Top, Vertical Bar, Ball Top and Estate Railings.

Bow Top and Vertical Bar Railings come in two varieties; Standard and Self-Raking.

Our standard railing contains solid bars which are welded to the bottom bar of the panel. Standard railings can be erected on level or sloping ground, however the railing will need to be stepped if installed on sloping ground, as they cannot be adjusted.

Self-raking railing contains hollow bars which sit within the bottom rail of the panel; which allows the panel to be adjusted if it is installed on a slope. If a self-raking railing system is erected on sloping ground with an incline no greater than 20 degrees, it can be adjusted so that it runs parallel to the ground below.

No Sharp Edges

The design of our railing systems includes no sharp edges, which means that it is safe for use around schools, or any areas where there will be children.

Install on sloped ground

Self-Raking Railings are able to be installed onto ground of up to 20 degrees without the need for stepping.

Versatility

Due to the attractive and non-threatening design, railings can be installed in a range of public and domestic locations including parks, schools and housing developments.

Vertical Bar Railings

Bow Top Railings

Customisation

Post Types	Polyester Powder Coating Colour
Dig In	Green
Bolt Down	Black
	Blue
	Custom colours available on request

Available in heights from 1.0m – 2.4m, with either a galvanised or polyester powder coated finish, railings are easy to customise to your requirements. Railings are supplied as a kit which contains the correct posts, panels, fishplates and bolts required for assembly. If you are purchasing a bolt down fence kit, ground anchor bolts can be purchased separately as they depend on the ground you are installing them within.

We have a wide range manual bow top and vertical bar railing gates, from pedestrian to vehicle gates with widths ranging from 1.0m to 10.0m all available in standard and self-raking compatible varieties.



Standard Railings

Self Raking Railings

Standard Bow Top Railings

Heights	1,000mm	1,200mm	1,500mm	1,800mm	2,000mm	2,100mm	2,400mm
Material	Galvanised Steel						
Finish	Optional added PPC in Green and Black as standard, other colours available on request.						
Post Types	Dig In, Bolt Down						

Standard Vertical Bar Railings

Heights	1,000mm	1,200mm	1,500mm	1,800mm	2,000mm	2,100mm	2,400mm
Material	Galvanised Steel						
Finish	Optional added PPC in Green and Black as standard, other colours available on request.						
Post Types	Dig In, Bolt Down						

Self-Raking Bow Top Railings

Heights	1,000mm	1,200mm	1,500mm	1,800mm	2,000mm	2,100mm	2,400mm
Material	Galvanised Steel						
Finish	Optional added PPC in Green and Black as standard, other colours available on request.						
Post Types	Dig In, Bolt Down						

Self-Raking Vertical Bar Railings

Heights	1,000mm	1,200mm	1,500mm	1,800mm	2,000mm	2,100mm	2,400mm
Material	Galvanised Steel						
Finish	Optional added PPC in Green and Black as standard, other colours available on request.						
Post Types	Dig In, Bolt Down						

Ball Top Railings



Heights	1000mm, 1200mm
Width	2750mm
Post Type	Dig In, Bolt Down
Material	Galvanised Steel
PPC Colours	Additional Green, Black, other colours available on request

Estate Railings

Heights	1000mm
Width	3000mm
Post Type	Dig In
Material	Galvanised Steel
PPC Colours	Additional Green, Black, other colours available on request

Vertical Bar Gate

Height	1,000mm	1,200mm	1,500mm	1,800mm	2,000mm	2,100mm	2,400mm
Width	1200mm to 5000mm (Single Leaf), 2000mm to 10,000mm (Double Leaf)						
Style	Standard, Self-Raking Compatible						
Material	Galvanised Steel						
Finish	Optional added PPC in Green and Black as standard, other colours available on request.						
Post Types	Dig In, Bolt Down						

Bow Top Gate

Height	1,000mm	1,200mm	1,500mm	1,800mm	2,000mm	2,100mm	2,400mm
Width	1200mm to 5000mm (Single Leaf), 2000mm to 10,000mm (Double Leaf)						
Style	Standard, Self-Raking Compatible						
Material	Galvanised Steel						
Finish	Optional added PPC in Green and Black as standard, other colours available on request.						
Post Types	Dig In, Bolt Down						

Accessories

Railing Posts

Heights	To match railing systems
Material	Galvanised Steel
Finish	Galvanised, Optional PPC
Post Types	Dig In, Bolt Down

Support Leg

Material	Galvanised Steel
Finish	Galvanised, Optional PPC

Railing Cleats

Material	Galvanised Steel
Finish	Galvanised, Optional PPC

M10 Cup Heads

Bolt Length	30mm, 70mm, 80mm, 90mm, 110mm
Material	Galvanised Steel
Finish	Galvanised

M20 Ground Anchor Bolts

Sold Individually

Secures bolt down posts to the ground with materials such as concrete.

Guard Rails

Guard Rail

Height	1372mm
Width	2000mm
Material	Galvanised Steel
Post Type	Dig In, Bolt Down
Infill Type	Standard, Staggered

Guard Rail with Sight Top

Height	1372mm
Width	2000mm
Material	Galvanised Steel
Post Type	Dig In, Bolt Down
Infill Type	Standard, Staggered

Hand Rails

Handrail Tubes

Length	3000mm, 6000mm
Width	Size 8 (48.3mm), Size 7 (42.4mm)
Material	Galvanised Steel

Tube Clamp Self-Closing Gate

Heights	Adjustable
Width	1000mm, cut to size
Material	Galvanised Steel
PPC Colours	Available on request

Handrail Fittings

A range of fittings for handrail tubing.

Spray Cans and Post Mix Cement also available, **see page 9 for details**

Temporary Fencing

Temporary Fencing is an ideal solution for outdoor sites which require security on a short or medium-term basis. Used as a temporary perimeter security system, it is a popular choice for many locations across the UK, including construction sites and outdoor events. Temporary Fencing is a highly dependable security fencing system and can be used again and again to protect your property, equipment, and keep the public safe. Our Temporary Fencing is available in a variety of fencing panel types with features such as anti-climb mesh and heavy-duty frames.

Smartweld 100 Technology

All panel varieties are manufactured using Smartweld 100 technology, making joints up to 70% stronger than traditional MIG welded joints.

Rigid wire mesh infill

The steel wire mesh is the most notable feature within the Temporary Fencing system, offering both rigidity and wind resistance to maintain a stable security fencing structure. The mesh also provides a good standard of visibility, so actively on both sides of the system can always be seen.

Easy short-term solution

Designed for short-term use, Temporary Fencing is extremely durable, quick to assemble and easy to transport from place to place.

Temporary Fencing accessories are important for ensuring a safe, stable and secure fencing structure. Accessories include feet, couplers, stability and security devices, health & safety signs, tarpaulin and debris netting.

As an alternative to standard temporary fencing feet, we offer Slot Block Barriers which are ideal for providing extra stability and support. Two slot block barriers are required to each temporary fencing panel and are made from robust plastic. Designed to be filled with water, these barriers provide a highly stable base for your Temporary Fencing system.

Acoustic barriers are also available and are perfect for areas that require a reduction in noise pollution, such as construction sites that are situated in built-up areas.

We offer standard pedestrian and vehicle gates to provide your temporary fencing system with access as well as maintaining site security. We also offer pedestrian Digi lock gates for added security.

Standard Square Top Panels

Panel Height	2,025mm
Length	3,450mm
Material	Galvanised Steel
Vertical Mesh Diameter	2.2mm
Horizontal Mesh Diameter	3.2mm
Vertical Frame Diameter	38.1mm
Horizontal Frame Diameter	38.1mm
Weight	11.4kg

Anti-climb Square Top Panels

Panel Height	2,025mm
Length	3,450mm
Material	Galvanised Steel
Vertical Mesh Diameter	2.2mm
Horizontal Mesh Diameter	3.2mm
Vertical Frame Diameter	38.1mm
Horizontal Frame Diameter	25.4mm
Weight	13.6kg

Anti-climb Round Top Panels

Panel Height	2,000mm
Length	3,450mm
Material	Galvanised Steel
Vertical Mesh Diameter	2.2mm
Horizontal Mesh Diameter	3.2mm
Vertical Frame Diameter	38.1mm
Horizontal Frame Diameter	38.1mm
Weight	15.9kg

Round Top Panel with Centre Bar

Panel Height	2,000mm
Length	3,450mm
Material	Galvanised Steel
Vertical Mesh Diameter	2.2mm
Horizontal Mesh Diameter	3.2mm
Vertical Frame Diameter	38.1mm
Horizontal Frame Diameter	38.1mm
Weight	17.5kg

Pedestrian Gate

Height	2,000mm
Length	1,150mm
Weight	13.1kg
Material	Galvanised Steel

Vehicle Gate



Height	2,000mm
Length	4,261mm
Weight	13.1kg
Material	Galvanised Steel

Digi-Lock Gate

Height	2,088mm
Length	1,236mm
Weight	28kg
Material	Galvanised steel and powdercoat paint

Accessories

Standard Couplers

Material	Galvanised Steel

Anti-Tamper Couplers

Material	Galvanised Steel

Anti-Lift Device

Material	Galvanised Steel

Thermoplastic Feet

Height	122mm
Width	770mm
Depth	195mm
Material	Plastic

Concrete Feet

Height	140mm
Width	210mm
Depth	675mm
Material	Concrete

Hi-Vis Feet

Height	122mm
Width	770mm
Depth	195mm
Material	Plastic
Colour	Red, Yellow

Stabilising Accessories

Stabilising Bar (use with foot)

Material	Galvanised Steel

Stabilising Bar & Block Tray

Material	Galvanised Steel

Stabilising Bar & Ground Pin

Material	Galvanised Steel

Zero Trip Stabilising Bar (use with foot)

Material	Galvanised Steel

Other Temporary Fencing Accessories

Slot Block Barriers

Length	2.0m, 3.5m
Material	PVC, Metal
Conformity	Class R1 of EN12899

Reflective Board



Length	3.5m
Material	PVC, Metal

Fencebrite Reflective Strips

Length	2.0m, 3.5m
Material	PVC, Metal
Conformity	Class R1 of EN12899

Tarpaulin

Height	1.76m
Width	3.41m
Material	HDPE
Type	Standard, Flame Retardant
Colour	Black, White, Green, Blue

Debris Netting

Height	50m
Width	2m
Material	HDPE
Tensile Strength MD	311N/5cm
Tensile Strength TD	108N/5cm

Health & Safety Signs

Individual signs & packs available

H4 Acoustic Barrier

Height	2050mm
Width	1335mm
Noise Reduction	Up to 40.8dB (max 96% absorption)

Noise Defender Barrier

Height	2050mm
Width	1335mm
Noise Reduction	Up to 33dB (max 97% absorption)

Acoustic Barrier Fixing Kit

Use with Acoustic Barriers

Steel Hoarding

Steel hoarding offers a great standard of security and provides robust barrier system to keep your site safe, protected and private. Ideal for construction sites, hoarding will ensure that tools, equipment and building materials are kept hidden from view, as well as helping to keep passing pedestrians safe from moving equipment or flying debris. Hoarding will also help to prevent intrusion, damage and theft. Manufactured from steel sheets welded to a galvanised frame, available in 2.0m and 2.4m hoarding panels.

Distinctive Appearance

All panel varieties are made from high quality galvanised steel and feature a distinctive profile, making the system capable of withstanding impact and damage.

Private and Stable

Steel couplers provide a secure connection from panel to panel, whilst thermoplastic or concrete feet supply the system with a stable base. Stability and privacy can also be enhanced by a range of stabilising equipment and solid infill panels.

Secure Entry Point

Solid steel gates will provide Hoarding systems with a designated access point for both pedestrians and vehicles; all of which are fully lockable and reusable.



Customisation

Polyester Powder Coating – Available on Request

For the most demanding of Hoarding systems, we can also provide SteelWall and Ultimate SteelWall. SteelWall systems have infill panels as standard between the panels and are constructed using thicker steel.

We offer stand-alone pedestrian gates, internal access pedestrian gates and vehicle gates to provide your steel hoarding system with access as well as maintaining site security.

All of our temporary fencing accessories are compatible with our steel hoarding panels, we also have skirts and infills that are designed especially for steel hoarding.

Wind resistance and stability

If you are installing your Hoarding system in areas exposed to high winds, then we would recommend that you invest in stabilising accessories to increase the security and wind resistance.

Stabilising Support Bars (or Backstays) fix onto a panel and are secured within a Coupler. When used with temporary fencing or hoarding which has been assembled on ground surface, a Stabilising Pin can be used to secure the Stabilising Support Bar to the earth as it will need to be safely fixed down.

However, if the fencing has been assembled on a concrete surface, a Stabilising Block Tray should be used as an alternative, where it should be weighed down by two Temporary Fencing Feet in order to secure the Stabilising Support Bar in place.

Steel Hoarding Panels

Panel Height	2.0m	2.4m
Actual Height	1.98m	2.38m
Length	2.14m	
Material	Galvanised Steel	
Finish	Galvanised, or PPC in Black, Green	
Weight	25.3kg	30kg

SteelWall Hoarding

Panel Height	2.0m	2.4m
Length	2.0m	
Material	Galvanised Steel	
Finish	Galvanised, or PPC in Black, Green	
Weight	25.3kg	30kg

Ultimate SteelWall Hoarding

Panel Height	2.4m
Length	2m
Material	Galvanised Steel
Finish	Galvanised, or PPC in Black, Green
Weight	17.5kg

Hoarding Vehicle Gate

Panel Height	2.0m	2.4m
Length	4.314m	
Weight	53.5kg	67kg
Material	Galvanised Steel	
Finish	Galvanised, or PPC in Black, Green	

Hoarding Pedestrian Internal Access Gate

Height	2,000mm	2,400mm
Length	2,100mm	
Weight	36kg	38kg
Material	Galvanised Steel	
Finish	Galvanised, Optional Green or black PPC	

Hoarding Pedestrian Stand Alone Gate

Height	2,000mm	2,400mm
Length	1,200mm	
Weight	19kg	22kg
Material	Galvanised Steel	
Finish	Galvanised, or PPC in Black, Green	

Accessories

Hoarding Mesh Extension Panel

Height	0.5m
Width	2.1m
Weight	6.5kg
Material	Galvanised Steel

Hoarding Infil

Height	1.73m, 2.33m
Width	120mm
Material	Galvanised Steel

Hoarding Skirt

Height	180mm
Width	1950mm
Material	Galvanised Steel

Thermoplastic Feet

Height	122mm
Width	770mm
Depth	195mm
Material	Plastic

Concrete Feet

Height	140mm
Width	210mm
Depth	675mm
Material	Concrete

Hi-Vis Feet



Height	122mm
Width	770mm
Depth	195mm
Material	Plastic
Colour	Red, Yellow

Other fencing accessories also available, **see page 24 for details**

Crowd Control

Crowd control barriers are ideal for supplying pedestrian traffic management in busy or heavily crowded areas. The barriers are completely reusable and are most commonly used for outdoor events such as music festivals and football matches. By using these barriers, you can successfully indicate restricted areas and guide crowds in the right direction. Manufactured from galvanised steel, these crowd control barriers are extremely sturdy and robust.

We offer a range of crowd control systems from standard crowd control barriers to police barriers to cycle barriers, each suitable for different situations and events.

Protected Galvanised Finish

Manufactured from robust steel, barriers are always galvanised with a coating of zinc to help protect them against rust, ensuring that the system can endure the conditions of large crowds and weathering multiple times.

Linking-Pin Connection

A simple linking-pin design allows the barriers to be easily assembled, whilst providing a secure connection between each barrier.

Adaptable System

Available with either fixed or detachable feet, these barriers are sturdy and can be assembled in a straight run or to form an enclosure around a designated area.

Customisation

Polyester Powder Coating – Available on Request
Foot Type - Fixed and Loose Leg (Standard Crowd Barriers only)

To make storage and transport of crowd control barriers easier we stock a range of stillages for Standard Crowd Barriers, Police Barriers, Cycle Barriers and Police Barrier Gates. These stillages also provide further support for transporting barriers using a forklift, without the need for banding.

When used in a long barrier system, you can provide monitorable and safe access through our range of barrier gates. For standard Crowd Barrier systems, we have Walk-Through gates; for Police Barrier systems, there are both 5ft and 8ft gates.

Fixed / Loose Leg Crowd Control Barriers

Leg Type	Fixed/Loose Leg
Height	1,100mm
Length	2,262mm, 2,510mm
Weight	10.6kg (2300mm), 11.5kg (2500mm)
Material	Galvanised Steel
Finish	Optional added PPC available on request.
Compliant with	BS EN 10244-2 standard

Crowd Barrier Stillage

Dimensions	1,572 x 1,450 x 940mm
Material	Steel
Compliant with	BS EN 10244-2 standard
Holds	25 Barriers

Police Barrier

Height	1,065mm
Length	1,526mm
Weight	26kg
Material	Galvanised Steel

Police Barrier Stillage

Dimensions	1,624mm x 827mm x 930mm
Weight	46kg
Material	Galvanised Steel
Holds	30 Barriers

Cycle Barrier



Height	1,300mm
Length	3,000mm
Weight	31.kg (Barrier), 12.6kg (Foot)
Material	Galvanised Steel

Cycle Barrier Stillage

Dimensions	1,600 x 3,232 x 1,200mm
Weight	148kg
Material	Galvanised Steel
Holds	20 Barriers

Police Barrier Gate

Height	1,100mm
Length	1.6m, 3.05m
Material	Galvanised Steel

Police Barrier Gate Stillage

Dimensions	1,253 x 2,072 x 1,007mm
Weight	115kg
Material	Galvanised Steel
Finish	Optional added PPC available on request.
Holds	20 Barriers

Walk Through Barrier

Dimensions	2,260 x 2,143 x 452mm
Weight	12.9kg (without gate), 18.7kg (with gate)
Material	Galvanised Steel
Finish	Optional added PPC available on request.

Armco

Armco barriers provide a high-quality steel safety barrier system. Installed in locations throughout the UK, Armco barriers provide a permanent barrier system which will help reduce the amount of damage caused as a result of an impact or collision. Armco systems are commonly used on the roadside, within car parks, loading bay and within farms.

Standard Armco beams are corrugated to provide increased structural stability from collisions on all sides of the barrier system. Armco open box beams is a stronger alternative to standard Armco beams and is ideal for areas that are likely to see high levels of traffic on a regular basis.



Corrugated Steel Beams

Made from corrugated steel, Armco barriers are a popular choice for ensuring that pedestrians and vehicles are protected from harm. The galvanisation process used during manufacture increases the barrier's overall resistance to weathering and rust formation.



Damage Reduction

Armco barriers are able to endure heavy levels of impact which will increase the overall level of safety within the area, by minimising the risk of damage to both nearby persons and property.



Robust Posts

Dig-in and bolt down posts are available in a range of heights and styles. These are made from galvanised steel and will produce a strong structure to support the Armco barrier system.

Customisation

Beam types – Corrugated Rail, curved Beam, open box beam.
Post types – dig in, bolt down, plus specialist posts.
Finish – Galvanised, PPC Yellow, Other PPC colours available on request.

Armco barrier systems have a standard galvanized finish, however, a polyester powder coated finish can be added if your Armco barrier needs to be more visible.

Armco Safety Barriers are available in 1.6m and 3.2m lengths (effective lengths, once installed with beam overlap). We offer a range of steel Armco posts in a range of heights, and in RSJ and 'Z' Styles, with dig-in and bolt down varieties. For most specialist installations, we can also provide spring steel Armco posts.

Armco corners and ends can be added in order to make your Armco barrier system as effective and efficient as possible and to meet your requirements.

Corrugated Armco Rail

Height	310mm	
Length	1.6m	3.2m
Material	Steel	
Finish	Galvanised, or PPC Yellow, Black, White	

Curved Armco Beam



Height	3504mm
Length	310mm
Weight	40kg
Material	Galvanised Steel
Finish	Optional added PPC available on request.

Open Box Beam



Height	200mm
Length	4.8m
Material	Steel
Weight	97.5 kg
Finish	Galvanised, or PPC, Black, Green, Grey, Brown, Blue, Red, Yellow

Bolt Down RSJ Post

Height	0.56m, 0.61m, 0.76m, 0.8m, 1.1m, 1.2m, 1.5m, 2.0m
Dimensions	127x 76 mm
Material	Steel
Finish	Galvanised, or PPC Yellow, Black, White

Dig In RSJ Post

Height	1.2m, 1.5m, 1.8m, 2.0m
Dimensions	127x 76 mm
Material	Steel
Finish	Galvanised, or PPC Yellow, Black, White

Bolt Down Z Post

Height	560mm, 610mm, 760mm
Dimensions	110x55 mm
Material	Steel
Finish	Galvanised, or PPC Yellow, Black, White

Dig In Z Post

Height	1,160mm
Dimensions	110x55 mm
Material	Steel
Finish	Galvanised, or PPC Yellow, Black, White

Armco 45 Degree Corner

Style	Internal / External
Height	310mm
Material	Steel
Weight	10.51kg
Finish	Galvanised, or PPC Yellow

Armco 90 Degree Corner

Style	Internal / External
Height	310mm
Material	Steel
Weight	8.3kg
Finish	Galvanised, or PPC Yellow

Specialist Posts

SP Spring Buffer Post

Heights	610mm, 760mm
Width	100mm
Material	Steel
Weight	12.3kg
Finish	Galvanised

STP Spring Steel Flexi

Heights	610mm, 760mm
Width	75mm
Material	Steel
Weight	11.2kg
Finish	Galvanised

STP Spring Steel L Post

Heights	610mm, 760mm
Width	100mm
Material	Steel
Weight	11.4kg
Finish	Galvanised

Spring Steel Cushi

Heights	610mm, 760mm
Width	250mm
Material	Steel
Weight	Dependant on height
Finish	Galvanised

Ends & Accessories

RSJ Post Cap

Height	35mm
Width	127mm
Length	76mm
Material	Polyethylene
Weight	0.07kg
Finish	Yellow

Z Post Cap

Height	110mm
Width	50mm
Material	Polyethylene
Finish	Yellow

End Cap

Height	310mm
Width	125mm
Length	125mm, 240mm
Weight	Polyethylene
Finish	0.355kg
Finish	Yellow

PVC Safety End

Height	310mm
Material	Polyethylene
Weight	400g
Finish	Yellow

Ends & Accessories

Fishtail End PVC

Height	410mm
Width	700mm
Material	Polyethylene
Finish	Yellow

Fishtail End Section



Height	410mm
Width	700mm
Material	Steel
Finish	Yellow

Pedestrian 'D' End

Height	350mm
Width	436mm
Material	Steel
Finish	Galvanised, or PPC Yellow, Black, White

Pedestrian Safety End

Height	380mm
Width	110mm
Material	Polyethylene
Weight	800g
Finish	Yellow

Bull Nose End

Height	410mm
Width	840mm
Material	Steel
Finish	Galvanised or PPC Yellow

Fishtail End Section

Finish	Galvanised

Pedestrian 'D' End

Finish	Galvanised

Pedestrian Safety End

Finish	Galvanised, or PPC, Black, Green, Grey, Brown, Blue, Red, Yellow

M16 x 125mm Through Bolt

Finish	Galvanised

M20 x 215mm Ground Bolt

Finish	Galvanised

M16 x 50mm Post Bolt

Finish	Galvanised

M16 x 35mm Lapbolt

Finish	Galvanised

Plastic Barriers

Plastic barriers offer a high level of visibility and are ideal for providing safe traffic management, or for indicating hazardous areas when road maintenance is taking place.

Designed for temporary use, plastic barriers are extremely hard wearing and reusable. All plastic barriers are easy to assemble and can be easily transported.

Highly Durable

Designed for temporary use, plastic barriers are made from robust plastic and are extremely hard wearing, as well as reusable.

High Visibility to Increase Safety

A key feature within the Plastic Barriers range is the reflective strip and vibrant colours, which offer high levels of visibility to increase safety. Ideal for indicating a hazardous area, these barriers are easy to assemble and manually move.

Additional Accessories

We offer various accessories to enhance the barriers visibility levels; these range from foot types to barrier tape.

Customisation

Colours: Red, White, Orange
Foot Type: Standard, Anti-Trip

Plastic Barriers are also available for long and short-term hire, via our sales team. Hiring barriers allows you to use the barriers without the need to store.

The Barriers are made of durable plastic and are extremely robust. Chapter 8 Barriers are available with either standard or anti-trip feet and can be easily linked via their linking pin system or plastic clips. For added space-saving functionality, we recommend our range of collapsible and expandable barriers which can provide a functional barrier system while cutting storage requirements. If you are looking for a heavy-duty plastic barrier, we can also supply Heavy Base Barriers, which are a mix of plastic barrier and water filled barriers.

Frontier Barrier

Height	1,000mm
Length	2,000mm
Material	Panel: HDPE, Feet: Recycled PVC, Feet Connectors: Co-Polymer Polypropylene
Weight	12.43kg (minus feet), 13.6kg (w/ Titan feet), 15.2kg (w/ Anti-Trip Feet)
Conformity	BS8442-2006 Miscellaneous Road Traffic Signs and Devices
Pack Size	40
Feet Type	Anti-Trip, Standard

Navigator Barrier

Height	1,000mm
Length	2,000mm
Material	Polyethylene (Body), Recycled PVC (Feet)
Weight	12kg
Conformity	BSEN8442 (wind stability), Chapter 8
Pack Size	40
Feet Type	Anti Trip

Titan Barrier

Height	1,000mm
Length	1.9m (without clip), 2.0m (with clip)
Material	Panel: Polypropylene, Link: Polypropylene, Feet: Recycled PVC
Weight	14.6kg
Conformity	BS8442-2006 Miscellaneous Road Traffic Signs and Devices
Pack Size	40
Feet Type	Anti-Trip, Standard

Firmus Barrier

Height	1000mm
Length	2000mm
Weight	12kg
Material	HPDE
Pack Size	50
Feet Type	Standard

Avalon 2 Metre Barrier

Height	1,000mm
Length	2,000mm
Material	HDPE
Weight	9kg (w/ standard feet), 11kg (w/ ClearPath feet)
Conformity	Compliant with BS 7818 Specification for pedestrian restraint systems code of practice
Pack Size	50
Feet Type	Clear Path, Standard

Avalon 1 Metre Barrier

Height	1,000mm
Length	1,000mm
Material	HDPE
Weight	6.5kg (w/ standard foot), 8.5kg (w/ clear path foot)
Conformity	Compliant with BS 7818 Specification for pedestrian restraint systems code of practice
Pack Size	50
Feet Type	Clear Path, Standard

EnduraFence Barrier

Height	1,900mm
Length	1,000mm, 2,000mm
Material	Plastic
Weight	5kg, 10kg
Conformity	Compliant with Chapter 8 Streetworks
Pack Size	32
Feet Type	Standard

Strongwall Barrier

Height	1,000mm
Length	1,000mm
Weight	21.5kg
Material	HPDE

Expander Barrier

Height	1,000mm
Length	Closed: 500mm, Open: 3,100mm
Material	PVC
Weight	10.5kg
Pack Size	15
Feet Type	Anti-Trip, Standard

Portagate Barrier

Height	1,000mm
Length	750mm (per Gate)
Material	Polyethylene
Weight	6.5kg (3 Gate, 9.0kg (4 Gate)
Pack Size	20, 25
Feet Type	Anti-Trip, Standard

Work Gate Barrier

Height	1,000mm
Length	0.75m (per Barrier)
Material	HDPE
Weight	2kg
Compliant	Compliant with Chapter 8 Streetworks
Pack Size	12, 15

Safegate Barrier

Style	3 Way	4 Way
Height	1000mm	1000mm
Width	2250mmm (750mm each)	3000mmm (750mm each)
Weight	6kg	8kg
Pack Size	20	25

Microlite

Height	100mm
Width	90mm
Material	Battery Box: Polypropylene, Lens: Polycarbonate, Circuit Board: ABS, Circuit: Electronic Components
Weight	175kg

Maxilite

Height	370mm
Width	180mm
Material	Battery Box: Polypropylene, Lens: Polycarbonate, Circuit Board: ABS, Circuit: Electronic Components
Weight	545g (per unit)

Fencing Roll

Height	1,000mm
Length	50m
Material	plastic
Weight	5kg
Use with	Steel Fencing Pins

Fencing Pin

Height	1,000mm
Length	50m
Material	plastic
Weight	0.9kg
Use With	Steel Fencing Pins

Barrier Tape

Length	500m
Width	70mm
Material	Polyethylene
Weight	1.8kg
Colour	Red & White, Black & Yellow

Water Filled Barriers

Water Filled Barriers are robust plastic barriers which offer great strength, as well as a high level of visibility. Plastic Water-Filled Barriers are designed to provide safety and separation in areas where there is vehicle traffic. By assembling a Water Filled Barrier, you can help provide pedestrian traffic with protection from vehicles, plus slow-moving objects which may cause damage or harm.

Our plastic Water Filled Barriers function as effective road barriers and provide a sturdy and reliable safety barrier system which can be used on a temporary basis. The plastic barriers are easy to assemble and should be filled with the appropriate amount of water to weigh them down.

Strong and Robust

Made from durable plastic, Water Filled Barriers are extremely robust and offer a great level of strength along with a high level of visibility. Choose from red or white barriers.

Easy to Store

Perfect for temporary use, these Water Filled Barriers can easily be transported due to their stacking capability.

Water or Sand Weighted

Using water or sand to weigh down these barriers will enable a strong and sturdy system and will separate pedestrians from moving traffic.

High Visibility

Water Filled Barriers are available in red and white, providing high level of visibility when used in an alternating pattern.

There are a range of different types of Water Filled Barriers. Delineation barriers are used mark out safe passage and direct traffic. Crash barriers are designed for use on high speed roads, designed to withstand vehicular crashes. Compact barriers are ideal for indoor or outdoor usage. The last type of Water-Filled Barriers are Track Barriers, which are designed for karting and other similar events.

Alphabloc Barrier

Height	626.5mm
Length	1,063mm
Depth	391mm (open) 118mm (closed)
Material	Blow molded HDPE
Weight - Empty	5.5kg
Weight - Full	20+ kg
Pack Size	40
Colour	Red and white

Evo Road Barrier

Height	555mm
Length	1,000mm, 1,500mm
Width	400mm
Material	UVMDPE
Weight (Empty)	6.3kg, 10kg
Weight (Full)	26.3kg, 30kg
Pack Size	24
Colour	Red and white

Evo 80 Road Barrier



Height	800mm
Length	1,300mm
Width	400mm
Material	UVMDPE
Weight (Empty)	9kg
Weight (Full)	29kg
Pack Size	12
Colour	Red and white

Euro Road Barrier



Height	650mm
Length	1,000mm, 2,000mm
Width	550mm
Material	HDPE
Pack Size	12
Colour	Red and white

Pyramid Barrier

Height	560mm
Length	1,000mm
Width	400mm
Material	HDPE
Weight (Empty)	5kg
Weight (Full)	55kg
Pack Size	24
Colour	Red and white

RoadBloc Barrier

Height	600mm
Length	1,140mm
Depth	500mm
Material	Solathene HD
Weight (Empty)	6kg
Pack Size	20
Colour	Red and white

RB500 Barrier

Height	300mm
Length	1,350mm
Width	400mm
Material	UV stabilised prime polyethylene
Weight (Empty)	10kg
Weight (Full)	26kg
Pack Size	18
Colour	Red and white

RB1000 Barrier

Height	500mm
Length	1,000mm
Width	400mm
Material	UV stabilised prime polyethylene
Weight (Empty)	10kg
Weight (Full)	30kg
Pack Size	12
Colour	Red and white

RB1300 Barrier

Height	360mm
Length	1,300mm
Width	330mm
Material	UV stabilised prime polyethylene
Weight (Empty)	8.5kg
Weight (Full)	20kg
Pack Size	18
Colour	Red and white

RB1500 Barrier

Height	500mm
Length	1,500mm
Width	400mm
Material	UV stabilised prime polyethylene
Weight (Empty)	14.5kg
Weight (Full)	44kg
Pack Size	12
Colour	Red and white

RB22 Barrier



Height	800mm
Length	1,000mm
Depth	500mm
Material	HDPE
Weight (Empty)	6kg
Conformity	BS EN1317- N1 50 Mph standards
Pack Size	20
Colour	Red and white

RB200 Barrier

Height	1,000mm
Length	1,650mm
Depth	800mm
Material	HDPE
Weight (Full)	400kg
Colour	Red and white

GB2 Barrier

Height	900mm
Length	2325mm
Material	UV MDPE
Weight (Empty)	32kg
Weight (Full)	350kg
Conformity	Wind speeds of up to 78mph
Pack Size	5
Colour	Red, white

Bison Barrier

Height	1000mm
Length	2000mm
Width	400mm
Material	HDPE
Weight (Full)	400kg
Conformity	MIRA 75 MPH
Colour	Red, white

Personnel Barrier

Height	1000mm
Length	1120mm
Width	250mm
Material	UV MDPE
Weight (Empty)	6kg
Weight (Full)	40kg
Pack Size	6
Colour	Red, White

Concrete Barrier

Height	780mm
Width	605mm
Material	Concrete
Weight	950kg

Extension Panels and Gates

EVO Plank & Post



EVO 80 Mini Mesh Panel

EVO 80 Plank & Post



RB22 Mesh Panel

Bison Mesh Panel



Bison Solid Panel



GB2 Mesh Panel

GB2 50/50 Panel

GB2 Hoarding Panel

GB/RB Mesh Gate



Verge Posts and Column Protectors

Verge posts are designed for installation on highways, alongside rural roads and car parks. Made from highly durable plastic, they are useful for indicating the edges of roads and potential hazards and contain reflective areas which increase their visibility to motorists both in the day and at night. Verge posts are available in different varieties and styles.

Column protectors are highly visible and designed to take multiple impacts and return to their original shape to protect posts and supporting columns.

Durable Construction

Designed to take multiple impacts and return back to their original shape/position.

Highly Visible

Brightly coloured and contain reflective areas which increase their visibility to motorists both in the day and at night.

Wychwood Flexible Post

Height	1300mm
Width	140mm
Material	Plastic
Weight	1.2kg
Conformity	EN12899-1 class R2 reflectors.
Reflector Colour	Red, White

Wychwood Hazard Style Post

Height	Danger Cables Overground, Danger Cables Underground
Width	140mm
Material	Plastic
Weight	1.2kg
Conformity	EN12899-1 class R2 reflectors.
Reflector Colour	Red, White

Column Protector

Height	1100mm	
Depth	610mm	
Material	Plastic	
Weight	27kg	
Max Square Column	210mm x 210mm	310mm x 310mm
Max Rectangle Column	210mm x 260mm	310mm x 360mm
Colour	Yellow	

Gates and Barriers

Gates and barriers are available in a huge range of different variety to suit any application. This includes standard swing gates for our range to suit security fencing, specialist sliding gates, rising barriers and turnstiles.

Fencing gates are ideal for allowing access on and off your site, available in a choice of gate types, including Palisade, Mesh and Railings. Our gates are fully customizable, by height, width, post type and powder coated colour.



Measurable and Controllable Access

Ideally for insuring controlled vehicular access on and off a site to improve site security.

Stable Construction

Constructed to be able to withstand weathering and frequent use, this swing barrier is a reliable gated entry system.

Customisable

We can manufacture and customise swing gates to our clients' specific needs, including the incorporation of height restrictors and mesh infill options.

Car Park Barriers

Swing car park barriers are an ideal solution for providing security and restricting access in private car parks and unauthorized areas, available as both single and double leaf gates. Simple lockable latch on the posts allows for the gate to be locked in an open or closed position.

Manual Raise Arm Barriers

Manual Raise arm barriers are commonly used for access points within car parks and are ideal when traffic can flow freely during certain times, for example when a public car park is open throughout the day and closes at night as the barrier is simple to lock in the open or closed position.

Automatic Barriers

Automatic raise arm Barriers providing automated and secure access to cars and HGVs entering your site. Easy to install and with a low maintenance design, this barrier is ideal for a wide range of locations. Access control equipment can be added for added security.

Turnstiles

Turnstiles are built to a high-level specification and can be installed in a wide range of locations, such as; theme parks and stadiums. Turnstiles are low maintenance and can be configurable to allow single direction or bi-directional rotation compatible with access control equipment for both directions to suit your requirements. Safety systems are included within the design to ensure the impossibility of getting stuck within the turnstile.

Bi-Fold Gates

Bi-folding speed gates are designed to open and close quicker than traditional swing gates. Typically used to provide access to vehicular traffic; with a bi-folding gate, not only are you able to monitor access to your site, you can keep your premises secure too.

Manual Sliding Gates

Manual sliding gate are very easy to use, not to mention extremely reliable, which makes them an ideal solution for locations that have limited space to open the gate. In fact, they're a particularly popular choice for securing commercial premises.

Automatic Sliding Gates

Automatic sliding gates are designed for permanent use, and as such, are ideal for high-security sites and private property that requires a reliable gate system to control and monitor access.

Swing Car Park Gates



Height	1.0m
Style	Single, Double
Width	2.0m, 3.0m, 4.0m, 5.0m, 6.0m
Material	Galvanised Steel
Post Type	Dig in, Bolt Down
Finish	Galvanised, or PPC, Black, Green, Grey, Blue, Red, Yellow

Manual Raise Arm Barriers

Height	Dependant on specification
Pole Length	2.5m to 9.0m
Material	Aluminium

Automatic Raise Arm Barriers

Height	Dependant on specification
Pole Length	4.0m to 9.0m
Material	Aluminium

Single Turnstile



Dimensions	1280mm x 1400mm x 1790mm
Weight	230kg Approx
Material	Stainless Steel and Aluminium
Finish	Galvanised, or PPC Black, Green, Red, Yellow

Double Turnstile

Dimensions	2580mm x 1400mm x 1790mm
Weight	230kg Approx
Material	Stainless Steel and Aluminium
Finish	Galvanised, or PPC Black, Green, Red, Yellow

Lightweight Manual Sliding Gate

Heights	1.8m, 2.0m, 2.1m, 2.4m
Widths	2.5m to 10.0m
Material	Steel
Infills	Palisade, Mesh, Railings
Finish	Galvanised, or PPC Black, Green, Red, Yellow

Manual Sliding Gate

Heights	1.8m, 2.0m, 2.1m, 2.4m
Widths	2.5m to 10.0m
Material	Steel
Infills	Palisade, Mesh, Railings
Finish	Galvanised, or PPC Black, Green, Red, Yellow

Lightweight Automatic Sliding Gate

Heights	1.8m, 2.0m, 2.1m, 2.4m
Widths	2.5m to 10.0m
Material	Steel
Infills	Palisade, Mesh, Railings
Finish	Galvanised, or PPC Black, Green, Red, Yellow

Automatic Bifold Gate



Heights	1.8m, 2.0m, 2.1m, 2.4m
Widths	2.5m to 10.0m
Material	Steel
Infills	Palisade, Mesh, Railings
Finish	Galvanised, or PPC Black, Green, Red, Yellow

Agriculture

Whether you are looking for fencing to de-mark land boundaries, fencing to contain livestock and animals, or whether you want to prevent unwanted wild animals out of your land, we can supply a durable and long-lasting fencing system.

We offer a range of agricultural fencing from wire rolls to wire netting roles to fencing rolls.

Wire Rolls

Wire rolls include plain wire and barbed wire both allow flexibility in their installation, allowing you to configure your fencing system exactly as you want. Supplied as a complete length of wire on a roll, the rolled storage allows for easy and space-saving storage.

Wire Netting

Our selection of wire netting comprises of rabbit netting which available in pre-galvanised and hot dip galvanised finishes, as well as different wire types to suit your requirements, and a specifically designed high-tensile badger netting that you can rely on to prevent badgers entering your land.

Fencing Rolls

Fencing roles provide an easy to install fencing system, ideal creating boundaries within your land. Stock fencing which is a great all-round wire fence system, that can be used for many different containment functions, mainly, cattle and other livestock and equestrian fencing that is designed to prevent horses and ponies getting their hooves stuck.

Looking for sturdy barrier systems?

Another way to keep your farm safe and secure Is the use of Armco Safety Barriers, these barriers are ideal for large livestock holding areas and to protect pedestrians and property.

Armco barriers provide a high-quality steel safety barrier system. Installed in locations throughout the UK, Armco barriers provide a permanent barrier system which will help reduce the amount of damage caused as a result of an impact or collision.

Corrugated Steel Beams

Made from corrugated steel, Armco barriers are a popular choice for ensuring that pedestrians and vehicles are protected from harm. The galvanisation process used during manufacture increases the barrier's overall resistance to weathering and rust formation.

Damage Reduction

Armco barriers are able to endure heavy levels of impact which will increase the overall level of safety within the area, by minimising the risk of damage to both nearby persons and property.

Robust Posts

Dig-in and bolt down posts are available in a range of heights and styles. These are made from galvanised steel and will produce a strong structure to support the Armco barrier system.

Customisation

Beam types – Corrugated Rail, curved Beam, open box beam.
Post types – dig in, bolt down, plus specialist posts.
Finish – Galvanised, PPC Yellow, Other PPC colours available on request.

Plain Wire

Height	1070mm	1270mm
Wire Type	Mild Steel 2.00mm, 2.50mm Mild Steel 3.15mm, 4.00mm High Tensile 2.50mm, 3.15mm	
Weight	25kg	
Conformity	B.S.EN 10244-2	

Stock Fencing

Height	24"	32”	47”
Roll Length	50m	100m	
Wire Type	C8/80/15	HT8/80/15	HT13/190/15
Conformity	B.S.EN 10244-2		

Badger Fencing

Height	1580mm
Roll Length	50m, 100m
Wire Type	HT15/158/8 (3”) | 62"
Weight	88kg (50m Roll)
Conformity	Meets highways agency specifications H46 and H47. B.S.EN 10223-5/10244-2,

Horse Fencing

Height	1070mm	1270mm
Roll Length	50m	
Wire Type	HT10/107/8	HT11/127/8
Weight	56kg	66kg
Conformity	B.S.EN 10223-5/10244-2	

Pre-Galvanised Rabbit Netting

Height	1050mm
Roll Length	50m
Weight	22kg
Conformity	B.S.EN 10244-2

Hot Dip Rabbit Netting

Height	1050mm	1200mm
Roll Length	50m/100M	
Dimensions	1050mm x 30mm	1200mm x 30mm
Roll Lengths	1.0m	1.2mm
Weight	22kg	
Conformity	B.S.EN 10244-2	

Barbed Wire

HD High Tensile 2 Ply Barbed Wire

Roll Length	200m
Wire Type	Mild Steel 2mm, 2.5mm Mild Steel 3.15mm, 4mm High Tensile 2.5mm, 3.15mm
Weight	16kg

High Tensile 2 Ply Barbed Wire

Roll Length	200m
Wire Type	Mild Steel 2mm, 2.5mm Mild Steel 3.15mm, 4mm High Tensile 2.5mm, 3.15mm
Weight	10.5kg

2 Ply Barbed Wire

Roll Length	200m
Wire Type	Mild Steel 2mm, 2.5mm Mild Steel 3.15mm, 4mm High Tensile 2.5mm, 3.15mm
Weight	23kg

Civils and Construction

Stocking a wide range of products for all types of construction projects we have everything you need to ensure your site is safe and compliant. Use scaffolding to make your site safe and accessible; Trench covers and road cones when working on road ways and reinforcement mesh to reinforce concrete structures.



Scaffolding

Scaffolding is a key feature of many building or construction sites and is used to gain access to a building whilst construction, renovation or repair work is taking place. Consisting of steel scaffolding tubes, fittings, and boards; scaffolding systems can be assembled in many different ways to meet structural and access requirements.

Road Cones

Road cones offer a great degree of visibility allowing you to quickly and securely mark out certain areas and restricted sections of road and pavement, they should be placed close enough together to give an impression of continuity.

Trench Covers and Road Plates

Trench covers and road plates are used to conceal trenches or holes within the pavement or road, in order to eliminate hazards and supplying a safe access route for pedestrians or vehicle traffic. Ramps can be used to provide accessibility over a kerb.

Geotextile Fabric

Geotextiles are a man-made synthetic textile that can be used in a variety of civil engineering applications.

Steel Reinforcement Mesh

Steel reinforcement mesh is designed to be immersed in the concrete while the concrete is setting allowing for stresses to be transmitted between the two materials, reinforcing the concrete. Therefore, increasing the overall strength of the structure and assisting in the control of cracking.

Scaffolding

Scaffolding Tubes



Lengths Available	5ft, 6ft, 8ft, 10ft,13ft, 16ft, 21ft
Material	Steel
Finish	Galvanised
Thickness	4mm
Diameter	48.3mm
Packs	61

Scaffolding Boards

Lengths Available	6ft, 8ft, 10ft, 13ft
Material	Timber
Packs	100

Single / Putlog Coupler

Material	Drop Forged Steel
Packs	20

Swivel Coupler



Material	Drop Forged Steel
Packs	20

Double / Right Angle Coupler

Material	Drop Forged Steel
Packs	20

Sleeve Coupler

Material	Drop Forged Steel
Packs	20

Hoarding / Scaffold Clips



Material	Carbon Steel

Cones

Dominator Cones

Height	500mm	750mm	1000mm
Base Dimensions	260 x 260mm	430 x 430mm	580 x 580mm
Material	Plastic		
Weight	2.6kg	5kg	7.5kg
Cone Conformity	BS 873 Part 8: 1985		
Production Conformity	BS EN ISO 9001:2000		
Quality Testing Conformity	BS 873 Part 8: 1985		
Cone Sleeve Conformity	BS 873 Part 6: 1983, EN13422:2002 Class R1B		
Packs	200	150	100

Roadhog Cones

Height	500mm	750mm
Base Dimensions	260 x 260mm	
Material	Plastic	
Weight	2.6kg	5kg
Cone Conformity	BS 873 Part 8: 1985	
Production Conformity	BS EN ISO 9001:2000	
Quality Testing Conformity	BS 873 Part 8: 1985	
Cone Sleeve Conformity	BS 873 Part 6: 1983, EN 13422:2002 Class R1B	
Packs	200	150

No Waiting Cones

Style	Warden Style	Conical Style
Height	550mm	500mm
Width	409mm	275mm
Material	Plastic	Plastic

Road Covers, Ramps & Plates

Safe Cover

Dimensions	1600mm x 1200mm	1200mm x 800mm
Height	25mm	30mm
Material	Plastic	
Weight	33kg	17.5kg
Maximum load	2000kg	
Packs	25	30
Colours	Yellow	

Oxford Low-Pro Cover

Dimensions	1125mm x 1125mm	1200mm x 800mm	1500mm x 1000mm
Height	35mm		
Material	Plastic		
Maximum load	250kg		
Packs	30	30	20
Colours	Yellow		

SupaGrip SafeKerb Ramp

Length	1282mm (End to End), 1219mm (between side guards)
Height	80mm
Width	760mm
Material	Plastic
Weight	10kg
Maximum load	350kg
Packs	30
Colours	Yellow

Civils and Construction

Road Covers, Ramps & Plates

SafeKerb HDPE Kerb Ramp

Length	1265mm (End to End), 1215mm (between side guards)
Height	112mm
Width	760mm
Material	Plastic
Weight	6kg
Maximum load	250kg
Packs	20
Colours	Yellow

Steel Road Plate

Length	1.25m	1.25m	2.4m	1.25m	2.4m
Height	19mm	12mm	19mm		
Width	1.25m	1.25m	1.2m	1.25m	1.2m
Material	Carbon Steel				
Weight	209kg	147kg	418kg	187kg	374kg

Anti-Slip Steel Road Plate

Length	1.25m	1.25m	2.4m	1.25m	2.4m
Height	19mm	12mm	19mm		
Width	1.25m	1.25m	1.2m	1.25m	1.2m
Material	Carbon Steel				
Weight	209kg	147kg	418kg	187kg	374kg

EnduraMat Ground Matting



Length	1,200mm	2,400mm
Width	1,220mm	
Height	12mm	
Weight	16kg	32kg

Road Covers, Ramps & Plates

Tri Star D400 Manhole Covers

Clear Opening	600 x 600mm	675 x 675mm
Over Frame Size	720 x 720mm	800 x 800mm
Frame Depth	100mm, 150mm	

Speed Ramp Middle Section

Dimensions	1125mm x 1125mm	1200mm x 800mm	1500mm x 1000mm
Height	35mm		
Material	Plastic		
Weight	26kg		
Maximum Load	250kg		
Packs	30	30	20
Colours	Yellow		

Speed Ramp End Section

Dimensions	1125mm x 1125mm	1200mm x 800mm	1500mm x 1000mm
Height	35mm		
Material	Plastic		
Weight	26kg		
Maximum Load	250kg		
Packs	30	30	20
Colours	Yellow		

Steel Reinforcement Mesh



Mesh Type		A142	A193	A252	A393	B283	B385	B503	B785	B1131	D49
Mesh Size Nominal Pitch of Wires	Main (mm)	200	200	200	200	100	100	100	100	100	100
	Cross (mm)	200	200	200	200	200	200	200	200	200	100
Diameter of Wire	Main (mm)	6	7	8	10	6	7	8	10	12	2.5
	Cross (mm)	6	7	8	10	7	7	8	8	8	2.5
Cross Section Area Per Metre Width	Main (mm2)	142	193	252	393	283	385	503	785	1131	49
	Cross (mm2)	142	193	252	393	193	193	252	252	252	49
Nominal Mass Per M2 (kg)		2.22	3.02	3.95	6.16	3.73	4.53	5.93	8.14	10.9	0.77
No. Sheets Per Tonne		40	29	22	15	24	20	15	11	8	113
Pack Size		50	40	30	20	40	30	20	14	10	100

Fastrack 609 Woven Geotextile Membrane

Length	100m
Width	4.5m
Weight	75g/m²

Multitrack 1000 Non-Woven Membrane

Length	100m
Width	4.5m

Our Depots

Head Office

First Fence Ltd
Kiln Way
Woodville
Swadlincote
Derbyshire
DE11 8EA

01283 512 111

Bristol Depot

First Fence Ltd
139 Parson Street
Bedminster
Bristol
BS3 5RB

01173 021 055

Birmingham Depot

First Fence Ltd
Bagnall Street
Great Bridge
Tipton
West Midlands
DY4 7BS

01213 060 716

Bradford Depot

First Fence Ltd
Unit 11 Iron Works Park
Bowling Back Lane
Bradford
West Yorkshire
BD4 8SX

01274 752 237

Glasgow Depot

First Fence Ltd
Baronald Street
Rutherglen
Glasgow
G73 1NY

01414 337 650

London Depot

First Fence Ltd
Grove Road
Northfleet
Dartford
Kent
DA11 9AY

01322 466 167

FirstFence

01283 512 111
sales@firstfence.co.uk

www.firstfence.co.uk