




KEY

- | | | | | | |
|---|---|---|--|---|--|
|  | AREA OF SOFFIT TO HAVE INTUMESCENT COATING TO ALL EXISTING TIMBER JOISTS AND UNDERSIDE OF ALL EXISTING TIMBER FLOORBOARDS AS SPEC M60/140 |  | PLASTERBOARD DIRECT TO TIMBER JOISTS SPEC K10/270 |  | 12.5mm PLASTERBOARD LINING TO ROOFLIGHT REVEALS SPEC K10/130 |
|  | AREA OF CEILING TO HAVE INSULATION BELOW AND BETWEEN EXISTING RAFTERS. REFER TO DRG 353 CD 2701 FOR DETAILS |  | 2 LAYERS FIRELINE BOARD DIRECT TO TIMBER JOISTS SPEC K10/260 |  | TIMBER STRUTTING BETWEEN & TO DEPTH OF EXISTING JOISTS |
|  | MF SUSPENDED PLASTERBOARD CEILING SPEC K10/240 |  | EXISTING TIMBER BOARDS REFIXED ON 50 x 19mm TIMBER BATTENS | NOTE: ALL PLASTERBOARD SURFACES TO HAVE PAINT FINISH AS SPEC M60/150 | |
|  | INTUMESCENT PAINT TO CAST IRON BEAM SHOES SPEC M60/145 | | | | |



0 1 2 3 4 5
Metres

Jonathan Davidson Architects

Architecture & Industrial Design
47 Hilton Street
MANCHESTER
M1 2EF
t: 0161 711 0835
e: inbox@jddavidsonarchitects.com
w: www.jddavidsonarchitects.com

Client Capital & Centric
Project Neptune Mill
Chapeltown St, Manchester
Scale 1:100 @ A3
Date Apr 2023

Rev P3 - 08/23 - Paint ref added to key, west gable windows omitted, MVHR unit added to meeting room

Document Ceilings
Proposed 1st Floor Ceiling Plan
Status For information

Doc Ref	353	CD	3502	P3
---------	-----	----	------	----