

Manchester City Council
Development Control
PO Box 488
Manchester
Lancashire
M60 2JT

Our ref: SO/2023/123337/01-L01
Your ref: 137227/FO/2023
Date: 28 July 2023

Dear Lucy Harrison,

FULL PLANNING PERMISSION FOR THE DEMOLITION OF EXISTING STRUCTURES AND THE ERECTION OF ONE RESIDENTIAL BUILDING TO A HEIGHT OF 71 STOREYS COMPRISING 642 HOMES (USE CLASS C3) WITH FOOD AND DRINK USES (USE CLASS E) AND / OR DRINKING ESTABLISHMENT (SUI GENERIS); AND ONE OFFICE BUILDING (USE CLASS E); WITH BASEMENT CAR PARKING, CYCLE PARKING, LANDSCAPING AND PUBLIC REALM, SERVICING AND ACCESS ARRANGEMENTS, HIGHWAYS ALTERATIONS AND ASSOCIATED WORKS.

PLOT D GREAT JACKSON STREET MANCHESTER M15 4NP.

Thank you for consulting us on the above application, on 5th July 2023.

Environment Agency position

We have reviewed the submission of documents pursuant to the full planning application for the demolition of existing structures and the erection of one residential building to a height of 71 storeys with basement car parking, cycle parking, landscaping and public realm, servicing and access arrangements, highways alterations and associated works on land at Great Jackson Street, Manchester, M15 4NP.

We note from the submission and Vol. 2 of the Environment Impact statement that land contamination and ground condition considerations have been scoped out of the impact assessment. We disagree with this position.

To date there appears to have been some studies into this land parcel (Vol. 2, Sec. 3 (Ground Conditions)) which have identified potential adverse conditions in the ground arising from the previous industrial land uses as well as having identified that the site is located above a Secondary A Aquifer, a Principal Aquifer and adjacent to the River Irwell; both of which are controlled waters receptors.

The previous use of the proposed development site for industrial purposes presents a high/medium risk of contamination that could be mobilised during construction to pollute controlled waters. Controlled waters are particularly sensitive in this location because the proposed development site is

- located upon a principal aquifer/secondary aquifer A and,
- within a reasonable distance of a known surface watercourse.

The application submission to date demonstrates that it may be possible to manage the

Environment Agency
Richard Fairclough House Knutsford Road, Warrington, WA4 1HT.
Customer services line: 03708 506 506
www.gov.uk/environment-agency

Cont/d..

risks posed to controlled waters by this development.

Further detailed information will however be required before built development is undertaken.

We believe that it would place an unreasonable burden on the developer to ask for more detailed information prior to the granting of planning permission but respect that this is a decision for the local planning authority.

In light of the above, the proposed development will be acceptable if a planning condition is included requiring the submission of a remediation strategy. This should be carried out by a competent person in line with paragraph 183 of the National Planning Policy Framework.

Without these conditions we would object to the proposal in line with paragraph 174 of the National Planning Policy Framework because it cannot be guaranteed that the development will not be put at unacceptable risk from, or be adversely affected by, unacceptable levels of water pollution.

Condition

Prior to each phase of development approved by this planning permission no development shall commence until a remediation strategy to deal with the risks associated with contamination of the site in respect of the development hereby permitted, has been submitted to, and approved in writing by, the local planning authority. This strategy will include the following components:

1. A preliminary risk assessment which has identified:
 - all previous uses
 - potential contaminants associated with those uses
 - a conceptual model of the site indicating sources, pathways and receptors
 - potentially unacceptable risks arising from contamination at the site
2. A site investigation scheme, based on (1) to provide information for a detailed assessment of the risk to all receptors that may be affected, including those off-site.
3. The results of the site investigation and the detailed risk assessment referred to in (2) and, based on these, an options appraisal and remediation strategy giving full details of the remediation measures required and how they are to be undertaken.
4. A verification plan providing details of the data that will be collected in order to demonstrate that the works set out in the remediation strategy in (3) are complete and identifying any requirements for longer-term monitoring of pollutant linkages, maintenance, and arrangements for contingency action.

Any changes to these components require the written consent of the local planning

authority. The scheme shall be implemented as approved.

Reason

To ensure that the development does not contribute to and is not put at unacceptable risk from or adversely affected by unacceptable levels of water pollution in line with paragraph 174 of the National Planning Policy Framework.

Condition

No infiltration of surface water drainage into the ground where adverse concentrations of contamination are known or suspected to be present is permitted other than with the express written consent of the local planning authority, which may be given for those parts of the site where it has been demonstrated that there is no resultant unacceptable risk to controlled waters. The development shall be carried out in accordance with the approval details.

Reasons

To ensure that the development does not contribute to and is not put at unacceptable risk from or adversely affected by unacceptable levels of water pollution in line with paragraph 174 of the National Planning Policy Framework.

Condition

Piling or any other foundation designs using penetrative methods shall not be permitted other than with the express written consent of the local planning authority, which may be given for those parts of the site where it has been demonstrated that there is no resultant unacceptable risk to groundwater. The development shall be carried out in accordance with the approved details.

Reason

To ensure that the proposed piling, does not harm groundwater resources in line with paragraph 174 of the National Planning Policy Framework and Position Statement J of the [‘The Environment Agency’s approach to groundwater protection’](#).

Condition

Prior to any part of the permitted development being occupied, a verification report demonstrating the completion of works set out in the approved remediation strategy and the effectiveness of the remediation shall be submitted to, and approved in writing, by the local planning authority. The report shall include results of sampling and monitoring carried out in accordance with the approved verification plan to demonstrate that the site remediation criteria have been met.

Reason

To ensure that the site does not pose any further risk to the water environment by demonstrating that the requirements of the approved verification plan have been met and that remediation of the site is complete. This is in line with paragraph 174 of the National Planning Policy Framework.

Advice to applicant

Model Procedures and good practice

This development site appears to have been the subject of past industrial activity which may pose a risk of pollution to controlled waters.

We recommend that you should:

- Follow the risk management framework provided in Guidance on Land contamination risk management (LCRM) [Land contamination risk management \(LCRM\) - GOV.UK \(www.gov.uk\)](https://www.gov.uk/guidance/land-contamination-risk-management-lcrm), when dealing with land affected by contamination.
- Refer to our [Guiding principles for land contamination](#) for the type of information that we require in order to assess risks to controlled waters from the site - the local authority can advise on risk to other receptors, such as human health.
- Consider using the [National Quality Mark Scheme for Land Contamination Management](#) which involves the use of competent persons to ensure that land contamination risks are appropriately managed.
- Refer to the [contaminated land](#) pages on gov.uk for more information.
- Refer to [‘The Environment Agency’s approach to groundwater protection’](#).

All investigations of land potentially affected by contamination should be carried out by or under the direction of a suitably qualified competent person and in accordance with BS 10175 (2001) Code of practice for the investigation of potentially contaminated sites.

Where the remediation / redevelopment of the site will involve waste management issues we offer the following advice:

Waste on-site

The CL:AIRE Definition of Waste: Development Industry Code of Practice (version 2) provides operators with a framework for determining whether or not excavated material arising from site during remediation and/or land development works is waste or has ceased to be waste. Under the Code of Practice:

- excavated materials that are recovered via a treatment operation can be reused on-site providing they are treated to a standard such that they are fit for purpose and unlikely to cause pollution.
- treated materials can be transferred between sites as part of a hub and cluster project.
- some naturally occurring clean material can be transferred directly between sites.

Developers should ensure that all contaminated materials are adequately characterised both chemically and physically, and that the permitting status of any proposed on-site operations are clear. If in doubt, the Environment Agency should be contacted for advice at an early stage to avoid any delays.

We recommend that developers should refer to:

- the [position statement](#) on the Definition of Waste: Development Industry Code of Practice.
- The [waste management](#) page on GOV.UK.

Waste to be taken off-site

Contaminated soil that is (or must be) disposed of is waste. Therefore, its handling, transport, treatment and disposal are subject to waste management legislation, which includes:

- Duty of Care Regulations 1991.
- Hazardous Waste (England and Wales) Regulations 2005.
- Environmental Permitting (England and Wales) Regulations 2016.
- The Waste (England and Wales) Regulations 2011.

Developers should ensure that all contaminated materials are adequately characterised both chemically and physically in line with British Standard BS EN 14899:2005 'Characterization of Waste - Sampling of Waste Materials - Framework for the Preparation and Application of a Sampling Plan' and that the permitting status of any proposed treatment or disposal activity is clear. If in doubt, the Environment Agency should be contacted for advice at an early stage to avoid any delays.

If the total quantity of hazardous waste material produced or taken off-site is 500kg or greater in any 12 month period, the developer will need to register with us as a hazardous waste producer. Refer to the [hazardous waste](#) pages on GOV.UK for more information.

Introduction of SUDS

Approved Document Part H of the Building Regulations 2000 establishes a hierarchy for surface water disposal, which encourages a SUDS approach. Under Approved Document Part H the first option for surface water disposal should be the use of SUDS, which encourage infiltration such as soakaways or infiltration trenches. In all cases, it should be established that these options are feasible, can be adopted and properly maintained and would not lead to any other environmental problems. For example, using soakaways or other infiltration methods on contaminated land carries groundwater pollution risks and may not work in areas with a high water table. Where the intention is to dispose to soakaway, these should be shown to work through an appropriate assessment carried out under Building Research Establishment (BRE) Digest 365.

Piling and Penetrative ground improvement methods

Piling or any other foundation designs using penetrative methods can result in risks to potable supplies from, for example, pollution / turbidity, risk of mobilising contamination, drilling through different aquifers and creating preferential pathways. Thus, it should be demonstrated that any proposed piling will not result in contamination of groundwater.

Dewatering

Dewatering is the removal/abstraction of water (predominantly, but not confined to, groundwater) in order to locally lower water levels near the excavation. This can allow operations to take place, such as mining, quarrying, building, engineering works or other operations, whether underground or on the surface. Any dewatering activities on-site could have an impact upon local wells, water supplies and/or nearby watercourses and environmental interests. This activity was previously exempt from requiring an abstraction licence. Since 1 January 2018, most cases of new planned dewatering operations above 20 cubic metres a day will require a water abstraction licence from us prior to the commencement of dewatering activities at the site. More information is available on gov.uk:

<https://www.gov.uk/guidance/water-management-apply-for-a-water-abstraction-or-impoundment-licence#apply-for-a-licence-for-a-previously-exempt-abstraction>.

Regulatory position statements

Discharges from dewatering to surface water or groundwater will require an Environmental Permit unless you can meet the conditions of the RPS or exemptions or exclusions for groundwater activities. The following Regulatory Position Statement will apply: 'Temporary dewatering from excavations to surface water.'

<https://www.gov.uk/government/publications/temporary-dewatering-from-excavations-to-surface-water>

Seeking additional advice and support

As there may be challenging technical issues regarding this development, we have introduced a chargeable scheme whereby detailed technical advice and guidance can be sought from a dedicated technical officer in the groundwater and contaminated land team for the duration of the project.

We are keen to work with you early in the development process to resolving any problems or issues that may occur so that delays are minimise or avoided.

Should you wish us to work with you on your development and undertake a detailed review of reports or provide further, technical, advice to address the land contamination issues, we can do this as part of our charged service. Further detailed engagement can speed up the formal planning application process and provide you with certainty as to what our response to your future planning application will be.

Enhanced advice and guidance should also result in a better quality and, more

environmentally sensitive development. As part of our charged for service we will provide a dedicated project manager to act as a single point of contact to help resolve any problems.

We currently charge £100per hour. We will provide you with an estimated cost for any further discussions or review of documents.

The terms and conditions of our charged for service are available upon request and we recommend that you contact the area Sustainable Places team at the following email address SPPlanning.RFH@environment-agency.gov.uk

-

Should you have any queries regarding this response, please do not hesitate to contact me.

Yours sincerely,

[Redacted Signature]

Planning Advisor

[Redacted Contact Information]