

This drawing and the copyrights and patents therein
are the designer's property and may not be used or
reproduced - only under contract. All rights reserved.

DO NOT SCALE FROM THIS DRAWING EXCEPT FOR THE
PURPOSES OF LOCAL AUTHORITY PLANNING



DOORS

- ALL EXTERNAL DOORS MUST BE COMPLIANT WITH AND CERTIFIED TO BS PAS 24, STS202 OR LPS 1176 SR2.
- EXTERNAL ESCAPE ONLY DOORS SHOULD BE CERTIFIED TO BS PAS 24, OR LPS 1175 SR2. IRONMONGERY USED ON THESE DOORS WILL BE PERMITTED FOR USE UNDER THE SECURITY CERTIFICATION OF THE PRODUCT.
- LETTER BOX TO MAIN ENTRANCE MUST BE LOCATED A MINIMUM 400mm AWAY FROM ANY INTERNAL HANDLES AND LOCKING HARDWARE.
- EXTERNAL DOORS TO BE FITTED WITH ACCESS CONTROL SYSTEMS WHICH ARE OPERABLE BY SWIPE OR FOB, AND NOT A NUMERIC KEY PAD.

WINDOWS, CURTAIN WALLING & GLAZING

- **WINDOWS, CURTAIN WALLING & GLAZING** SHALL BE CERTIFIED TO BS PAS 24 OR BS 7950.
- **EASILY ACCESSIBLE OPENING LIGHTS MUST BE KEY-LOCKABLE AND HAVE FIXED/LOCKABLE RESTRICTORS [NOT RELEASED FROM THE OUTSIDE] LIMITED TO 100mm.**
- **ANY CURTAIN WALLING PANES SHOULD BE INCLUDE LAMINATED GLAZING AND BE SECURELY FIXED DIRECTLY TO THE FLOOR SLAB WHERE POSSIBLE, RATHER THAN TO PERIMETER COLUMNS.**
- **GLAZING TO A HEIGHT OF 2.4m MUST INCORPORATE AT LEAST ONE PANE OF GLAZING WITH A 1.5mm OR INSTANT VUE (E.G. 7.5mm) LAMINATED GLASS, OR A GLASS RATED AS P4A UNDER EN 356. THE REMAINING PANE IN DOUBLE-GLAZED UNIT MAY BE TOUGHENED GLASS.**

proposed side (collect) elevation
scale - 1:50 @ A1 / 1:100 @ A3



store address
BAGULEY
SECTION OF TESCO CAR PARK
ALTRINCHAM ROAD, BAGULEY,
MANCHESTER, M23 9TJ
client
CHICKEN CABINS LTD

drawn by CAM	checked ----	date 09-02-2022
store no. 0000	scale 1:50 @ A1	

kFC drawing no. 0000/2022/G906	FB ref. 2020/75	revision A
-----------------------------------	--------------------	---------------

TENDER ISSUE