

ROOF PLANT SUPPORT SYSTEMS SOLUTIONS OVERVIEW



Comprehensive solutions and universal product selection are highly desired properties for both the contractors and trading companies. Rooftop support system – ST-ROOF system - is designed to cut down on roofing installation costs and provide easy and quick assembly solutions.

Rooftop Support - Product Range

On the market, there are available different variations of rooftop system to choose from. e.g. in our offer we have the comprehensive product range of support foot. STRUT channel. anti-vibration mats - for

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Allow all

Customize

Powered by **Cookiebot** by Usercentrics


Vibration dampening on-roof feet **ST-ROF-AWL** are available in 250, 450, 600 and 1000 mm. They are made of processed rubber, highly resistant to UV radiation with height 90 mm and base width 160 mm. Each foot is fitted with 1 to 4 vertical holes with a sleeve joint to support the installation frame.



ST-ROF-AWL-STR roof support feet with rail

[Check complete product range of Roof Feet](#)

ST-ROF-AWL and ST-ROF-AWL-STR are recommended for loads of up to 130 kg per one foot. At such loads, vibration dampening is at up to 92,2%.



ST-ROF-MAT Vibration-damping mat and ST-ROF-AF absorbing rubber-based adjustable feet

Vibration-dampening mats for roof supports and feet ST-ROF-AWL are an ancillary component of ST-ROOF system. These anti-vibration mats/pads are placed directly on the roof under roof feet or support to insulate vibrations and noise generated by roof-installed equipment. They also protect the roof membrane from mechanical damage.

Vibration-dampening mats are made of styrene-butadiene rubber (SBR), and are available in two thicknesses: 10mm or 20mm; size: 330x330mm, 500 x 500 mm or 1000 x 1000 mm. ST-ROF-MAT anti-vibration mats can be easily cut into any shape to match the actual roof slope or the installation.

[Check Antivibrations pads and other accessories](#)

Roof support systems - Custom & Bespoke Solutions

ST-ROF-SET Roof support kit consists of perfectly matched elements - roof feet, sections of strut channel, screws, nuts, etc. There are available 4 basic versions of roof support frameworks - 4, 6, 8 and H-frame roof sets - depending on equipment's size and weight.

The set of roof supports consists of perfectly matched components - roof foot, mounting channels sections, screws, nuts, etc., thus installation is fast and simple. Modular frameworks can be used on a flat and a slightly pitched roof. The selected roof support modular framework is boxed for convenience. The carton box size is 400x400x1200.




ST-ROF-SET Roof support modular frames

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Powered by **Cookiebot** by Usercentrics



Why use it? For safety and convenience. The ventilation ducts are kept above the water draining from the roof's surface, and in winter, one can easily remove snow from above.

[There 3 versions of this product - check technical sheet](#)

Roof support systems - Applications

- ventilation and air handling units,
- chillers,
- heat pumps and solar panels,
- platforms and bridges
- air-conditioners and refrigerating units,
- ventilation and air conditioning ducts or piping,
- solar panels

Looking for the perfect roof support system? Need help or advice on selecting the best solution for You? Get in touch! Email us [export\[at\]alnor.com.pl](mailto:export[at]alnor.com.pl)



Alnor Knowledge Base

ST-ROF system - roof feet and supports of highest quality

[download PDF file](#)

Support

- » [FAQ - Cooperation](#)
- » [Alnor knowledge base](#)
- » [heat recovery](#)

> ventilation

> video

>> project – Wentyle

>> Ventpack from Fluid Desk

>> Design engineers – BIM

>> for offers – Alnor CAM

>> B2B internet platform

>> Selection of Acoustics - AlnorSILENT

DOWNLOAD CATALOG

Updated 2020-04-30



DOWNLOAD PRICELIST

Updated 2022-07-01



CERTIFICATES



Newsletter:

e-mail:

save



Contact:

Alnor Systemy Wentylacji Sp. z o.o.
Aleja Krakowska 10

Our Bank Account Details:

ING Bank Śląski Oddział w Warszawie
ul. Powsińska 64a

Company:

Alnor Systemy Wentylacji Sp. z o.o.
ul. Zwierzyniecka 8b

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Powered by **Cookiebot** by **Usercentrics**

- Duct Heaters
- Roof and Duct Fans
- Fume & Dust Extraction Systems
- Smoke Extraction System
- Roof Hoods and Cowls
- Duct Insulations
- Plastic Ducts and Fittings
- Marine & Offshore Applications
- Roof support frames & accessories