

Photo 1




Photo 2



Existing 400 x 200mm primary timber beam inbetween original lath and plaster ceiling with some original features.

Photo 3



Original lath + plaster ceiling shown with contemporary strip lighting.

Photo 4



Original service hatch with non-original timber infill

Opening shown up to second floor.



Photo 5

Original timber slats to encase stair stringer/overhead boxing



Photo 6

Original timber slats to encase stair stringer/overhead boxing.




Photo 7






Original timber slats to encase stair stringer/overhead boxing.



Photo 8



revision: P01
date: 20221223
note: preliminary first issue
P02 20230210 general planning update

	Existing original 280 x 80mm joists @ 400mm centres with floorboards exposed		Original lath + plaster ceiling. See Hutton + Rostron timber and damp condition for full details		Non-original office suspended ceiling tiles
	Existing non-original 280 x 80mm joists @ 400mm centres with non-original floorboards exposed		Original service hatches with non-original timber infills		
	Original timber slats to encase stair stringer/overhead boxing		Non-original chipboard panels fixed to existing floor along high traffic routes		
	Original exposed timber tread, riser and stringers		Timber slats fixed to underside of floor joists		
	Existing 400 x 240mm primary timber beam		Non-original boxing out of primary beam concealing fire damage		



project
51-53 richmond st, manchester
job no.
7593
title
Warehouse Existing Upper Ground Floor Ceiling Plan
scale
1:100 @ A3
drawing no.
al(05)0091

stephenson hamilton risley
STUDIO
3 riverside mews
4 commercial street
manchester, M15 4RQ
www.shr.studio
email@shr.studio
0161 832 0244