




IWS-201
Head detail




IWS-202
Head detail




IWS-203
British Gypsum system - A206A243S
Fire Rating: 60 minutes
Acoustic Rating Rw (Rw + Ctr) dB: 60 (54)




IWS-204
British Gypsum system - A206165
Fire Rating: 30 minutes
Acoustic Rating Rw dB: 42




IWS-201
Bottom detail




IWS-202
Bottom detail



IWS-203
British Gypsum system - A206A243S
Fire Rating: 60 minutes
Acoustic Rating Rw (Rw + Ctr) dB: 60 (54)



IWS-204
British Gypsum system - A206165
Fire Rating: 30 minutes
Acoustic Rating Rw dB: 42



revision: P01 20221223
P02 20230210

date: 20221223
20230210

note: preliminary first issue
general planning update

Key		
	IWS - 201	IWS - 206
	IWS - 202	IWS - 207
	IWS - 203	
	IWS - 204	
	IWS - 205	

project
51-53 richmond st, manchester

job no.
7593

title
Proposed Internal Wall Types 1

scale
N/A@ A3

drawing no.
al(05)0101

stephenson hamilton risley
STUDIO

3 riverside mews
4 commercial street
manchester, M15 4RQ
www.shr.studio
email@shr.studio
0161 832 0244