

FINAL ANALYTICAL TEST REPORT

Envirolab Job Number: 22/11216
Issue Number: 1

Date: 21 November, 2022

Client: Curtins Consulting (Manchester)
Merchant Exchange
17-19 Whitworth Street
Manchester
UK
M1 5WG

Project Manager: EBMA/Niall Farnworth/Rebecca Baksh-Jones
Project Name: Gorton Library
Project Ref: B070452
Order No: 1901
Date Samples Received: 12/11/22
Date Instructions Received: 15/11/22
Date Analysis Completed: 21/11/22

Approved by:



Richard Wong
Client Manager

Envirolab Job Number: 22/11216

Client Project Name: Gorton Library

Client Project Ref: B070452

Lab Sample ID	22/11216/1	22/11216/2	22/11216/3	22/11216/4	22/11216/5	22/11216/6	22/11216/7	Units	Limit of Detection	Method ref
Client Sample No										
Client Sample ID	WS01	WS02	WS02	WS03	HP01	HP02	HP03			
Depth to Top	0.40	0.30	1.35	0.60	0.20	0.50	0.15			
Depth To Bottom										
Date Sampled	10-Nov-22	10-Nov-22	10-Nov-22	10-Nov-22	10-Nov-22	11-Nov-22	11-Nov-22			
Sample Type	Soil - ES	Soil - ES	Soil - ES	Soil - ES	Soil - ES	Soil - ES	Soil - ES			
Sample Matrix Code	4AE	4ABE	6AE	4AE	4AE	4A	6AE			
% Stones >10mm _A	1.4	1.2	<0.1	12.8	12.5	11.7	6.2	% w/w	0.1	A-T-044
pH _D ^{M#}	8.09	8.27	8.13	7.72	8.71	8.24	8.57	pH	0.01	A-T-031s
Sulphate (water sol 2:1) _D ^{M#}	<0.01	0.60	0.02	0.16	0.02	0.58	0.03	g/l	0.01	A-T-026s
Cyanide (total) _A ^{M#}	<1	<1	<1	<1	<1	<1	<1	mg/kg	1	A-T-042sTCN
Phenols - Total by HPLC _A	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	mg/kg	0.2	A-T-050s
Organic Matter _D ^{M#}	8.2	5.5	3.0	17.1	4.4	4.3	6.0	% w/w	0.1	A-T-032 OM
Arsenic _D ^{M#}	20	23	6	26	7	14	11	mg/kg	1	A-T-024s
Boron (water soluble) _D	<1.0	1.3	1.5	<1.0	<1.0	<1.0	<1.0	mg/kg	1	A-T-027s
Cadmium _D ^{M#}	0.9	<0.5	<0.5	1.1	0.5	0.6	0.7	mg/kg	0.5	A-T-024s
Copper _D ^{M#}	158	57	24	119	50	47	69	mg/kg	1	A-T-024s
Chromium _D ^{M#}	43	18	19	16	21	12	17	mg/kg	1	A-T-024s
Chromium (hexavalent) _D	<1	<1	<1	<1	<1	<1	<1	mg/kg	1	A-T-040s
Lead _D ^{M#}	187	115	41	145	152	88	224	mg/kg	1	A-T-024s
Mercury _D	0.20	<0.17	<0.17	<0.17	0.45	1.63	0.89	mg/kg	0.17	A-T-024s
Nickel _D ^{M#}	25	19	16	35	19	13	21	mg/kg	1	A-T-024s
Selenium _D ^{M#}	<1	<1	<1	<1	<1	2	<1	mg/kg	1	A-T-024s
Zinc _D ^{M#}	244	64	39	71	90	214	119	mg/kg	5	A-T-024s

Envirolab Job Number: 22/11216

Client Project Name: Gorton Library

Client Project Ref: B070452

Lab Sample ID	22/11216/1	22/11216/2	22/11216/3	22/11216/4	22/11216/5	22/11216/6	22/11216/7	Units	Limit of Detection	Method ref
Client Sample No										
Client Sample ID	WS01	WS02	WS02	WS03	HP01	HP02	HP03			
Depth to Top	0.40	0.30	1.35	0.60	0.20	0.50	0.15			
Depth To Bottom										
Date Sampled	10-Nov-22	10-Nov-22	10-Nov-22	10-Nov-22	10-Nov-22	11-Nov-22	11-Nov-22			
Sample Type	Soil - ES	Soil - ES	Soil - ES	Soil - ES	Soil - ES	Soil - ES	Soil - ES			
Sample Matrix Code	4AE	4ABE	6AE	4AE	4AE	4A	6AE			
Asbestos in Soil (inc. matrix)										
Asbestos in soil [#]	NAD	NAD	NAD	NAD	NAD	NAD	NAD			A-T-045
Asbestos Matrix (visual) _D	-	-	-	-	-	-	-			A-T-045
Asbestos Matrix (microscope) _D	-	-	-	-	-	-	-			A-T-045
Asbestos ACM - Suitable for Water Absorption Test? _D	N/A	N/A	N/A	N/A	N/A	N/A	N/A			A-T-045

Envirolab Job Number: 22/11216

Client Project Name: Gorton Library

Client Project Ref: B070452

Lab Sample ID	22/11216/1	22/11216/2	22/11216/3	22/11216/4	22/11216/5	22/11216/6	22/11216/7	Units	Limit of Detection	Method ref
Client Sample No										
Client Sample ID	WS01	WS02	WS02	WS03	HP01	HP02	HP03			
Depth to Top	0.40	0.30	1.35	0.60	0.20	0.50	0.15			
Depth To Bottom										
Date Sampled	10-Nov-22	10-Nov-22	10-Nov-22	10-Nov-22	10-Nov-22	11-Nov-22	11-Nov-22			
Sample Type	Soil - ES	Soil - ES	Soil - ES	Soil - ES	Soil - ES	Soil - ES	Soil - ES			
Sample Matrix Code	4AE	4ABE	6AE	4AE	4AE	4A	6AE			
PAH-16MS										
Acenaphthene _A ^{M#}	1.31	0.41	<0.01	10.8	0.41	0.12	0.10	mg/kg	0.01	A-T-019s
Acenaphthylene _A ^{M#}	0.04	<0.01	<0.01	0.19	<0.01	0.01	<0.01	mg/kg	0.01	A-T-019s
Anthracene _A ^{M#}	1.15	0.15	<0.02	15.6	0.34	0.16	0.07	mg/kg	0.02	A-T-019s
Benzo(a)anthracene _A ^{M#}	2.52	0.26	<0.04	20.9	0.89	0.51	0.09	mg/kg	0.04	A-T-019s
Benzo(a)pyrene _A ^{M#}	1.94	0.21	<0.04	15.2	0.77	0.38	0.08	mg/kg	0.04	A-T-019s
Benzo(b)fluoranthene _A ^{M#}	2.35	0.26	<0.05	16.6	0.88	0.58	0.09	mg/kg	0.05	A-T-019s
Benzo(ghi)perylene _A ^{M#}	0.83	0.11	<0.05	5.35	0.38	0.22	<0.05	mg/kg	0.05	A-T-019s
Benzo(k)fluoranthene _A ^{M#}	0.70	0.09	<0.07	5.92	0.28	0.18	<0.07	mg/kg	0.07	A-T-019s
Chrysene _A ^{M#}	2.99	0.37	<0.06	25.6	1.02	0.68	0.14	mg/kg	0.06	A-T-019s
Dibenzo(ah)anthracene _A ^{M#}	0.20	<0.04	<0.04	1.32	0.09	<0.04	<0.04	mg/kg	0.04	A-T-019s
Fluoranthene _A ^{M#}	8.19	0.79	<0.08	71.1	2.38	1.72	0.41	mg/kg	0.08	A-T-019s
Fluorene _A ^{M#}	0.89	0.19	<0.01	7.55	0.21	0.10	0.07	mg/kg	0.01	A-T-019s
Indeno(123-cd)pyrene _A ^{M#}	0.83	0.09	<0.03	6.48	0.39	0.22	0.03	mg/kg	0.03	A-T-019s
Naphthalene _A ^{M#}	0.91	0.31	<0.03	3.06	0.09	0.07	0.06	mg/kg	0.03	A-T-019s
Phenanthrene _A ^{M#}	7.45	1.24	<0.03	82.6	1.94	0.92	0.41	mg/kg	0.03	A-T-019s
Pyrene _A ^{M#}	7.49	0.73	<0.07	56.2	2.07	1.47	0.38	mg/kg	0.07	A-T-019s
Total PAH-16MS _A ^{M#}	39.8	5.21	<0.08	344	12.1	7.34	1.93	mg/kg	0.01	A-T-019s

Envirolab Job Number: 22/11216

Client Project Name: Gorton Library

Client Project Ref: B070452

Lab Sample ID	22/11216/1	22/11216/2	22/11216/3	22/11216/4	22/11216/5	22/11216/6	22/11216/7	Units	Limit of Detection	Method ref
Client Sample No										
Client Sample ID	WS01	WS02	WS02	WS03	HP01	HP02	HP03			
Depth to Top	0.40	0.30	1.35	0.60	0.20	0.50	0.15			
Depth To Bottom										
Date Sampled	10-Nov-22	10-Nov-22	10-Nov-22	10-Nov-22	10-Nov-22	11-Nov-22	11-Nov-22			
Sample Type	Soil - ES	Soil - ES	Soil - ES	Soil - ES	Soil - ES	Soil - ES	Soil - ES			
Sample Matrix Code	4AE	4ABE	6AE	4AE	4AE	4A	6AE			
TPH CWG with Clean Up										
Ali >C5-C6 _A [#]	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	mg/kg	0.01	A-T-022s
Ali >C6-C8 _A [#]	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	mg/kg	0.01	A-T-022s
Ali >C8-C10 _A	<1	<1	<1	<20	<1	<1	<1	mg/kg	1	A-T-055s
Ali >C10-C12 _A ^{M#}	<1	<1	<1	<20	<1	<1	<1	mg/kg	1	A-T-055s
Ali >C12-C16 _A ^{M#}	4	<1	<1	33	<1	1	3	mg/kg	1	A-T-055s
Ali >C16-C21 _A ^{M#}	6	1	<1	49	3	7	14	mg/kg	1	A-T-055s
Ali >C21-C35 _A ^{M#}	25	5	6	185	16	45	19	mg/kg	1	A-T-055s
Total Aliphatics _A	35	6	6	267	20	53	36	mg/kg	1	Calc-As Recd
Aro >C5-C7 _A [#]	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	mg/kg	0.01	A-T-022s
Aro >C7-C8 _A [#]	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	mg/kg	0.01	A-T-022s
Aro >C8-C10 _A	2	2	1	<20	2	2	2	mg/kg	1	A-T-055s
Aro >C10-C12 _A	2	8	<1	26	<1	2	1	mg/kg	1	A-T-055s
Aro >C12-C16 _A	19	28	2	344	8	19	7	mg/kg	1	A-T-055s
Aro >C16-C21 _A ^{M#}	58	45	4	1660	29	99	20	mg/kg	1	A-T-055s
Aro >C21-C35 _A ^{M#}	145	76	6	3330	79	470	41	mg/kg	1	A-T-055s
Total Aromatics _A	226	160	13	5350	119	592	71	mg/kg	1	Calc-As Recd
TPH (Ali & Aro >C5-C35) _A	261	166	19	5630	139	645	107	mg/kg	1	Calc-As Recd
BTEX - Benzene _A [#]	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	mg/kg	0.01	A-T-022s
BTEX - Toluene _A [#]	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	mg/kg	0.01	A-T-022s
BTEX - Ethyl Benzene _A [#]	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	mg/kg	0.01	A-T-022s
BTEX - m & p Xylene _A [#]	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	mg/kg	0.01	A-T-022s
BTEX - o Xylene _A [#]	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	mg/kg	0.01	A-T-022s
MTBE _A [#]	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	mg/kg	0.01	A-T-022s

Envirolab Job Number: 22/11216/8

Client Project Name: Gorton Library

Client Project Ref: B070452

Lab Sample ID	22/11216/8							Units	Limit of Detection	Method ref
Client Sample No										
Client Sample ID	HP04									
Depth to Top	0.65									
Depth To Bottom										
Date Sampled	11-Nov-22									
Sample Type	Soil - ES									
Sample Matrix Code	4AB									
% Stones >10mm _A	24.0							% w/w	0.1	A-T-044
pH _D ^{M#}	8.71							pH	0.01	A-T-031s
Sulphate (water sol 2:1) _D ^{M#}	0.02							g/l	0.01	A-T-026s
Cyanide (total) _A ^{M#}	<1							mg/kg	1	A-T-042sTCN
Phenols - Total by HPLC _A	<0.2							mg/kg	0.2	A-T-050s
Organic Matter _D ^{M#}	8.7							% w/w	0.1	A-T-032 OM
Arsenic _D ^{M#}	9							mg/kg	1	A-T-024s
Boron (water soluble) _D	<1.0							mg/kg	1	A-T-027s
Cadmium _D ^{M#}	0.6							mg/kg	0.5	A-T-024s
Copper _D ^{M#}	88							mg/kg	1	A-T-024s
Chromium _D ^{M#}	15							mg/kg	1	A-T-024s
Chromium (hexavalent) _D	<1							mg/kg	1	A-T-040s
Lead _D ^{M#}	91							mg/kg	1	A-T-024s
Mercury _D	0.94							mg/kg	0.17	A-T-024s
Nickel _D ^{M#}	23							mg/kg	1	A-T-024s
Selenium _D ^{M#}	<1							mg/kg	1	A-T-024s
Zinc _D ^{M#}	160							mg/kg	5	A-T-024s

Envirolab Job Number: 22/11216/8

Client Project Name: Gorton Library

Client Project Ref: B070452

Lab Sample ID	22/11216/8							Units	Limit of Detection	Method ref
Client Sample No										
Client Sample ID	HP04									
Depth to Top	0.65									
Depth To Bottom										
Date Sampled	11-Nov-22									
Sample Type	Soil - ES									
Sample Matrix Code	4AB									
Asbestos in Soil (inc. matrix)										
Asbestos in soil [#]	NAD									A-T-045
Asbestos Matrix (visual) _D	-									A-T-045
Asbestos Matrix (microscope) _D	-									A-T-045
Asbestos ACM - Suitable for Water Absorption Test? _D	N/A									A-T-045

Envirolab Job Number: 22/11216/8

Client Project Name: Gorton Library

Client Project Ref: B070452

Lab Sample ID	22/11216/8							Units	Limit of Detection	Method ref
Client Sample No										
Client Sample ID	HP04									
Depth to Top	0.65									
Depth To Bottom										
Date Sampled	11-Nov-22									
Sample Type	Soil - ES									
Sample Matrix Code	4AB									
PAH-16MS										
Acenaphthene _A ^{M#}	0.59							mg/kg	0.01	A-T-019s
Acenaphthylene _A ^{M#}	0.03							mg/kg	0.01	A-T-019s
Anthracene _A ^{M#}	0.59							mg/kg	0.02	A-T-019s
Benzo(a)anthracene _A ^{M#}	2.66							mg/kg	0.04	A-T-019s
Benzo(a)pyrene _A ^{M#}	2.82							mg/kg	0.04	A-T-019s
Benzo(b)fluoranthene _A ^{M#}	3.15							mg/kg	0.05	A-T-019s
Benzo(ghi)perylene _A ^{M#}	1.35							mg/kg	0.05	A-T-019s
Benzo(k)fluoranthene _A ^{M#}	0.99							mg/kg	0.07	A-T-019s
Chrysene _A ^{M#}	2.90							mg/kg	0.06	A-T-019s
Dibenzo(ah)anthracene _A ^{M#}	0.26							mg/kg	0.04	A-T-019s
Fluoranthene _A ^{M#}	6.54							mg/kg	0.08	A-T-019s
Fluorene _A ^{M#}	0.31							mg/kg	0.01	A-T-019s
Indeno(123-cd)pyrene _A ^{M#}	1.39							mg/kg	0.03	A-T-019s
Naphthalene _A ^{M#}	0.20							mg/kg	0.03	A-T-019s
Phenanthrene _A ^{M#}	3.18							mg/kg	0.03	A-T-019s
Pyrene _A ^{M#}	6.03							mg/kg	0.07	A-T-019s
Total PAH-16MS _A ^{M#}	33							mg/kg	0.01	A-T-019s

Envirolab Job Number: 22/11216

Client Project Name: Gorton Library

Client Project Ref: B070452

Lab Sample ID	22/11216/8							Units	Limit of Detection	Method ref
Client Sample No										
Client Sample ID	HP04									
Depth to Top	0.65									
Depth To Bottom										
Date Sampled	11-Nov-22									
Sample Type	Soil - ES									
Sample Matrix Code	4AB									
TPH CWG with Clean Up										
Ali >C5-C6 _A [#]	<0.01							mg/kg	0.01	A-T-022s
Ali >C6-C8 _A [#]	<0.01							mg/kg	0.01	A-T-022s
Ali >C8-C10 _A	<1							mg/kg	1	A-T-055s
Ali >C10-C12 _A ^{M#}	<1							mg/kg	1	A-T-055s
Ali >C12-C16 _A ^{M#}	3							mg/kg	1	A-T-055s
Ali >C16-C21 _A ^{M#}	4							mg/kg	1	A-T-055s
Ali >C21-C35 _A ^{M#}	16							mg/kg	1	A-T-055s
Total Aliphatics _A	23							mg/kg	1	Calc-As Recd
Aro >C5-C7 _A [#]	<0.01							mg/kg	0.01	A-T-022s
Aro >C7-C8 _A [#]	<0.01							mg/kg	0.01	A-T-022s
Aro >C8-C10 _A	2							mg/kg	1	A-T-055s
Aro >C10-C12 _A	2							mg/kg	1	A-T-055s
Aro >C12-C16 _A	14							mg/kg	1	A-T-055s
Aro >C16-C21 _A ^{M#}	70							mg/kg	1	A-T-055s
Aro >C21-C35 _A ^{M#}	211							mg/kg	1	A-T-055s
Total Aromatics _A	298							mg/kg	1	Calc-As Recd
TPH (Ali & Aro >C5-C35) _A	321							mg/kg	1	Calc-As Recd
BTEX - Benzene _A [#]	<0.01							mg/kg	0.01	A-T-022s
BTEX - Toluene _A [#]	<0.01							mg/kg	0.01	A-T-022s
BTEX - Ethyl Benzene _A [#]	<0.01							mg/kg	0.01	A-T-022s
BTEX - m & p Xylene _A [#]	<0.01							mg/kg	0.01	A-T-022s
BTEX - o Xylene _A [#]	<0.01							mg/kg	0.01	A-T-022s
MTBE _A [#]	<0.01							mg/kg	0.01	A-T-022s

REPORT NOTES

General

This report shall not be reproduced, except in full, without written approval from Envirolab.

The results reported herein relate only to the material supplied to the laboratory.

The residue of any samples contained within this report, and any received with the same delivery, will be disposed of six weeks after initial scheduling. For samples tested for Asbestos we will retain a portion of the dried sample for a minimum of six months after the initial Asbestos testing is completed.

Analytical results reflect the quality of the sample at the time of analysis only.

Opinions and interpretations expressed are outside the scope of our accreditation.

If results are in italic font they are associated with an AQC failure, these are not accredited and are unreliable.

A deviating samples report is appended and will indicate if samples or tests have been found to be deviating. Any test results affected may not be an accurate record of the concentration at the time of sampling and, as a result, may be invalid.

The Client Sample No, Client Sample ID, Depth to Top, Depth to Bottom and Date Sampled were all provided by the client.

Soil chemical analysis:

All results are reported as dry weight (<40°C).

For samples with Matrix Codes 1 - 6 natural stones, brick and concrete fragments >10mm and any extraneous material (visible glass, metal or twigs) are removed and excluded from the sample prior to analysis and reported results corrected to a whole sample basis. This is reported as '% stones >10mm'.

For samples with Matrix Code 7 the whole sample is dried and crushed prior to analysis and this supersedes any "A" subscripts

All analysis is performed on the sample as received for soil samples which are positive for asbestos or the client has informed asbestos may be present and/or if they are from outside the European Union and this supersedes any "D" subscripts.

TPH analysis of water by method A-T-007:

Free and visible oils are excluded from the sample used for analysis so that the reported result represents the dissolved phase only.

Electrical Conductivity of water by Method A-T-037:

Results greater than 12900µS/cm @ 25°C / 11550µS/cm @ 20°C fall outside the calibration range and as such are unaccredited.

Asbestos:

Asbestos in soil analysis is performed on a dried aliquot of the submitted sample and cannot guarantee to identify asbestos if only present in small numbers as discrete fibres/fragments in the original sample.

Stones etc. are not removed from the sample prior to analysis.

Quantification of asbestos is a 3 stage process including visual identification, hand picking and weighing and fibre counting by sedimentation/phase contrast optical microscopy if required. If asbestos is identified as being present but is not in a form that is suitable for analysis by hand picking and weighing (normally if the asbestos is present as free fibres) quantification by sedimentation is performed. Where ACMs are found a percentage asbestos is assigned to each with reference to 'HSG264, Asbestos: The survey guide' and the calculated asbestos content is expressed as a percentage of the dried soil sample aliquot used.

Predominant Matrix Codes:

1 = SAND, 2 = LOAM, 3 = CLAY, 4 = LOAM/SAND, 5 = SAND/CLAY, 6 = CLAY/LOAM, 7 = OTHER, 8 = Asbestos bulk ID sample, 9 = INCINERATOR ASH.

Samples with Matrix Code 7 & 8 are not predominantly a SAND/LOAM/CLAY mix and are not covered by our BSEN 17025 or MCERTS accreditations, with the exception of bulk asbestos which are BSEN 17025 accredited.

Secondary Matrix Codes:

A = contains stones, B = contains construction rubble, C = contains visible hydrocarbons, D = contains glass/metal,

E = contains roots/twigs.

Key:

IS indicates Insufficient Sample for analysis.

US indicates Unsuitable Sample for analysis.

NDP indicates No Determination Possible.

NAD indicates No Asbestos Detected.

N/A indicates Not Applicable.

Superscript # indicates method accredited to ISO 17025.

Superscript "M" indicates method accredited to MCERTS.

Subscript "A" indicates analysis performed on the sample as received.

Subscript "D" indicates analysis performed on the dried sample, crushed to pass a 2mm sieve

Subscript "A" indicates analysis has dependant options against results. Testing dependant on results appear in the comments area of your sample receipt.

EPH CWG results have humics mathematically subtracted through instrument calculation

TPH results "with Cleanup" indicates results cleaned up with Silica during extraction

EPH CWG GCxGC ID from TPH CWG

Where we have identified humic substances in any ID's from TPH CWG with Clean Up please note that the concentration of these humic substances is not included in the quantified results and are included in the ID for information.

Please contact us if you need any further information.

Envirolab Deviating Samples Report

Units 7&8 Sandpits Business Park, Mottram Road, Hyde, SK14 3AR
Tel. 0161 368 4921 email. ask@envlab.co.uk

Client:	Curtins Consulting (Manchester), Merchant Exchange, 17-19 Whitworth Street , Manchester, UK, M1 5WG	Project No:	22/11216
Project:	Gorton Library	Date Received:	15/11/2022 (am)
Clients Project No:	B070452	Cool Box Temperatures (°C):	10.2 & 13.2

NO DEVIATIONS IDENTIFIED with respect to sampling dates or containers received.

Note: If, at any point before reaching the laboratory, the temperature of the samples has breached those set in published standards, e.g. BS-EN 5667-3 (for water samples $5 \pm 3^{\circ}\text{C}$), ISO 18400-105:2017, then the concentration of any affected analytes may differ from that at the time of sampling.

Envirolab Analysis Dates

Lab Sample ID	22/11216/1	22/11216/2	22/11216/3	22/11216/4	22/11216/5	22/11216/6	22/11216/7	22/11216/8
Client Sample No								
Client Sample ID/Depth	WS01 0.40m	WS02 0.30m	WS02 1.35m	WS03 0.60m	HP01 0.20m	HP02 0.50m	HP03 0.15m	HP04 0.65m
Date Sampled	10/11/22	10/11/22	10/11/22	10/11/22	10/11/22	11/11/22	11/11/22	11/11/22
A-T-019s	17/11/2022	17/11/2022	17/11/2022	17/11/2022	17/11/2022	17/11/2022	17/11/2022	17/11/2022
A-T-022s	18/11/2022	18/11/2022	18/11/2022	18/11/2022	18/11/2022	18/11/2022	18/11/2022	18/11/2022
A-T-024s	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022
A-T-026s	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022
A-T-027s	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022
A-T-031s	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022
A-T-032 OM	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022
A-T-040s	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022	21/11/2022
A-T-042sTCN	17/11/2022	17/11/2022	17/11/2022	17/11/2022	17/11/2022	17/11/2022	17/11/2022	17/11/2022
A-T-044	18/11/2022	18/11/2022	18/11/2022	18/11/2022	18/11/2022	18/11/2022	18/11/2022	18/11/2022
A-T-045	16/11/2022	16/11/2022	16/11/2022	16/11/2022	16/11/2022	16/11/2022	16/11/2022	16/11/2022
A-T-050s	17/11/2022	17/11/2022	17/11/2022	17/11/2022	17/11/2022	17/11/2022	17/11/2022	17/11/2022
A-T-055s	17/11/2022	17/11/2022	17/11/2022	17/11/2022	17/11/2022	17/11/2022	17/11/2022	17/11/2022
Calc-As Recd	18/11/2022	18/11/2022	18/11/2022	18/11/2022	18/11/2022	18/11/2022	18/11/2022	18/11/2022

The above dates are the analysis completion dates, please note that these are not necessarily the date that the analysis was weighed/extracted.

End of Report