



Notes

1. All dimensions are in millimetres unless noted otherwise.
2. All levels are given in metres (AOD).
3. Layout is based on:
 - Landscape Architect masterplan drawing VNIF-PLA-ZZ-YYY-DR-L-1011 Rev P06 dated 04/08/2022 by Plantit.
4. This drawing should be read in conjunction with basin section and general arrangement drawings:
 - VNIF-ARP-00-YYY-DR-CD-0020
 - VNIF-ARP-00-YYY-DR-CD-0040
 - VNIF-ARP-00-YYY-DR-CD-0041
5. Impermeable Membrane: Nonwoven geotextile extrusion coated with high density polyethylene (Terram RootGuard Plus or similar approved).
 - Tensile strength 14kN/m
 - Tensile elongation 25%
 - CBR puncture resistance 2.55kN
6. Refer to Landscape Architects details and specifications for detail for growing media and top soil.

Key

-  Proposed Surface Water Drainage
 Basin Extents
 Basin Freeboard

P01	22/07/22	WS4 issue to BAM		DH	RG	LS	—
P02	08/08/22	Issued for Technical Approval	ES	DH	RG		—
P03	09/09/22	Issued for S104 Application	ES	DH	RG		—
P04	10/10/22	Full WS4 Issue	ES	DH	RG		—
P05	20/10/22	Issued for Full WS4	ES	DH	RG		—
Rev	Date	Description		By	Chkd	Appd	Auth

ARUP

6th Floor 3 Piccadilly Place
Manchester M1 3BN
Tel +44 161 228 2331 Fax +44 161 228 6879
www.arup.com

Client



MANCHESTER
CITY COUNCIL



Project Title

Victoria North HIF Infrastructure & Enabling Works

Drawing Title

Basin Plan

Scale at A1		1:100		Arup Job No		282022-00	
Role		Civil - Drainage					
Suitability		S4 - Issued for Construction Approval					
Rev	By	Chkd	Appd	---			
	ES	DH	RG				
	P05	Date	Date	Date	---		
	19/10/22	20/10/22	20/10/22				
Name							
VNIF - ARP - 00 - YYY - DR - CD - 0021							
Project	Originator	Volume	Location	Type	Role	Number	