




Proposed irrigation by
GreenBlue Urban
Reference: RootRain Urban
system installed around the
guyed root ball Ensure inlet
is slightly above finished
surround level

Proposed bark mulch

Proposed imported topsoil to BS 3882:2015
Depth: 400mm

Proposed underground guying
by GreenBlue Urban
Reference: ArborGuy SASMCB
Anchor strap system with
drive-in heavy duty anchors
3 drive-in anchors

Loosened subsoil in accordance
with BS 8601:2013

Loosen and shape base to aid root penetration
and pit drainage

Tree Pit Detail

1 : 20

The use of this data by the recipient acts as an agreement of the following statements. Do not use this data if you do not agree with any of the following statements:-

Ryder Architecture has co-ordinated relevant information received from third parties, but are not responsible for the content of the information received from others.

The controlled version of this drawing should be viewed in DWF or PDF format not DWG or other formats. All prints of this drawing must be made in full colour.

Where this drawing has been based upon Ordnance Survey data, it has been reproduced under the terms of Ryder Licence No. 100000144. Reproduction of this drawing in whole or in part is prohibited without the prior permission of Ordnance Survey.

Do not scale the drawing. Use figured dimensions in all cases. Check all dimensions on site. Report any discrepancies in writing to Ryder before proceeding.

C01	Issued for Construction	ZLJ	SBL	01/09/21
P2	Root barrier removed	ZLJ	SBL	06/11/20
P1	Issued for Stage 4	ZLJ	SBL	14/10/20

Rev	Description	Drawn	Checked	Date
-----	-------------	-------	---------	------

Suitability

Issued for Construction

Project

Waterside Places

Islington Wharf

Manchester

Drawing

Typical Tree Pit Details

Drawing Number

Project ID	Origin.	Zone	Level	Type	Role	Number
------------	---------	------	-------	------	------	--------

IW4	-RYD-00	-XX	-DR	-L	-4800
-----	---------	-----	-----	----	-------

Project Number	Scale at A3	Status	Revision
----------------	-------------	--------	----------

2791:00	1 : 20	PD	C01
---------	--------	----	-----

info@ryderarchitecture.com
www.ryderarchitecture.com

Ryder