









TYPE E:
400 - 1200mm HIGH BRICK RETAINING WALL (FOR PLANTER) WITH WET CAST STONE COPING; ADDITIONAL 600mm HIGH METAL RAILINGS; (REFER TO DWG L16__ FOR BLOCK C FRONT ELEVATION)



TYPE G:
600mm HIGH BRICK RETAINING WALL WITH WET CAST STONE COPING; ADDITIONAL 1200mm HIGH TIMBER FENCE & ADDITIONAL 300mm TRELLIS (TO MATCH TYPE B)



TYPE F:
900mm HIGH METAL RAILINGS



REVISION	DATE	DESCRIPTION
P01	24.05.22	PRELIMINARY ISSUE

THIS INFORMATION HAS BEEN PRODUCED FOR DESIGN INTENT ONLY

ALL RAILINGS AND FENCING TO SPECIALIST SUBCONTRACTOR DESIGN AND CALCULATIONS.

ALL RETAINING STRUCTURES AND FOUNDATIONS TO STRUCTURAL ENGINEERS DESIGN.

ALL EXTERNAL WORKS BUILDUPS TO LANDSCAPE ARCHITECTS DETAIL

PRELIMINARY ISSUE

OMIArchitects

31 Blackfriars Road, Salford, Manchester, M3 7AQ
+44(0)161 832 3242 / info@omiarchitects.com / www.omiarchitects.com

PROJECT	GORTON LANE - GORTON				
DRAWING	EXTERNAL WORKS TYPICAL DETAILS SHEET 2				
DATE	09.05.22	DRAWN BY	SMG	SCALE	1:25 @A3
JOB NO.	1405	DWG.NO.	8790-OMI-XX-XX-DT-A-A3701 P01		