



EXISTING DRAIN & EASEMENT
ALL DETAILS TBC ON SITE

* DETAIL BETWEEN STRIP FOUNDATION &
CAPPTING BEAM TBC

HIGH LEVEL STRIP FOUNDATIONS. TOF ~825mm
TBC FROM GROUND FLOOR FFL. U/S OF
FOUNDATIONS TO BE STEPPED DOWN IN MASS
FILL GEN3 CONCRETE TO SUITABLE BEARING STRATA

SERVICE HOLES TBC

STEELWORK GRADE TBC

CELLULAR BEAMS TBC

TOP OF CAPPING BEAM SET TO SUIT DEPTH OF 457UB
UB'S GREATER IN DEPTH TO BE NOTCHED TO ALLOW BEARING

ALL WALLS FROM GROUND FLOOR LEVEL TO
TIMBER FRAME SPECIALIST DESIGN/DETAILS

INDICATES SPAN OF MD50-V2 TBCG COMPOSITE
DOUBLE SPANNING METAL DECK FLOORING
INSTALLED IN ACCORDANCE WITH MANUFACTURERS
DETAILS WITH 150mm THICK RC35 SLAB REINFORCED
WITH A193 MESH TOP WITH MIN. 60mm COVER

DETAILS TBC

(1/T) INDICATES COMPOSITE BEAM
WITH 1NO. STUD PER TROUGH
(300) INDICATES COMPOSITE BEAM WITH
1NO. STUD AT 300mm CTRS
(200) INDICATES COMPOSITE BEAM WITH
1NO. STUD AT 200mm CTRS
(NC) INDICATES NON COMPOSITE BEAM
WITH 1NO. STUD AT 900mm CTRS

DETAILS TBC

INDICATES SPAN OF BEAM & BLOCK FLOORING AT
GROUND FLOOR LEVEL TO SPECIALIST DETAILS

1000mm LONG H10 ANTI-CRACK CORNER
BARS TIED TO MESH IN SLAB TYPICAL TO
ALL SLAB CORNER POSITIONS

REFER TO ARCHITECTS DETAILS FOR ALL
SLAB PENETRATION LOCATIONS

PODIUM LAYOUT
(1:100 AT A1)

ALL DIMENSIONS TBC BY ARCHITECT/ON SITE/SITE MEASURED BY FABRICATOR

P1	18.10.22	PRELIMINARY ISSUE	S.P.M.
rev	date	revisions	initials
client			
CHALLENGER GROUP			
project			
GREENWOOD ROAD WYTHENSHAW			
drawing			
STEELWORK PODIUM LAYOUT & DETAILS			
PWA Philip Wright Associates Consulting Structural Engineer 21 Union Street, Ramsbottom, Bury, BL0 9AN Telephone: 07939 547865 Email: info@philipwrightassociates.co.uk			
drawn	S.P.M.	date	10.10.22
scale	1:100	checked	
contract no.	2500	drawing no.	05 P1