

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	Discharge Consents Operator: United Utilities Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Rochdale Road, Manchester, Greater Manchester Authority: Environment Agency, North West Region Catchment Area: Not Supplied Reference: 01man0114 Permit Version: 2 Effective Date: 3rd September 2010 Issued Date: 3rd September 2010 Revocation Date: 18th July 2014 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Boardman Brook Status: Surrendered under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A18SW (N)	662	2	386380 404170
6	Discharge Consents Operator: United Utilities Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Rochdale Road, Manchester, Greater Manchester Authority: Environment Agency, North West Region Catchment Area: Not Given Reference: 01MAN0114 Permit Version: 1 Effective Date: 1st January 1995 Issued Date: Not Supplied Revocation Date: 2nd September 2010 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Boardman Brook Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 100m	A18SW (N)	662	2	386380 404170
7	Discharge Consents Operator: United Utilities Water Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Charlestown Rd/Polefield, Manchester, Greater Manchester Authority: Environment Agency, North West Region Catchment Area: Not Given Reference: 01man0132 Permit Version: 1 Effective Date: 15th September 1993 Issued Date: Not Supplied Revocation Date: 15th September 1993 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Boggart Hole Brook Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	721	2	386250 402860
8	Discharge Consents Operator: United Utilities Water Plc (?) Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Manchester New Road Cso 268 Manchester New Road, Middleton, Manchester, Greater Manchester, M24 1jr Authority: Environment Agency, North West Region Catchment Area: Not Supplied Reference: 01roc0016 Permit Version: 2 Effective Date: 9th September 2004 Issued Date: 9th September 2004 Revocation Date: 5th November 2019 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Boardman Brook Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A18NW (N)	919	2	386480 404470

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	Discharge Consents Operator: North West Water Limited Property Type: Not Given Location: Off Manchester New Road, ALKRINGTON Authority: Environment Agency, North West Region Catchment Area: Not Given Reference: ROC0016 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: Not Supplied Revocation Date: Not Supplied Discharge Type: Sewage Effluent Discharge-Storm Effluent Discharge: Unknown Environment: Receiving Water: Not Supplied Status: Not Supplied Positional Accuracy: Located by supplier to within 100m	A18NW (N)	922	2	386490 404475
8	Discharge Consents Operator: United Utilities Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Manchester New Road Cso 268 Manchester New Road, Middleton, Manchester, Greater Manchester, M24 1jr Authority: Environment Agency, North West Region Catchment Area: Not Supplied Reference: 016993577 Permit Version: 1 Effective Date: 6th November 2019 Issued Date: 6th November 2019 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Boardman Brook Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A18NW (N)	926	2	386484 404478
8	Discharge Consents Operator: United Utilities Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Off Manchster New Road Cso, Alkrington, Oldham, Greater Manchester Authority: Environment Agency, North West Region Catchment Area: Not Given Reference: 01ROC0011 Permit Version: 1 Effective Date: 1st January 1995 Issued Date: 1st January 1995 Revocation Date: 22nd June 2005 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Boardman Brook Culvert Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A18NW (N)	926	2	386495 404480
8	Discharge Consents Operator: North West Water Limited Property Type: Not Given Location: Mainway, ALKRINGTON Authority: Environment Agency, North West Region Catchment Area: Not Given Reference: ROC0011 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: Not Supplied Revocation Date: Not Supplied Discharge Type: Sewage Effluent Discharge-Storm Effluent Discharge: Unknown Environment: Receiving Water: Not Supplied Status: Not Supplied Positional Accuracy: Located by supplier to within 100m	A18NW (N)	927	2	386490 404480

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	Discharge Consents Operator: United Utilities Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Mainway/Worcester Road Cso 50 Mainway, Middleton, Manchester, Greater Manchester, M24 1pb Authority: Environment Agency, North West Region Catchment Area: Not Given Reference: 01ROC0017 Permit Version: 1 Effective Date: 1st January 1995 Issued Date: Not Supplied Revocation Date: 8th September 2004 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Boardman Brook River Irk Status: Authorisation revoked Positional Accuracy: Located by supplier to within 10m	A18NW (N)	927	2	386490 404480
8	Discharge Consents Operator: United Utilities Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Manchester New Road Cso 268 Manchester New Road, Middleton, Manchester, Greater Manchester, M24 1jr Authority: Environment Agency, North West Region Catchment Area: Not Given Reference: 01ROC0016 Permit Version: 1 Effective Date: 1st January 1995 Issued Date: Not Supplied Revocation Date: 8th September 2004 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Boardman Brook River Irk Status: Consent revoked or revised: New Consent issued (Section 37(1)) Positional Accuracy: Located by supplier to within 10m	A18NW (N)	927	2	386490 404480
9	Discharge Consents Operator: United Utilities Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Mainway/Worcester Road Cso 50 Mainway, Middleton, Manchester, Greater Manchester, M24 1pb Authority: Environment Agency, North West Region Catchment Area: Not Supplied Reference: 016993575 Permit Version: 1 Effective Date: 11th December 2019 Issued Date: 11th December 2019 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Boardman Brook Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A18NE (N)	963	2	386768 404529
9	Discharge Consents Operator: United Utilities Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Mainway/Worcester Road Cso 50 Mainway, Middleton, Manchester, Greater Manchester, M24 1pb Authority: Environment Agency, North West Region Catchment Area: Not Supplied Reference: 01roc0017 Permit Version: 2 Effective Date: 9th September 2004 Issued Date: 9th September 2004 Revocation Date: 10th December 2019 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Boardman Brook River Irk Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A18NE (N)	965	2	386770 404530

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	Local Authority Pollution Prevention and Controls Name: Booth Hall Childrens Hospital Location: Charlestown Road, Blackley, MANCHESTER, Lancashire, M9 2AA Authority: Manchester City Council, Environmental Health Department Permit Reference: PPC/9/91 Dated: 28th April 1993 Process Type: Local Authority Air Pollution Control Description: PG5/1Clinical waste incineration processes under 1 tonne an hour Status: Authorisation revoked Positional Accuracy: Manually positioned to the address or location	A8NW (S)	374	3	386560 403100
11	Local Authority Pollution Prevention and Controls Name: Tesco Petrol Station Blackley Location: Victoria Avenue East, Blackley, Manchester, M9 6hp Authority: Manchester City Council, Environmental Health Department Permit Reference: PPC/PFS/RM/053/11 Dated: Not Supplied Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Permitted Positional Accuracy: Manually positioned to the address or location	A18SW (N)	407	3	386518 403949
12	Local Authority Pollution Prevention and Controls Name: Blackley Service Station Location: 976 Rochdale Road, Blackley, MANCHESTER, Lancashire, M9 7EP Authority: Manchester City Council, Environmental Health Department Permit Reference: PPC/PFS/RM/011/06 Dated: 18th June 1999 Process Type: Local Authority Air Pollution Control Description: PG1/14 Petrol filling station Status: Authorised Positional Accuracy: Automatically positioned to the address	A7NW (SW)	844	3	385858 403107
	Nearest Surface Water Feature	A13SE (S)	158	-	386706 403319
13	Pollution Incidents to Controlled Waters Property Type: Private Sewage (Non-PLC): Sewerage Systems Location: Location Description Not Available Authority: Environment Agency, North West Region Pollutant: Sewage Debris/Litter Note: Boardman Brook Incident Date: 14th June 1995 Incident Reference: 95611417 Catchment Area: Irk Receiving Water: Not Given Cause of Incident: Blocked Sewer Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NW (N)	683	2	386400 404200
14	Pollution Incidents to Controlled Waters Property Type: Water Treatment & Distribution: Other Location: Boardman Brook, Near Manchester New Road, MIDDLETON, Greater Manchester Authority: Environment Agency, North West Region Pollutant: Inert : Clays Note: Not Supplied Incident Date: 5th October 1999 Incident Reference: 33017 Catchment Area: Irk Receiving Water: River Stretch (Freshwater) Cause of Incident: Drainage Failures : Highway Drainage Run-Off Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NW (N)	871	2	386400 404400
15	Pollution Incidents to Controlled Waters Property Type: Private Sewage (Non-PLC): Sewerage Systems Location: Location Description Not Available Authority: Environment Agency, North West Region Pollutant: Sewage Debris/Litter Note: Boardman Brook Incident Date: 13th June 1995 Incident Reference: 95611403 Catchment Area: Irk Receiving Water: Not Given Cause of Incident: Blocked Sewer Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NW (N)	944	2	386500 404500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
16	Registered Radioactive Substances Name: Booth Hall Childrens Hospital Location: Charlestown Road, Blackley, MANCHESTER, Greater Manchester, M9 7AA Authority: Environment Agency, North West Region Permit Reference: AE5888 Dated: 31st March 1991 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Authorisation under RSA Status: Authorisation either revoked or cancelled Positional Accuracy: Automatically positioned to the address	A8NW (S)	375	2	386555 403100
	Water Abstractions Operator: Avecia Ltd Licence Number: 2569005012 Permit Version: 101 Location: Borehole At Blackley, Manchester Authority: Environment Agency, North West Region Abstraction: Other Industrial/Commercial/Public Services: General Cooling (Existing Licences Only) (Low Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): 1000 Yearly Rate (m3): 1000 Details: Licence Holders Land At Blackley Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st July 1999 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A6NW (W)	1714	2	385001 402901
	Water Abstractions Operator: British Cables Company Limited Licence Number: 2569005044 Permit Version: 106 Location: 2 Boreholes At Blackley, Manchester Authority: Environment Agency, North West Region Abstraction: Metal: General Cooling (Existing Licences Only) (Low Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land & Premises At Blackley Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 11th October 2018 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(W)	1803	2	384890 402950
	Water Abstractions Operator: Bt Cables Limited Licence Number: 2569005044 Permit Version: 105 Location: 2 Boreholes At Blackley, Manchester Authority: Environment Agency, North West Region Abstraction: Metal: General Cooling (Existing Licences Only) (Low Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land & Premises At Blackley Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 9th October 2012 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(W)	1803	2	384890 402950
	Water Abstractions Operator: Manchester Cables Ltd Licence Number: 2569005044 Permit Version: 104 Location: 2 Boreholes At Blackley, Manchester Authority: Environment Agency, North West Region Abstraction: Metal: General Cooling (Existing Licences Only) (Low Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land & Premises At Blackley Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 10th May 2007 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(W)	1803	2	384890 402950

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Belden (Uk) Ltd Licence Number: 2569005044 Permit Version: 103 Location: 2 Boreholes At Blackley, Manchester Authority: Environment Agency, North West Region Abstraction: Metal: General Cooling (Existing Licences Only) (Low Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land & Premises At Blackley Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 16th November 2001 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(W)	1803	2	384890 402950
	Water Abstractions Operator: Belden (Uk) Ltd Licence Number: 2569005044 Permit Version: 102 Location: 2 Boreholes At Blackley, Manchester Authority: Environment Agency, North West Region Abstraction: Metal: General Cooling (Existing Licences Only) (Low Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): 909 Yearly Rate (m3): 318181 Details: Land & Premises At Blackley Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 3rd April 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(W)	1803	2	384890 402950
	Water Abstractions Operator: Pifco Ltd Licence Number: 2569005024 Permit Version: Not Supplied Location: Borehole, Moston Mill, Moston, MANCHESTER Authority: Environment Agency, North West Region Abstraction: Boiler Feed Abstraction Type: Not Supplied Source: Groundwater Daily Rate (m3): 27 Yearly Rate (m3): 9928 Details: Licence Status: Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	(E)	1940	2	388500 402800
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	A13SW (SW)	0	4	386608 403500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	A13NW (W)	0	4	386648 403519
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A13NW (W)	0	4	386648 403519
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	A13SW (SW)	0	4	386608 403500
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	A13NW (W)	0	4	386648 403519
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 30.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SE (S)	158	5	386706 403319
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SE (SE)	168	5	386733 403321
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 40.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SE (SE)	170	5	386734 403319
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SE (SE)	170	5	386735 403320

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 70.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SE (S)	185	5	386709 403291
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SW (S)	189	5	386605 403280
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 85.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SE (SE)	211	5	386853 403367
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SW (S)	213	5	386595 403258
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 78.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SW (S)	213	5	386598 403257
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SW (S)	228	5	386558 403254
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SE (S)	230	5	386675 403236
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 429.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SW (S)	231	5	386555 403252
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SE (S)	231	5	386673 403236

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 95.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SE (S)	232	5	386678 403235
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 74.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SE (SE)	257	5	386874 403321
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 81.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SE (SE)	265	5	386847 403288
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SE (SE)	304	5	386823 403217
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 60.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SE (S)	307	5	386767 403183
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A8NE (S)	310	5	386745 403171
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A8NE (S)	310	5	386745 403171
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SE (SE)	313	5	386804 403195
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A8NE (S)	313	5	386749 403170

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
39	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13SE (SE)	316	5	386802 403190
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 358.8 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A13NE (NE)	336	5	386924 403789
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 695.4 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A18SE (N)	373	5	386794 403922
42	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 396.7 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 2	A18SE (N)	373	5	386794 403922
43	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 174.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A14NW (E)	387	5	387045 403666
44	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 457.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A8NE (S)	601	5	386803 402885
45	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 229.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A7NE (SW)	629	5	386192 403022
46	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 119.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A12SE (SW)	682	5	385990 403207
47	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 108.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Mersey Primacy: 1	A8SW (SW)	693	5	386355 402835