

Allow for initial 3mo new FD30 fire doors to the control booth including FD30 window and glazed screen see drawing (70) 001 control Booth Details.	Allow for new Marling Delta cord heavy duty carpet to all upper floor decks and stairs as described in the specification to meet BS 5325
---	---

Allow to trussplate existing services to boxed in service run.
Supply and install new Tecsound FT 55 AL or similar and approved acoustic insulation of drain pipes, waste pipes and water pipes. Thickness 12.6mm. Install around the drainage system to the dormitories attached to the ceiling and walls. Supply and install 18mm thick Flame Retardant WJF to allow for boxing in of drainage systems. Boxing to be prepared ready to receive decoration.

Allow to remove existing curtain.
Install internal acoustic and fire
retardant curtain to the stage.
Client to be consulted for colours
and style prior to orders being
placed

Note:
Do not scale from this drawing.
Dimensions are to be checked on site.
If in doubt please ask.

Key

Proposed new floor and carpet to upper decks and stairs.

Proposed new work

CDM risks:



Risk - Asbestos - risk of disturbance of asbestos materials and therefore risk of inhalation of hazardous substance. Contractor to consult the asbestos register when planning works. Removal of all asbestos fabric to be undertaken in controlled conditions by ACM specialist contractor.

Rev	Date/Intls	Details
-----	------------	---------

© The moral rights of the author are hereby asserted.
This drawing and design is the sole property of Butters .Id and must not be reproduced without permission.
Butters .Id is registered in England and Wales: 536573

Buttress

41 Bengal St
Manchester
M4 6AF

T 0161 236 3303
E contact@buttress.net
W www.buttress.net

Project Title	CSM - Whiteley Hall
Client	Cherham's School of Music
Location	Manchester

Drawing Title

As Proposed

Date	16/08/22	Scale	1:100
Checked	LU	Orig Paper Size	A3

PROPOSED Status

Drawing ref	Job No	Drawing No	Revision
-------------	--------	------------	----------

Upper Floor Plan - Whitley Hall

Allow to install 1 no new FD30 fire doors including fire secure glazed screen.	Allow for a scheme of cleaning with a pultice paint and redecoration to existing windows as shown on window schedule (31) 001. Supply and fix internal Acoustic and fire retardant vertical fabric blinds to all windows.	Allow for new glazed balustrade to the stairs and first floor seating area. Details to manufacturer's specification and detail.
--	---	---

Allow for new glazed balustrade to the stairs and first floor seating area. Details to manufacturer's specification and detail.

Allow for new plasterboard to all service runs to perimeter of Hall and decorate in accordance with the rest of the room, to match the concealed service run on the opposite wall.