


5 Hydrogeology - Superficial aquifer



- Site Outline**
- Search buffers in metres (m)**
- Principal
 - Secondary A
 - Secondary B
 - Secondary Undifferentiated
 - Unproductive
 - Unknown

5.1 Superficial aquifer

Records within 500m

1

Aquifer status of groundwater held within superficial geology.


Features are displayed on the Hydrogeology map on **page 62**

ID	Location	Designation	Description
1	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



Bedrock aquifer



- Site Outline**
- Search buffers in metres (m)**
- Principal
 - Secondary A
 - Secondary B
 - Secondary Undifferentiated
 - Unproductive

5.2 Bedrock aquifer

Records within 500m

1

Aquifer status of groundwater held within bedrock geology.



Features are displayed on the Bedrock aquifer map on **page 63**

ID	Location	Designation	Description
1	On site	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



Groundwater vulnerability



5.3 Groundwater vulnerability

Records within 50m

2

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High - Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium - Intermediate between high and low vulnerability.
- Low - Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on **page 64**

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300- 550mm/year	Vulnerability: High Aquifer type: Secondary Thickness: 3-10m Patchiness value: <90% Recharge potential: High	Vulnerability: High Aquifer type: Principal Flow mechanism: Well connected fractures
2	44m N	Summary Classification: Principal bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300- 550mm/year	Vulnerability: - Aquifer type: - Thickness: 3-10m Patchiness value: <90% Recharge potential: High	Vulnerability: High Aquifer type: Principal Flow mechanism: Well connected fractures

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

5.4 Groundwater vulnerability- soluble rock risk

Records on site

0

This dataset identifies areas where solution features that enable rapid movement of a pollutant may be present within a 1km grid square.

This data is sourced from the British Geological Survey and the Environment Agency.

5.5 Groundwater vulnerability- local information

Records on site


0

This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on enquiries@environment-agency.gov.uk.

This data is sourced from the British Geological Survey and the Environment Agency.



Abstractions and Source Protection Zones



- Site Outline
- Search buffers in metres (m)
- Source Protection Zone 1
Inner catchment
- Source Protection Zone 2
Outer catchment
- Source Protection Zone 3
Total catchment
- Source Protection Zone 4
Zone of Special Interest
- Source Protection Zone 1c
Inner catchment - confined aquifer
- Source Protection Zone 2c
Outer catchment - confined aquifer
- Source Protection Zone 3c
Total catchment - confined aquifer
- Drinking water abstraction licences
Polygon features
- Drinking water abstraction licences
Linear features
- Groundwater abstraction licence (point)
- Groundwater abstraction licence (area)
- Groundwater abstraction licence (linear)
- Surface Water Abstractions (point)
- Surface Water Abstractions (area)
- Surface Water Abstractions (linear)

5.6 Groundwater abstractions

Records within 2000m

58

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on **page 66**

ID	Location	Details	
A	12m SE	Status: Active Licence No: NW/069/0006/010 Details: Dewatering Direct Source: Ground Water - North West Region Point: BOREHOLE PW11 CHESTER FORMATION AT CROWN STREET Data Type: Point Name: Renaker Build Ltd Easting: 383204 Northing: 397298	Annual Volume (m ³): 260,172 Max Daily Volume (m ³): 712.80 Original Application No: NPS/WR/034474 Original Start Date: 24/09/2021 Expiry Date: 31/03/2023 Issue No: 1 Version Start Date: 24/09/2021 Version End Date: -
A	35m SE	Status: Active Licence No: NW/069/0006/010 Details: Dewatering Direct Source: Ground Water - North West Region Point: BOREHOLE PW10 CHESTER FORMATION AT CROWN STREET Data Type: Point Name: Renaker Build Ltd Easting: 383211 Northing: 397276	Annual Volume (m ³): 260,172 Max Daily Volume (m ³): 712.80 Original Application No: NPS/WR/034474 Original Start Date: 24/09/2021 Expiry Date: 31/03/2023 Issue No: 1 Version Start Date: 24/09/2021 Version End Date: -
A	41m SW	Status: Active Licence No: NW/069/0006/010 Details: Dewatering Direct Source: Ground Water - North West Region Point: BOREHOLE PW6 CHESTER FORMATION AT CROWN STREET Data Type: Point Name: Renaker Build Ltd Easting: 383171 Northing: 397275	Annual Volume (m ³): 260,172 Max Daily Volume (m ³): 712.80 Original Application No: NPS/WR/034474 Original Start Date: 24/09/2021 Expiry Date: 31/03/2023 Issue No: 1 Version Start Date: 24/09/2021 Version End Date: -
A	61m SE	Status: Active Licence No: NW/069/0006/010 Details: Dewatering Direct Source: Ground Water - North West Region Point: BOREHOLE PW9 CHESTER FORMATION AT CROWN STREET Data Type: Point Name: Renaker Build Ltd Easting: 383223 Northing: 397253	Annual Volume (m ³): 260,172 Max Daily Volume (m ³): 712.80 Original Application No: NPS/WR/034474 Original Start Date: 24/09/2021 Expiry Date: 31/03/2023 Issue No: 1 Version Start Date: 24/09/2021 Version End Date: -



ID	Location	Details	
A	77m S	Status: Active Licence No: NW/069/0006/010 Details: Dewatering Direct Source: Ground Water - North West Region Point: BOREHOLE PW5 CHESTER FORMATION AT CROWN STREET Data Type: Point Name: Renaker Build Ltd Easting: 383193 Northing: 397230	Annual Volume (m ³): 260,172 Max Daily Volume (m ³): 712.80 Original Application No: NPS/WR/034474 Original Start Date: 24/09/2021 Expiry Date: 31/03/2023 Issue No: 1 Version Start Date: 24/09/2021 Version End Date: -
A	87m S	Status: Active Licence No: NW/069/0006/010 Details: Dewatering Direct Source: Ground Water - North West Region Point: BOREHOLE PW8 CHESTER FORMATION AT CROWN STREET Data Type: Point Name: Renaker Build Ltd Easting: 383224 Northing: 397225	Annual Volume (m ³): 260,172 Max Daily Volume (m ³): 712.80 Original Application No: NPS/WR/034474 Original Start Date: 24/09/2021 Expiry Date: 31/03/2023 Issue No: 1 Version Start Date: 24/09/2021 Version End Date: -
A	104m S	Status: Active Licence No: NW/069/0006/010 Details: Dewatering Direct Source: Ground Water - North West Region Point: BOREHOLE PW4 CHESTER FORMATION AT CROWN STREET Data Type: Point Name: Renaker Build Ltd Easting: 383159 Northing: 397210	Annual Volume (m ³): 260,172 Max Daily Volume (m ³): 712.80 Original Application No: NPS/WR/034474 Original Start Date: 24/09/2021 Expiry Date: 31/03/2023 Issue No: 1 Version Start Date: 24/09/2021 Version End Date: -
A	105m S	Status: Active Licence No: NW/069/0006/010 Details: Dewatering Direct Source: Ground Water - North West Region Point: BOREHOLE PW7 CHESTER FORMATION AT CROWN STREET Data Type: Point Name: Renaker Build Ltd Easting: 383184 Northing: 397203	Annual Volume (m ³): 260,172 Max Daily Volume (m ³): 712.80 Original Application No: NPS/WR/034474 Original Start Date: 24/09/2021 Expiry Date: 31/03/2023 Issue No: 1 Version Start Date: 24/09/2021 Version End Date: -



ID	Location	Details	
A	106m SW	Status: Active Licence No: NW/069/0006/010 Details: Dewatering Direct Source: Ground Water - North West Region Point: BOREHOLE PW3 CHESTER FORMATION AT CROWN STREET Data Type: Point Name: Renaker Build Ltd Easting: 383140 Northing: 397217	Annual Volume (m ³): 260,172 Max Daily Volume (m ³): 712.80 Original Application No: NPS/WR/034474 Original Start Date: 24/09/2021 Expiry Date: 31/03/2023 Issue No: 1 Version Start Date: 24/09/2021 Version End Date: -
A	113m SW	Status: Active Licence No: NW/069/0006/010 Details: Dewatering Direct Source: Ground Water - North West Region Point: BOREHOLE PW2 CHESTER FORMATION AT CROWN STREET Data Type: Point Name: Renaker Build Ltd Easting: 383113 Northing: 397230	Annual Volume (m ³): 260,172 Max Daily Volume (m ³): 712.80 Original Application No: NPS/WR/034474 Original Start Date: 24/09/2021 Expiry Date: 31/03/2023 Issue No: 1 Version Start Date: 24/09/2021 Version End Date: -
A	125m SW	Status: Active Licence No: NW/069/0006/010 Details: Dewatering Direct Source: Ground Water - North West Region Point: BOREHOLE PW1 CHESTER FORMATION AT CROWN STREET Data Type: Point Name: Renaker Build Ltd Easting: 383085 Northing: 397249	Annual Volume (m ³): 260,172 Max Daily Volume (m ³): 712.80 Original Application No: NPS/WR/034474 Original Start Date: 24/09/2021 Expiry Date: 31/03/2023 Issue No: 1 Version Start Date: 24/09/2021 Version End Date: -
-	626m N	Status: Historical Licence No: NW/069/0004/019 Details: Transfer Between Sources (Post Water Act 2003) Direct Source: Ground Water - North West Region Point: ST JOHNS MANCHESTER Data Type: Poly4 Name: Manchester Quays Development (MGY) Ltd Easting: 383094 Northing: 398099	Annual Volume (m ³): 543,120 Max Daily Volume (m ³): 1,488 Original Application No: - Original Start Date: 13/09/2019 Expiry Date: 31/12/2020 Issue No: 1 Version Start Date: 13/09/2019 Version End Date: -

ID	Location	Details	
C	754m SE	Status: Active Licence No: NW/069/0004/003 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: Ground Water - North West Region Point: BOREHOLE AT MANCHESTER METROPOLITAN UNIVERSITY Data Type: Point Name: Manchester Metropolitan University Easting: 383715 Northing: 396746	Annual Volume (m ³): 274,115 Max Daily Volume (m ³): 751 Original Application No: NPS/WR/008077 Original Start Date: 20/09/2013 Expiry Date: 31/03/2027 Issue No: 1 Version Start Date: 01/01/2015 Version End Date: -
C	754m SE	Status: Active Licence No: NW/069/0004/003 Details: Heat Pump Direct Source: Ground Water - North West Region Point: BOREHOLE AT MANCHESTER METROPOLITAN UNIVERSITY Data Type: Point Name: Manchester Metropolitan University Easting: 383715 Northing: 396746	Annual Volume (m ³): 274,115 Max Daily Volume (m ³): 751 Original Application No: NPS/WR/008077 Original Start Date: 20/09/2013 Expiry Date: 31/03/2027 Issue No: 1 Version Start Date: 01/01/2015 Version End Date: -
-	803m N	Status: Historical Licence No: 2569007089 Details: Non-Evaporative Cooling Direct Source: Ground Water - North West Region Point: 2 BOREHOLES AT GARTSIDE STREET MANCHESTER Data Type: Line Name: HER MAJESTY'S COURT SERVICE Easting: 383335 Northing: 398310	Annual Volume (m ³): 200000 Max Daily Volume (m ³): 1179 Original Application No: - Original Start Date: 26/01/2005 Expiry Date: 31/03/2011 Issue No: 2 Version Start Date: 10/07/2008 Version End Date: -
-	974m E	Status: Active Licence No: NW/069/0006/003 Details: Heat Pump Direct Source: Ground Water - North West Region Point: BOREHOLE 1 AT LOWER CHATHAM STREET Data Type: Point Name: Manchester Metropolitan University Easting: 384180 Northing: 397091	Annual Volume (m ³): 283,240 Max Daily Volume (m ³): 1,532 Original Application No: NPS/WR/015264 Original Start Date: 04/04/2014 Expiry Date: 31/03/2027 Issue No: 2 Version Start Date: 04/04/2014 Version End Date: -



ID	Location	Details	
-	974m E	Status: Active Licence No: NW/069/0006/003 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: Ground Water - North West Region Point: BOREHOLE 1 AT LOWER CHATHAM STREET Data Type: Point Name: Manchester Metropolitan University Easting: 384180 Northing: 397091	Annual Volume (m ³): 283,240 Max Daily Volume (m ³): 1,532 Original Application No: NPS/WR/015264 Original Start Date: 04/04/2014 Expiry Date: 31/03/2027 Issue No: 2 Version Start Date: 04/04/2014 Version End Date: -
-	1096m NE	Status: Historical Licence No: 2569007069 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Ground Water - North West Region Point: "BOREHOLE AT GEORGE ST, MANCHESTER" Data Type: Point Name: BRITISH TELECOM Easting: 384100 Northing: 398000	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 27/01/1971 Expiry Date: - Issue No: 100 Version Start Date: 27/01/1971 Version End Date: -
-	1096m NE	Status: Historical Licence No: 2569007069 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Ground Water - North West Region Point: BOREHOLE AT GEORGE ST, MANCHESTER Data Type: Point Name: BRITISH TELECOMMUNICATIONS PLC Easting: 384100 Northing: 398000	Annual Volume (m ³): 1100 Max Daily Volume (m ³): 860 Original Application No: - Original Start Date: 01/04/1984 Expiry Date: - Issue No: 100 Version Start Date: 01/04/2007 Version End Date: -
-	1213m E	Status: Historical Licence No: NW0690006001 Details: Non-Evaporative Cooling Direct Source: Ground Water - North West Region Point: BOREHOLES AT ORIGIN DEVELOPMENTS, MANCHESTER Data Type: Point Name: West Contracting Easting: 384378 Northing: 397733	Annual Volume (m ³): 139128 Max Daily Volume (m ³): 1010 Original Application No: - Original Start Date: 19/01/2009 Expiry Date: 31/03/2015 Issue No: 1 Version Start Date: 19/01/2009 Version End Date: -

ID	Location	Details	
-	1213m E	Status: Historical Licence No: NW/069/0006/001 Details: Non-Evaporative Cooling Direct Source: Ground Water - North West Region Point: BOREHOLES AT ORIGIN DEVELOPMENTS, MANCHESTER Data Type: Point Name: West Contracting Easting: 384378 Northing: 397733	Annual Volume (m ³): 139128 Max Daily Volume (m ³): 1010 Original Application No: - Original Start Date: 19/01/2009 Expiry Date: 31/03/2015 Issue No: 1 Version Start Date: 19/01/2009 Version End Date: -
-	1379m NW	Status: Historical Licence No: 2569007085 Details: Process water Direct Source: Ground Water - North West Region Point: "BOREHOLE AT HOPE STREET, SALFORD, MANCHESTER" Data Type: Point Name: READY MIXED CONCRETE (NORTH WEST) LIMITED Easting: 382190 Northing: 398330	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/11/2000 Expiry Date: - Issue No: 1 Version Start Date: 01/11/2000 Version End Date: -
-	1379m NW	Status: Active Licence No: 2569007085 Details: Process Water Direct Source: Ground Water - North West Region Point: BOREHOLE AT HOPE STREET, SALFORD, MANCHESTER Data Type: Point Name: CEMEX UK MATERIALS LTD Easting: 382190 Northing: 398330	Annual Volume (m ³): 23,000 Max Daily Volume (m ³): 115 Original Application No: NPS/WR/030716 Original Start Date: 01/11/2000 Expiry Date: - Issue No: 4 Version Start Date: 21/12/2018 Version End Date: -
-	1420m N	Status: Historical Licence No: 2569007070 Details: General Cooling (Existing Licences Only) (High Loss) Direct Source: Ground Water - North West Region Point: "BOREHOLE AT DIAL HOUSE, CHAPEL ST, SALFORD" Data Type: Point Name: BRITISH TELECOM Easting: 383700 Northing: 398700	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 27/01/1971 Expiry Date: - Issue No: 100 Version Start Date: 27/01/1971 Version End Date: -



ID	Location	Details	
-	1420m N	Status: Historical Licence No: 2569007070 Details: General Cooling (Existing Licences Only) (High Loss) Direct Source: Ground Water - North West Region Point: BOREHOLE AT DIAL HOUSE, CHAPEL ST, SALFORD Data Type: Point Name: BRITISH TELECOMMUNICATIONS PLC Easting: 383700 Northing: 398700	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 27/01/1971 Expiry Date: - Issue No: 101 Version Start Date: 01/04/1984 Version End Date: -
-	1420m N	Status: Active Licence No: 2569007070 Details: General Cooling (Existing Licences Only) (High Loss) Direct Source: Ground Water - North West Region Point: BOREHOLE AT DIAL HOUSE CHAPEL STREET SALFORD Data Type: Point Name: BRITISH TELECOMMUNICATIONS PLC Easting: 383700 Northing: 398700	Annual Volume (m ³): 45 Max Daily Volume (m ³): 30 Original Application No: 2333 Original Start Date: 27/01/1971 Expiry Date: - Issue No: 101 Version Start Date: 01/04/2007 Version End Date: -
-	1457m S	Status: Historical Licence No: 2569007009 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Ground Water - North West Region Point: "BOREHOLE AT PREMISES, MOSS LANE WEST MANCHESTER" Data Type: Point Name: HYDES BREWERY LTD Easting: 383220 Northing: 395850	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 21/02/1966 Expiry Date: - Issue No: 101 Version Start Date: 07/10/2000 Version End Date: -
-	1457m S	Status: Historical Licence No: 2569007009 Details: Process water Direct Source: Ground Water - North West Region Point: "BOREHOLE AT PREMISES, MOSS LANE WEST MANCHESTER" Data Type: Point Name: HYDES BREWERY LTD Easting: 383220 Northing: 395850	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 21/02/1966 Expiry Date: - Issue No: 101 Version Start Date: 07/10/2000 Version End Date: -

ID	Location	Details	
-	1457m S	Status: Historical Licence No: 2569007009 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Ground Water - North West Region Point: BOREHOLE AT PREMISES, MOSS LANE WEST MANCHESTER Data Type: Point Name: HYDES BREWERY LTD Easting: 383220 Northing: 395850	Annual Volume (m ³): 66826.2 Max Daily Volume (m ³): 372.772 Original Application No: - Original Start Date: 21/02/1966 Expiry Date: - Issue No: 101 Version Start Date: 07/10/2000 Version End Date: -
-	1457m S	Status: Historical Licence No: 2569007009 Details: Process Water Direct Source: Ground Water - North West Region Point: BOREHOLE AT PREMISES, MOSS LANE WEST MANCHESTER Data Type: Point Name: HYDES BREWERY LTD Easting: 383220 Northing: 395850	Annual Volume (m ³): 66826.2 Max Daily Volume (m ³): 372.772 Original Application No: - Original Start Date: 21/02/1966 Expiry Date: - Issue No: 103 Version Start Date: 19/07/2018 Version End Date: -
-	1550m SE	Status: Active Licence No: 2569007007 Details: General Cooling (Existing Licences Only) (High Loss) Direct Source: Ground Water - North West Region Point: BOREHOLE AT PREMISES MOSS SIDE MANCHESTER Data Type: Point Name: Heineken UK Ltd Easting: 383865 Northing: 395909	Annual Volume (m ³): 227,000 Max Daily Volume (m ³): 900 Original Application No: NPS/WR/015793 Original Start Date: 15/02/1966 Expiry Date: - Issue No: 103 Version Start Date: 08/05/2014 Version End Date: -
-	1550m SE	Status: Active Licence No: 2569007007 Details: Process Water Direct Source: Ground Water - North West Region Point: BOREHOLE AT PREMISES MOSS SIDE MANCHESTER Data Type: Point Name: Heineken UK Ltd Easting: 383865 Northing: 395909	Annual Volume (m ³): 227,000 Max Daily Volume (m ³): 900 Original Application No: NPS/WR/015793 Original Start Date: 15/02/1966 Expiry Date: - Issue No: 103 Version Start Date: 08/05/2014 Version End Date: -



ID	Location	Details	
-	1574m SE	Status: Historical Licence No: 2569007007 Details: Process water Direct Source: Ground Water - North West Region Point: "BOREHOLE AT PREMISES, MOSS SIDE, MANCHESTER" Data Type: Point Name: SCOTTISH COURAGE BREWING LTD Easting: 383900 Northing: 395900	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 15/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 16/08/1995 Version End Date: -
-	1574m SE	Status: Historical Licence No: 2569007007 Details: General Cooling (Existing Licences Only) (High Loss) Direct Source: Ground Water - North West Region Point: "BOREHOLE AT PREMISES, MOSS SIDE, MANCHESTER" Data Type: Point Name: SCOTTISH COURAGE BREWING LTD Easting: 383900 Northing: 395900	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 15/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 16/08/1995 Version End Date: -
-	1574m SE	Status: Historical Licence No: 2569007007 Details: General Cooling (Existing Licences Only) (High Loss) Direct Source: Ground Water - North West Region Point: BOREHOLE AT PREMISES, MOSS SIDE, MANCHESTER Data Type: Point Name: SCOTTISH COURAGE BREWING LTD Easting: 383900 Northing: 395900	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 15/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 31/12/2003 Version End Date: -
-	1574m SE	Status: Historical Licence No: 2569007007 Details: Process water Direct Source: Ground Water - North West Region Point: BOREHOLE AT PREMISES, MOSS SIDE, MANCHESTER Data Type: Point Name: SCOTTISH COURAGE BREWING LTD Easting: 383900 Northing: 395900	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 15/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 31/12/2003 Version End Date: -



ID	Location	Details	
-	1574m SE	Status: Historical Licence No: 2569007007 Details: General Cooling (Existing Licences Only) (High Loss) Direct Source: Ground Water - North West Region Point: BOREHOLE AT PREMISES MOSS SIDE MANCHESTER Data Type: Point Name: Heineken UK Ltd Easting: 383900 Northing: 395900	Annual Volume (m ³): 227000 Max Daily Volume (m ³): 900 Original Application No: - Original Start Date: 15/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 23/11/2009 Version End Date: -
-	1574m SE	Status: Historical Licence No: 2569007007 Details: Process Water Direct Source: Ground Water - North West Region Point: BOREHOLE AT PREMISES MOSS SIDE MANCHESTER Data Type: Point Name: Heineken UK Ltd Easting: 383900 Northing: 395900	Annual Volume (m ³): 227000 Max Daily Volume (m ³): 900 Original Application No: - Original Start Date: 15/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 23/11/2009 Version End Date: -
-	1703m SW	Status: Historical Licence No: 2569007002 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Ground Water - North West Region Point: "BOREHOLE AT 371 ORDSALL LANE, MANCHESTER 5" Data Type: Point Name: COLGATE PALMOLIVE LTD Easting: 381600 Northing: 396700	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 08/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 05/12/1985 Version End Date: -
-	1703m SW	Status: Historical Licence No: 2569007002 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Ground Water - North West Region Point: BOREHOLE AT 371 ORDSALL LANE, MANCHESTER 5 Data Type: Point Name: Cerep III Investment R Sarl Easting: 381600 Northing: 396700	Annual Volume (m ³): 409140 Max Daily Volume (m ³): 1636.56 Original Application No: - Original Start Date: 08/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 29/10/2009 Version End Date: -

ID	Location	Details	
-	1922m N	Status: Historical Licence No: 2569004023 Details: "Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services" Direct Source: Ground Water - North West Region Point: "BOREHOLE (NO 2) AT PREMISES, STRANGWAYS, MANCHESTER" Data Type: Point Name: INTERBREW UK LTD Easting: 383820 Northing: 399190	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 09/08/2000 Version End Date: -
-	1922m N	Status: Historical Licence No: 2569004023 Details: Process water Direct Source: Ground Water - North West Region Point: "BOREHOLE (NO 2) AT PREMISES, STRANGWAYS, MANCHESTER" Data Type: Point Name: INTERBREW UK LTD Easting: 383820 Northing: 399190	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 09/08/2000 Version End Date: -
-	1922m N	Status: Historical Licence No: 2569004023 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE (NO 2) AT PREMISES, STRANGWAYS, MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383820 Northing: 399190	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -
-	1922m N	Status: Historical Licence No: 2569004023 Details: Process water Direct Source: Ground Water - North West Region Point: BOREHOLE (NO 2) AT PREMISES, STRANGWAYS, MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383820 Northing: 399190	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -



ID	Location	Details	
-	1922m N	Status: Historical Licence No: 2569004023 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE NUMBER 2 AT PREMISES STRANGWAYS MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383820 Northing: 399190	Annual Volume (m ³): 500000 Max Daily Volume (m ³): 2500 Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -
-	1922m N	Status: Historical Licence No: 2569004023 Details: Process Water Direct Source: Ground Water - North West Region Point: BOREHOLE NUMBER 2 AT PREMISES STRANGWAYS MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383820 Northing: 399190	Annual Volume (m ³): 500000 Max Daily Volume (m ³): 2500 Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -
-	1954m N	Status: Historical Licence No: 2569004023 Details: "Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services" Direct Source: Ground Water - North West Region Point: "BOREHOLE (NO 3) AT PREMISES, STRANGWAYS, MANCHESTER" Data Type: Point Name: INTERBREW UK LTD Easting: 383830 Northing: 399220	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 09/08/2000 Version End Date: -
-	1954m N	Status: Historical Licence No: 2569004023 Details: Process water Direct Source: Ground Water - North West Region Point: "BOREHOLE (NO 3) AT PREMISES, STRANGWAYS, MANCHESTER" Data Type: Point Name: INTERBREW UK LTD Easting: 383830 Northing: 399220	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 09/08/2000 Version End Date: -

ID	Location	Details	
-	1954m N	Status: Historical Licence No: 2569004023 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE (NO 3) AT PREMISES, STRANGWAYS, MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383830 Northing: 399220	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -
-	1954m N	Status: Historical Licence No: 2569004023 Details: Process water Direct Source: Ground Water - North West Region Point: BOREHOLE (NO 3) AT PREMISES, STRANGWAYS, MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383830 Northing: 399220	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -
-	1954m N	Status: Historical Licence No: 2569004023 Details: Process Water Direct Source: Ground Water - North West Region Point: BOREHOLE NUMBER 3 AT PREMISES STRANGWAYS MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383830 Northing: 399220	Annual Volume (m ³): 500000 Max Daily Volume (m ³): 2500 Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -
-	1954m N	Status: Historical Licence No: 2569004023 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE NUMBER 3 AT PREMISES STRANGWAYS MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383830 Northing: 399220	Annual Volume (m ³): 500000 Max Daily Volume (m ³): 2500 Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -



ID	Location	Details	
-	1989m N	Status: Historical Licence No: 2569004023 Details: "Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services" Direct Source: Ground Water - North West Region Point: "BOREHOLE (NO 1) AT PREMISES, STRANGWAYS, MANCHESTER" Data Type: Point Name: INTERBREW UK LTD Easting: 383850 Northing: 399250	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 09/08/2000 Version End Date: -
-	1989m N	Status: Historical Licence No: 2569004023 Details: Process water Direct Source: Ground Water - North West Region Point: "BOREHOLE (NO 1) AT PREMISES, STRANGWAYS, MANCHESTER" Data Type: Point Name: INTERBREW UK LTD Easting: 383850 Northing: 399250	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 09/08/2000 Version End Date: -
-	1989m N	Status: Historical Licence No: 2569004023 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE (NO 1) AT PREMISES, STRANGWAYS, MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383850 Northing: 399250	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -
-	1989m N	Status: Historical Licence No: 2569004023 Details: Process water Direct Source: Ground Water - North West Region Point: BOREHOLE (NO 1) AT PREMISES, STRANGWAYS, MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383850 Northing: 399250	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -



ID	Location	Details	
-	1989m N	Status: Historical Licence No: 2569004023 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE NUMBER 1 AT PREMISES STRANGWAYS MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383850 Northing: 399250	Annual Volume (m ³): 500000 Max Daily Volume (m ³): 2500 Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -
-	1989m N	Status: Historical Licence No: 2569004023 Details: Process Water Direct Source: Ground Water - North West Region Point: BOREHOLE NUMBER 1 AT PREMISES STRANGWAYS MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383850 Northing: 399250	Annual Volume (m ³): 500000 Max Daily Volume (m ³): 2500 Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.7 Surface water abstractions

Records within 2000m

5

Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on **page 66**

ID	Location	Details	
-	672m W	Status: Historical Licence No: 2569007053 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: "Surface, Non-Tidal - North West Region" Point: "R IRWELL AT IRWELL WORKS, ORDSALL LANE, SALFORD" Data Type: Point Name: CDS COMPUTER DESIGN SYSTEMS LTD Easting: 382500 Northing: 397400	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 22/01/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/11/1987 Version End Date: -



ID	Location	Details	
-	672m W	Status: Historical Licence No: 2569007053 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Surface, Non-Tidal - North West Region Point: R IRWELL AT IRWELL WORKS, ORDSALL LANE, SALFORD Data Type: Point Name: CDS COMPUTER DESIGN SYSTEMS LTD Easting: 382500 Northing: 397400	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 22/01/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/11/1987 Version End Date: -
-	1703m SW	Status: Historical Licence No: 2569007001 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: "Surface, Non-Tidal - North West Region" Point: "MANCHESTER SHIP CANAL AT PREMISES, ORDSALL LANE, MANCHESTER" Data Type: Point Name: COLGATE PALMOLIVE LTD Easting: 381600 Northing: 396700	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 15/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 27/04/1992 Version End Date: -
-	1703m SW	Status: Historical Licence No: 2569007001 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Surface, Non-Tidal - North West Region Point: MANCHESTER SHIP CANAL AT PREMISES, ORDSALL LANE, MANCHESTER Data Type: Point Name: COLGATE PALMOLIVE LTD Easting: 381600 Northing: 396700	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 15/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 27/04/1992 Version End Date: -
-	1703m SW	Status: Historical Licence No: 2569007001 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Surface, Non-Tidal - North West Region Point: MANCHESTER SHIP CANAL AT PREMISES ORDSALL LANE MANCHESTER Data Type: Point Name: Cerep III Investment R Sarl Easting: 381600 Northing: 396700	Annual Volume (m ³): 1,363,800 Max Daily Volume (m ³): 4909.68 Original Application No: - Original Start Date: 15/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 29/10/2009 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.



5.8 Potable abstractions

Records within 2000m

9

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on **page 66**

ID	Location	Details	
-	1922m N	Status: Historical Licence No: 2569004023 Details: "Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services" Direct Source: Ground Water - North West Region Point: "BOREHOLE (NO 2) AT PREMISES, STRANGWAYS, MANCHESTER" Data Type: Point Name: INTERBREW UK LTD Easting: 383820 Northing: 399190	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 09/08/2000 Version End Date: -
-	1922m N	Status: Historical Licence No: 2569004023 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE (NO 2) AT PREMISES, STRANGWAYS, MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383820 Northing: 399190	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -
-	1922m N	Status: Historical Licence No: 2569004023 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE NUMBER 2 AT PREMISES STRANGWAYS MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383820 Northing: 399190	Annual Volume (m ³): 500000 Max Daily Volume (m ³): 2500 Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -

ID	Location	Details	
-	1954m N	Status: Historical Licence No: 2569004023 Details: "Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services" Direct Source: Ground Water - North West Region Point: "BOREHOLE (NO 3) AT PREMISES, STRANGWAYS, MANCHESTER" Data Type: Point Name: INTERBREW UK LTD Easting: 383830 Northing: 399220	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 09/08/2000 Version End Date: -
-	1954m N	Status: Historical Licence No: 2569004023 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE (NO 3) AT PREMISES, STRANGWAYS, MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383830 Northing: 399220	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -
-	1954m N	Status: Historical Licence No: 2569004023 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE NUMBER 3 AT PREMISES STRANGWAYS MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383830 Northing: 399220	Annual Volume (m ³): 500000 Max Daily Volume (m ³): 2500 Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -
-	1989m N	Status: Historical Licence No: 2569004023 Details: "Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services" Direct Source: Ground Water - North West Region Point: "BOREHOLE (NO 1) AT PREMISES, STRANGWAYS, MANCHESTER" Data Type: Point Name: INTERBREW UK LTD Easting: 383850 Northing: 399250	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 09/08/2000 Version End Date: -



ID	Location	Details	
-	1989m N	Status: Historical Licence No: 2569004023 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE (NO 1) AT PREMISES, STRANGWAYS, MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383850 Northing: 399250	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -
-	1989m N	Status: Historical Licence No: 2569004023 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE NUMBER 1 AT PREMISES STRANGWAYS MANCHESTER Data Type: Point Name: INTERBREW UK LTD Easting: 383850 Northing: 399250	Annual Volume (m ³): 500000 Max Daily Volume (m ³): 2500 Original Application No: - Original Start Date: 18/02/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.9 Source Protection Zones

Records within 500m	0
----------------------------	----------

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination.

This data is sourced from the Environment Agency and Natural Resources Wales.


5.10 Source Protection Zones (confined aquifer)

Records within 500m	0
----------------------------	----------

Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.

This data is sourced from the Environment Agency and Natural Resources Wales.

6 Hydrology



© Crown copyright and database rights 2022. Ordnance Survey licence 100035207

6.1 Water Network (OS MasterMap)

Records within 250m

14

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

Features are displayed on the Hydrology map on **page 86**

ID	Location	Type of water feature	Ground level	Permanence	Name
A	92m N	Canal. A manmade watercourse for inland navigation.	On ground surface	Watercourse contains water year round (in normal circumstances)	Bridgewater Canal



ID	Location	Type of water feature	Ground level	Permanence	Name
B	161m NE	Canal. A manmade watercourse for inland navigation.	On ground surface	Watercourse contains water year round (in normal circumstances)	Bridgewater Canal
B	161m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	River Medlock
B	169m NE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	River Medlock
B	174m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	River Medlock
B	178m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	River Medlock
C	178m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	River Medlock
B	180m NE	Canal. A manmade watercourse for inland navigation.	On ground surface	Watercourse contains water year round (in normal circumstances)	Bridgewater Canal
D	198m N	Canal. A manmade watercourse for inland navigation.	On ground surface	Watercourse contains water year round (in normal circumstances)	Rochdale Canal
B	210m NE	Canal. A manmade watercourse for inland navigation.	On ground surface	Watercourse contains water year round (in normal circumstances)	Bridgewater Canal
B	216m NE	Canal. A manmade watercourse for inland navigation.	On ground surface	Watercourse contains water year round (in normal circumstances)	Rochdale Canal
B	224m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
B	224m NE	Canal. A manmade watercourse for inland navigation.	On ground surface	Watercourse contains water year round (in normal circumstances)	Rochdale Canal
F	228m NW	Canal. A manmade watercourse for inland navigation.	On ground surface	Watercourse contains water year round (in normal circumstances)	Bridgewater Canal

This data is sourced from the Ordnance Survey.



6.2 Surface water features

Records within 250m

6

Covering rivers, streams and lakes (some overlap with OS MasterMap Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.

Features are displayed on the Hydrology map on **page 86**

This data is sourced from the Ordnance Survey.

6.3 WFD Surface water body catchments

Records on site

1

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.

Features are displayed on the Hydrology map on **page 86**

ID	Location	Type	Water body catchment	Water body ID	Operational catchment	Management catchment
2	On site	River	Medlock (Lumb Brook to Irwell)	GB112069061152	Roch Irk Medlock	Irwell

This data is sourced from the Environment Agency and Natural Resources Wales.

6.4 WFD Surface water bodies

Records identified

2

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on **page 86**

ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
3	93m N	River	Medlock (Lumb Brook to Irwell)	GB112069061152	Moderate	Fail	Moderate	2019



ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
E	198m N	Canal	Rochdale Canal, western section	GB71210517	Moderate	Fail	Moderate	2019

This data is sourced from the Environment Agency and Natural Resources Wales.

6.5 WFD Groundwater bodies

Records on site

1

Groundwater bodies are also covered by the Directive and the same regime of objectives and reporting detailed in the previous section is in place. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each groundwater body listed.

Features are displayed on the Hydrology map on **page 86**

ID	Location	Name	Water body ID	Overall rating	Chemical rating	Quantitative	Year
1	On site	Manchester and East Cheshire Permo-Triassic Sandstone Aquifers	GB41201G101100	Poor	Poor	Poor	2019

This data is sourced from the Environment Agency and Natural Resources Wales.



7 River and coastal flooding

7.1 Risk of flooding from rivers and the sea

Records within 50m**0**

The chance of flooding from rivers and/or the sea in any given year, based on cells of 50m within the Risk of Flooding from Rivers and Sea (RoFRaS)/Flood Risk Assessment Wales (FRAW) models. Each cell is allocated one of four flood risk categories, taking into account flood defences and their condition. The risk categories for RoFRaS for rivers and the sea and FRAW for rivers are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 100 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 100 chance) or High (greater than or equal to 1 in 30 chance). The risk categories for FRAW for the sea are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 200 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 200 chance) or High (greater than or equal to 1 in 30 chance).

This data is sourced from the Environment Agency and Natural Resources Wales.

7.2 Historical Flood Events

Records within 250m**0**

Records of historic flooding from rivers, the sea, groundwater and surface water. Records began in 1946 when predecessor bodies started collecting detailed information about flooding incidents, although limited details may be included on flooding incidents prior to this date. Takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding, and includes flood extents that may have been affected by overtopping, breaches or blockages.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.3 Flood Defences

Records within 250m**0**

Records of flood defences owned, managed or inspected by the Environment Agency and Natural Resources Wales. Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

This data is sourced from the Environment Agency and Natural Resources Wales.



7.4 Areas Benefiting from Flood Defences

Records within 250m

0

Areas that would benefit from the presence of flood defences in a 1 in 100 (1%) chance of flooding each year from rivers or 1 in 200 (0.5%) chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.5 Flood Storage Areas

Records within 250m

0

Areas that act as a balancing reservoir, storage basin or balancing pond to attenuate an incoming flood peak to a flow level that can be accepted by the downstream channel or to delay the timing of a flood peak so that its volume is discharged over a longer period.

This data is sourced from the Environment Agency and Natural Resources Wales.



River and coastal flooding - Flood Zones

7.6 Flood Zone 2

Records within 50m

0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land between Flood Zone 3 (see next section) and the extent of the flooding from rivers or the sea with a 1 in 1000 (0.1%) chance of flooding each year.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.7 Flood Zone 3

Records within 50m

0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land with a 1 in 100 (1%) or greater chance of flooding each year from rivers or a 1 in 200 (0.5%) or greater chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.



8 Surface water flooding



— Site Outline

Search buffers in metres (m)

1 in 1000 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 250 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 100 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 30 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

8.1 Surface water flooding

Highest risk on site

1 in 100 year, 0.1m - 0.3m

Highest risk within 50m

1 in 30 year, 0.1m - 0.3m

Ambiental Risk Analytics surface water (pluvial) FloodMap identifies areas likely to flood as a result of extreme rainfall events, i.e. land naturally vulnerable to surface water ponding or flooding. This data set was produced by simulating 1 in 30 year, 1 in 100 year, 1 in 250 year and 1 in 1,000 year rainfall events. Modern urban drainage systems are typically built to cope with rainfall events between 1 in 20 and 1 in 30 years, though some older ones may flood in a 1 in 5 year rainfall event.

Features are displayed on the Surface water flooding map on **page 93**

The data shown on the map and in the table above shows the highest likelihood of flood events happening at the site. Lower likelihood events may have greater flood depths and hence a greater potential impact on a site.


The table below shows the maximum flood depths for a range of return periods for the site.

Return period	Maximum modelled depth
1 in 1000 year	Between 0.1m and 0.3m
1 in 250 year	Between 0.1m and 0.3m
1 in 100 year	Between 0.1m and 0.3m
1 in 30 year	Negligible

This data is sourced from Ambiantal Risk Analytics.



9 Groundwater flooding



— Site Outline
Search buffers in metres (m)

- High
- Moderate - High
- Moderate
- Low
- Negligible

9.1 Groundwater flooding

Highest risk on site

Moderate-High

Highest risk within 50m

Moderate-High

Groundwater flooding is caused by unusually high groundwater levels. It occurs when the water table rises above the ground surface or within underground structures such as basements or cellars. Groundwater flooding tends to exhibit a longer duration than surface water flooding, possibly lasting for weeks or months, and as a result it can cause significant damage to property. This risk assessment is based on a 1 in 100 year return period and a 5m Digital Terrain Model (DTM).

Features are displayed on the Groundwater flooding map on **page 95**

This data is sourced from Ambiantal Risk Analytics.

10 Environmental designations

10.1 Sites of Special Scientific Interest (SSSI)

Records within 2000m

0

Sites providing statutory protection for the best examples of UK flora, fauna, or geological or physiographical features. Originally notified under the National Parks and Access to the Countryside Act 1949, SSSIs were re-notified under the Wildlife and Countryside Act 1981. Improved provisions for the protection and management of SSSIs were introduced by the Countryside and Rights of Way Act 2000 (in England and Wales) and (in Scotland) by the Nature Conservation (Scotland) Act 2004 and the Wildlife and Natural Environment (Scotland) Act 2010.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.2 Conserved wetland sites (Ramsar sites)

Records within 2000m

0

Ramsar sites are designated under the Convention on Wetlands of International Importance, agreed in Ramsar, Iran, in 1971. They cover all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. These sites cover a broad definition of wetland; marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, and even some marine areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.3 Special Areas of Conservation (SAC)

Records within 2000m

0

Areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.4 Special Protection Areas (SPA)

Records within 2000m

0

Sites classified by the UK Government under the EC Birds Directive, SPAs are areas of the most important habitat for rare (listed on Annex I to the Directive) and migratory birds within the European Union.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.



10.5 National Nature Reserves (NNR)

Records within 2000m**0**

Sites containing examples of some of the most important natural and semi-natural terrestrial and coastal ecosystems in Great Britain. They are managed to conserve their habitats, provide special opportunities for scientific study or to provide public recreation compatible with natural heritage interests.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.6 Local Nature Reserves (LNR)

Records within 2000m**0**

Sites managed for nature conservation, and to provide opportunities for research and education, or simply enjoying and having contact with nature. They are declared by local authorities under the National Parks and Access to the Countryside Act 1949 after consultation with the relevant statutory nature conservation agency.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.7 Designated Ancient Woodland

Records within 2000m**0**

Ancient woodlands are classified as areas which have been wooded continuously since at least 1600 AD. This includes semi-natural woodland and plantations on ancient woodland sites. 'Wooded continuously' does not mean there is or has previously been continuous tree cover across the whole site, and not all trees within the woodland have to be old.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.8 Biosphere Reserves

Records within 2000m**0**

Biosphere Reserves are internationally recognised by UNESCO as sites of excellence to balance conservation and socioeconomic development between nature and people. They are recognised under the Man and the Biosphere (MAB) Programme with the aim of promoting sustainable development founded on the work of the local community.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.9 Forest Parks

Records within 2000m**0**

These are areas managed by the Forestry Commission designated on the basis of recreational, conservation or scenic interest.

This data is sourced from the Forestry Commission.

10.10 Marine Conservation Zones

Records within 2000m**0**

A type of marine nature reserve in UK waters established under the Marine and Coastal Access Act (2009). They are designated with the aim to protect nationally important, rare or threatened habitats and species.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.11 Green Belt

Records within 2000m**0**

Areas designated to prevent urban sprawl by keeping land permanently open.

This data is sourced from the Ministry of Housing, Communities and Local Government.

10.12 Proposed Ramsar sites

Records within 2000m**0**

Ramsar sites are areas listed as a Wetland of International Importance under the Convention on Wetlands of International Importance especially as Waterfowl Habitat (the Ramsar Convention) 1971. The sites here supplied have a status of 'Proposed' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.13 Possible Special Areas of Conservation (pSAC)

Records within 2000m**0**

Special Areas of Conservation are areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive. Those sites supplied here are those with a status of 'Possible' having been identified for potential adoption under the framework.

This data is sourced from Natural England and Natural Resources Wales.



10.14 Potential Special Protection Areas (pSPA)

Records within 2000m**0**

Special Protection Areas (SPAs) are areas designated (or 'classified') under the European Union Wild Birds Directive for the protection of nationally and internationally important populations of wild birds. Those sites supplied here are those with a status of 'Potential' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.15 Nitrate Sensitive Areas

Records within 2000m**0**

Areas where nitrate concentrations in drinking water sources exceeded or was at risk of exceeding the limit of 50 mg/l set by the 1980 EC Drinking Water Directive. Voluntary agricultural measures as a means of reducing the levels of nitrate were introduced by DEFRA as MAFF, with payments being made to farmers who complied. The scheme was started as a pilot in 1990 in ten areas, later implemented within 32 areas. The scheme was closed to further new entrants in 1998, although existing agreements continued for their full term. All Nitrate Sensitive Areas fell within the areas designated as Nitrate Vulnerable Zones (NVZs) in 1996 under the EC Nitrate Directive (91/676/EEC).

This data is sourced from Natural England.

10.16 Nitrate Vulnerable Zones

Records within 2000m**3**


Areas at risk from agricultural nitrate pollution designated under the EC Nitrate Directive (91/676/EEC). These are areas of land that drain into waters polluted by nitrates. Farmers operating within these areas have to follow mandatory rules to tackle nitrate loss from agriculture.

Location	Name	Type	NVZ ID	Status
1100m NW	Irwell / Man. Ship Canal (Kearsley to Irlam Locks) NVZ	Surface Water	643	Existing
1483m NE	River Irk (Moston Brook to River Irwell) NVZ	Surface Water	638	Existing
1495m NE	River Irk (Moston Brook to River Irwell) NVZ	Surface Water	638	Existing

This data is sourced from Natural England and Natural Resources Wales.



SSSI Impact Zones and Units



- Site Outline
- Search buffers in metres (m)
- ▨ SSSI Impact Risk Zones
- SSSI Units
- Not recorded
- Favourable
- Unfavourable - Recovering
- Unfavourable - No change
- Unfavourable - Declining
- Partially destroyed
- Destroyed

10.17 SSSI Impact Risk Zones

Records on site

1

Developed to allow rapid initial assessment of the potential risks to SSSIs posed by development proposals. They define zones around each SSSI which reflect the particular sensitivities of the features for which it is notified and indicate the types of development proposal which could potentially have adverse impacts.

Features are displayed on the SSSI Impact Zones and Units map on **page 100**

ID	Location	Type of developments requiring consultation
1	On site	Air pollution - Livestock & poultry units with floorspace > 500m², slurry lagoons & digestate stores > 4000m². Combustion - General combustion processes >50mw energy input. incl: energy from waste incineration, other incineration, landfill gas generation plant, pyrolysis/gasification, anaerobic digestion, sewage treatment works, other incineration/ combustion.



This data is sourced from Natural England.

10.18 SSSI Units

Records within 2000m


0

Divisions of SSSIs used to record management and condition details. Units are the smallest areas for which Natural England gives a condition assessment, however, the size of units varies greatly depending on the types of management and the conservation interest.

This data is sourced from Natural England and Natural Resources Wales.



11 Visual and cultural designations



- Site Outline
- Search buffers in metres (m)
- Listed buildings
- Conservation areas
- Conservation areas - no data
- National Parks
- Areas of Outstanding Natural Beauty
- Registered parks and gardens
- Scheduled Monuments
- World Heritage Sites

11.1 World Heritage Sites

Records within 250m

0

Sites designated for their globally important cultural or natural interest requiring appropriate management and protection measures. World Heritage Sites are designated to meet the UK's commitments under the World Heritage Convention.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.2 Area of Outstanding Natural Beauty

Records within 250m

0

Areas of Outstanding Natural Beauty (AONB) are conservation areas, chosen because they represent 18% of the finest countryside. Each AONB has been designated for special attention because of the quality of their flora, fauna, historical and cultural associations, and/or scenic views. The National Parks and Access to the Countryside Act of 1949 created AONBs and the Countryside and Rights of Way Act, 2000 added further regulation and protection. There are likely to be restrictions to some developments within these areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

11.3 National Parks

Records within 250m

0

In England and Wales, the purpose of National Parks is to conserve and enhance landscapes within the countryside whilst promoting public enjoyment of them and having regard for the social and economic well-being of those living within them. In Scotland National Parks have the additional purpose of promoting the sustainable use of the natural resources of the area and the sustainable social and economic development of its communities. The National Parks and Access to the Countryside Act 1949 established the National Park designation in England and Wales, and The National Parks (Scotland) Act 2000 in Scotland.

This data is sourced from Natural England, Natural Resources Wales and the Scottish Government.

11.4 Listed Buildings

Records within 250m

11

Buildings listed for their special architectural or historical interest. Building control in the form of 'listed building consent' is required in order to make any changes to that building which might affect its special interest. Listed buildings are graded to indicate their relative importance, however building controls apply to all buildings equally, irrespective of their grade, and apply to the interior and exterior of the building in its entirety, together with any curtilage structures.

Features are displayed on the Visual and cultural designations map on **page 102**

ID	Location	Name	Grade	Reference Number	Listed date
1	On site	Bridgewater Canal offices, Deansgate, Manchester, M15	II	1283068	03/10/1974
2	84m NW	Middle Warehouse, At Former Castle Field Goods Yard, Deansgate, Manchester, M15	II	1208653	05/06/1990
3	161m NE	Electricity Junction Box in Castlefield Canal Basin, Manchester, Deansgate, Manchester, M3	II	1475459	29/09/2021
B	173m NE	Floodgate On East Side of Knott Mill Bridge, Deansgate, Manchester, M15	II	1210156	06/06/1994



ID	Location	Name	Grade	Reference Number	Listed date
B	178m NE	Boundary Stone On Knott Mill Bridge, Deansgate, Manchester, M15	II	1282975	06/06/1994
A	182m NW	Merchants Warehouse, Deansgate, Manchester, M3	II	1197778	20/06/1988
4	188m N	Electricity Junction Box On Castle Street, Manchester, Deansgate, Manchester, M3	II	1475254	29/09/2021
C	192m NE	Electricity Junction Box in Castlefield Canal Basin, Manchester, Deansgate, Manchester, M3	II	1475255	29/09/2021
C	204m NE	Former Congregational Chapel, Deansgate, Manchester, M3	II	1292311	20/06/1988
5	211m N	Rochdale Canal Lock Number 92 and Castle Street Bridge, Deansgate, Manchester, M3	II	1270858	20/06/1988
6	219m S	School House, Hulme, Manchester, M15	II	1197761	06/06/1994

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.5 Conservation Areas

Records within 250m

1

Local planning authorities are obliged to designate as conservation areas any parts of their own area that are of special architectural or historic interest, the character and appearance of which it is desirable to preserve or enhance. Designation of a conservation area gives broader protection than the listing of individual buildings. All the features within the area, listed or otherwise, are recognised as part of its character. Conservation area designation is the means of recognising the importance of all factors and of ensuring that planning decisions address the quality of the landscape in its broadest sense.

Features are displayed on the Visual and cultural designations map on **page 102**

ID	Location	Name	District	Date of designation
A	15m NW	Castlefield	Manchester	13/10/1979

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.6 Scheduled Ancient Monuments

Records within 250m

1

A scheduled monument is an historic building or site that is included in the Schedule of Monuments kept by the Secretary of State for Digital, Culture, Media and Sport. The regime is set out in the Ancient Monuments and Archaeological Areas Act 1979. The Schedule of Monuments has c.20,000 entries and includes sites such as Roman remains, burial mounds, castles, bridges, earthworks, the remains of deserted villages and industrial sites. Monuments are not graded, but all are, by definition, considered to be of national importance.



Features are displayed on the Visual and cultural designations map on **page 102**

ID	Location	Ancient monument name	Reference number
7	222m N	Remains of eastern wall of the Roman fort	1001953

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.7 Registered Parks and Gardens

Records within 250m

0

Parks and gardens assessed to be of particular interest and of special historic interest. The emphasis being on 'designed' landscapes, rather than on planting or botanical importance. Registration is a 'material consideration' in the planning process, meaning that planning authorities must consider the impact of any proposed development on the special character of the landscape.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

12 Agricultural designations



- Site Outline
- Search buffers in metres (m)
- Grade 1 - excellent quality
- Grade 2 - very good quality
- Grade 3 - good to moderate quality
- Grade 3a - good quality
- Grade 3b - moderate quality
- Grade 4 - poor quality
- Grade 5 - very poor quality
- Non-agricultural land
- Urban land
- Exclusion land
- Tree felling licences
- Open Access land

12.1 Agricultural Land Classification

Records within 250m

1

Classification of the quality of agricultural land taking into consideration multiple factors including climate, physical geography and soil properties. It should be noted that the categories for the grading of agricultural land are not consistent across England, Wales and Scotland.

Features are displayed on the Agricultural designations map on **page 106**

ID	Location	Classification	Description
1	On site	Urban	-

This data is sourced from Natural England.



12.2 Open Access Land

Records within 250m**0**

The Countryside and Rights of Way Act 2000 (CROW Act) gives a public right of access to land without having to use paths. Access land includes mountains, moors, heaths and downs that are privately owned. It also includes common land registered with the local council and some land around the England Coast Path. Generally permitted activities on access land are walking, running, watching wildlife and climbing.

This data is sourced from Natural England and Natural Resources Wales.

12.3 Tree Felling Licences

Records within 250m**0**

Felling Licence Application (FLA) areas approved by Forestry Commission England. Anyone wishing to fell trees must ensure that a licence or permission under a grant scheme has been issued by the Forestry Commission before any felling is carried out or that one of the exceptions apply.

This data is sourced from the Forestry Commission.

12.4 Environmental Stewardship Schemes

Records within 250m**0**

Environmental Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. The schemes identified may be historical schemes that have now expired, or may still be active.

This data is sourced from Natural England.

12.5 Countryside Stewardship Schemes

Records within 250m**0**

Countryside Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. Main objectives are to improve the farmed environment for wildlife and to reduce diffuse water pollution.

This data is sourced from Natural England.

13 Habitat designations

13.1 Priority Habitat Inventory

Records within 250m

0

Habitats of principal importance as named under Natural Environment and Rural Communities Act (2006) Section 41.

This data is sourced from Natural England.

13.2 Habitat Networks

Records within 250m

0

Habitat networks for 18 priority habitat networks (based primarily, but not exclusively, on the priority habitat inventory) and areas suitable for the expansion of networks through restoration and habitat creation.

This data is sourced from Natural England.

13.3 Open Mosaic Habitat

Records within 250m

0

Sites verified as Open Mosaic Habitat. Mosaic habitats are brownfield sites that are identified under the UK Biodiversity Action Plan as a priority habitat due to the habitat variation within a single site, supporting an array of invertebrates.

This data is sourced from Natural England.

13.4 Limestone Pavement Orders

Records within 250m


0

Limestone pavements are outcrops of limestone where the surface has been worn away by natural means over millennia. These rocks have the appearance of paving blocks, hence their name. Not only do they have geological interest, they also provide valuable habitats for wildlife. These habitats are threatened due to their removal for use in gardens and water features. Many limestone pavements have been designated as SSSIs which affords them some protection. In addition, Section 34 of the Wildlife and Countryside Act 1981 gave them additional protection via the creation of Limestone Pavement Orders, which made it a criminal offence to remove any part of the outcrop. The associated Limestone Pavement Priority Habitat is part of the UK Biodiversity Action Plan priority habitat in England.

This data is sourced from Natural England.



14 Geology 1:10,000 scale - Availability



— Site Outline
Search buffers in metres (m)

- Full coverage
- Partial coverage
- No coverage

14.1 10k Availability

Records within 500m

1

An indication on the coverage of 1:10,000 scale geology data for the site, the most detailed dataset provided by the British Geological Survey. Either 'Full', 'Partial' or 'No coverage' for each geological theme.


Features are displayed on the Geology 1:10,000 scale - Availability map on **page 109**

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	Full	Full	Full	No coverage	SJ89NW

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Artificial and made ground



— Site Outline
Search buffers in metres (m)

- Reclaimed ground
- Made ground
- Worked ground
- Infilled ground
- Disturbed ground
- Landscaped ground

14.2 Artificial and made ground (10k)

Records within 500m

4

Details of made, worked, infilled, disturbed and landscaped ground at 1:10,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

Features are displayed on the Geology 1:10,000 scale - Artificial and made ground map on **page 110**


ID	Location	LEX Code	Description	Rock description
1	184m NE	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
2	246m N	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
3	311m SE	WGR-VOID	Worked Ground (Undivided)	Void
4	364m W	WGR-VOID	Worked Ground (Undivided)	Void



This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Superficial



Site Outline

Search buffers in metres (m)

Landslip (10k)

Superficial geology (10k)
Please see table for more details.

14.3 Superficial geology (10k)

Records within 500m

3

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:10,000 scale - Superficial map on **page 112**

ID	Location	LEX Code	Description	Rock description
1	On site	GFSDDD-XSV	Glaciofluvial Sheet Deposits, Devensian - Sand And Gravel	Sand And Gravel
2	76m W	TILLD-DMTN	Till, Devensian - Diamicton	Diamicton
3	287m NE	GFSDDD-XSV	Glaciofluvial Sheet Deposits, Devensian - Sand And Gravel	Sand And Gravel

This data is sourced from the British Geological Survey.



14.4 Landslip (10k)

Records within 500m


0

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Bedrock



Site Outline

Search buffers in metres (m)

..... Bedrock faults and other linear features (10k)

Bedrock geology (10k)
Please see table for more details.

14.5 Bedrock geology (10k)

Records within 500m

1

Bedrock geology at 1:10,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on **page 114**

ID	Location	LEX Code	Description	Rock age
1	On site	CPB-SDST	Chester Pebble Beds Formation - Sandstone	Early Triassic Epoch

This data is sourced from the British Geological Survey.



14.6 Bedrock faults and other linear features (10k)

Records within 500m

1

Linear features at the ground or bedrock surface at 1:10,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on **page 114**

ID	Location	Category	Description
2	275m NE	LANDFORM	Buried channel or valley margin

This data is sourced from the British Geological Survey.



15 Geology 1:50,000 scale - Availability



— Site Outline
Search buffers in metres (m)

☐ Geological map tile

15.1 50k Availability

Records within 500m

1

An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.


Features are displayed on the Geology 1:50,000 scale - Availability map on **page 116**

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	No coverage	Full	Full	No coverage	EW085_manchester_v4

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Artificial and made ground



- Site Outline**
- Search buffers in metres (m)**
- Made ground
 - Worked ground
 - Infilled ground
 - Disturbed ground
 - Landscaped ground

15.2 Artificial and made ground (50k)

Records within 500m

1

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

Features are displayed on the Geology 1:50,000 scale - Artificial and made ground map on **page 117**

ID	Location	LEX Code	Description	Rock description
1	184m NE	MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT

This data is sourced from the British Geological Survey.



15.3 Artificial ground permeability (50k)

Records within 50m


0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Superficial



Site Outline

Search buffers in metres (m)

Landslip (50k)

Superficial geology (50k)
Please see table for more details.

15.4 Superficial geology (50k)

Records within 500m

3

Superficial geological deposits at 1:50,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:50,000 scale - Superficial map on **page 119**

ID	Location	LEX Code	Description	Rock description
1	On site	GFSDD-XSV	GLACIOFLUVIAL SHEET DEPOSITS, DEVANSIAN	SAND AND GRAVEL
2	76m W	TILLD-DMTN	TILL, DEVANSIAN	DIAMICTON
3	287m NE	GFSDD-XSV	GLACIOFLUVIAL SHEET DEPOSITS, DEVANSIAN	SAND AND GRAVEL

This data is sourced from the British Geological Survey.



15.5 Superficial permeability (50k)

Records within 50m**1**

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any superficial deposits (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Intergranular	Very High	High

This data is sourced from the British Geological Survey.

15.6 Landslip (50k)

Records within 500m**0**

Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.

15.7 Landslip permeability (50k)


Records within 50m**0**

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Bedrock



— Site Outline

Search buffers in metres (m)

.... Bedrock faults and other linear features (50k)

Bedrock geology (50k)
Please see table for more details.

15.8 Bedrock geology (50k)

Records within 500m

1

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on **page 121**

ID	Location	LEX Code	Description	Rock age
1	On site	CHES-SDST	CHESTER FORMATION - SANDSTONE	OLENEKIAN

This data is sourced from the British Geological Survey.



15.9 Bedrock permeability (50k)

Records within 50m

1

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Mixed	High	Moderate

This data is sourced from the British Geological Survey.

15.10 Bedrock faults and other linear features (50k)

Records within 500m

1

Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.


Features are displayed on the Geology 1:50,000 scale - Bedrock map on **page 121**

ID	Location	Category	Description
2	275m NE	LANDFORM	Approximate margin of buried (superficial deposit-filled) channel or valley

This data is sourced from the British Geological Survey.



16 Boreholes



16.1 BGS Boreholes

Records within 250m

68

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.

Features are displayed on the Boreholes map on **page 123**

ID	Location	Grid reference	Name	Length	Confidential	Web link
1	48m SW	383166 397270	MANCUNIAN WAY 6	7.77	N	15635230
2	77m S	383175 397234	MANCUNIAN WAY 7	9.3	N	15635231

ID	Location	Grid reference	Name	Length	Confidential	Web link
A	77m SW	383100 397330	MANCHESTER AND SALFORD INNER RELIEF ROAD TP34	1.5	N	1045765
A	81m SW	383100 397320	MANCHESTER AND SALFORD INNER RELIEF ROAD TP20	1.5	N	1045759
B	105m NE	383310 397400	LOWER MEDLOCK UCISO'S CONTRACT 1 MAN 0276 303	10.59	N	1043414
3	111m E	383340 397360	LOWER MEDLOCK UCISO'S CONTRACT 1 MAN 0276 302	12.11	N	1043413
B	115m NE	383330 397390	LOWER MEDLOCK UCISO'S CONTRACT 1 MAN 0276 305	9.3	N	1043416
C	119m S	383180 397190	MANCUNIAN WAY - REGENTS ROAD U20	12.5	N	1043820
D	121m W	383050 397369	BLANTYRE STREET MANCHESTER 12	5.0	N	15624905
E	124m SW	383120 397210	MANCUNIAN WAY - REGENTS ROAD U18	10.0	N	1043819
D	124m SW	383066 397292	MANCUNIAN WAY 2	11.89	N	1042489
D	136m W	383035 397366	BLANTYRE STREET MANCHESTER 13	8.0	N	15624906
D	139m SW	383050 397290	MANCHESTER AND SALFORD INNER RELIEF ROAD TP19	1.5	N	1045758
C	140m S	383170 397170	MANCHESTER 7 SALFORD INNER RELIEF ROAD REGENT ROAD TO CHESTER ROAD U19	12.0	N	1044172
4	141m NE	383340 397420	LOWER MEDLOCK UCISO'S CONTRACT 1 MAN 0276 304	9.1	N	1043415
5	141m N	383220 397510	CASTLEFIELD ROAD AND SEWERS A	5.5	N	1045607
F	143m SW	383070 397240	MANCUNIAN WAY - REGENTS ROAD U16	18.35	N	1043817
D	143m W	383028 397359	BLANTYRE STREET MANCHESTER 11	5.0	N	15624903
6	144m N	383160 397510	CASTLEFIELD ROAD AND SEWERS B	4.0	N	1045608
E	146m SW	383110 397190	MANCUNIAN WAY - REGENTS ROAD U17	9.7	N	1043818
G	152m SE	383260 397170	MANCUNIAN WAY - REGENTS ROAD U22	12.3	N	1043822
H	152m SW	383050 397260	MANCUNIAN WAY - REGENTS ROAD U14	10.3	N	1043815
7	153m NW	383110 397500	CASTLEFIELD ROAD AND SEWERS C	5.0	N	1045609
D	157m SW	383030 397290	MANCHESTER AND SALFORD INNER RELIEF ROAD TP18	1.5	N	1045757
E	158m SW	383090 397190	LOWER MEDLOCK UCISO'S CONTRACT 1 MAN 0279 306	-	Y	N/A



ID	Location	Grid reference	Name	Length	Confidential	Web link
G	161m SE	383260 397160	MANCUNIAN WAY - REGENTS ROAD U21	12.4	N	1043821
F	162m SW	383060 397220	MANCUNIAN WAY - REGENTS ROAD U15	10.3	N	1043816
D	164m W	383007 397352	BLANTYRE STREET MANCHESTER 15	9.0	N	15624909
D	170m W	383001 397369	BLANTYRE STREET MANCHESTER 14	8.1	N	15624908
H	174m SW	383030 397250	MANCHESTER AND SALFORD INNER RELIEF ROAD TP31	1.2	N	1045763
D	175m W	382996 397372	BLANTYRE STREET MANCHESTER 9	5.0	N	15624899
8	179m W	382997 397400	BLANTYRE STREET MANCHESTER 7	4.7	N	15624894
D	180m SW	383010 397280	MANCHESTER AND SALFORD INNER RELIEF ROAD TPB	1.5	N	1045751
D	180m W	382991 397347	BLANTYRE STREET MANCHESTER 10	5.0	N	15624902
H	183m SW	383030 397230	MANCUNIAN WAY - REGENTS ROAD U13	18.7	N	1043814
D	184m SW	383010 397270	MANCUNIAN WAY - REGENTS ROAD U12	18.25	N	1043813
D	191m W	382990 397300	MANCUNIAN WAY - REGENTS ROAD U10	12.5	N	1043811
D	193m W	382980 397330	MANCHESTER AND SALFORD INNER RELIEF ROAD TP30	1.5	N	1045762
9	193m SW	383060 397170	LOWER MEDLOCK UCISO'S CONTRACT 1 MAN 0279 307	15.4	N	1043386
10	193m NW	383100 397540	CASTLEFIELD ROAD AND SEWERS D	3.45	N	1045610
11	195m SE	383374 397191	MANCUNIAN WAY 1	10.97	N	15635226
D	197m W	382980 397310	MANCUNIAN WAY - REGENTS ROAD U6	8.8	N	1043807
I	199m NW	383040 397510	MERCHANTS BRIDGE CASTLEFIELD 5	-	Y	N/A
D	202m SW	382990 397270	MANCUNIAN WAY - REGENTS ROAD U11	10.0	N	1043812
12	205m W	382968 397385	BLANTYRE STREET MANCHESTER 6	5.0	N	15624893
D	211m SW	382980 397270	MANCHESTER AND SALFORD INNER RELIEF ROAD TPA	1.5	N	1045750
13	212m SE	383358 397155	MANCUNIAN WAY 3	10.06	N	1042490
D	213m W	382970 397290	MANCUNIAN WAY - REGENTS ROAD U9	19.6	N	1043810
14	214m W	382957 397353	BLANTYRE STREET MANCHESTER 8	5.0	N	15624897
D	215m W	382960 397320	MANCUNIAN WAY - REGENTS ROAD U8	16.2	N	1043809
I	215m NW	383040 397530	MERCHANTS BRIDGE CASTLEFIELD 4	-	Y	N/A





ID	Location	Grid reference	Name	Length	Confidential	Web link
D	216m W	382970 397280	MANCHESTER AND SALFORD INNER RELIEF ROAD TP17	1.5	N	1045756
D	219m W	382960 397300	MANCHESTER 7 SALFORD INNER RELIEF ROAD REGENT ROAD TO CHESTER ROAD U23	10.2	N	1044173
D	220m SW	382982 397244	MANCUNIAN WAY 1	10.06	N	1042488
15	220m NW	383100 397570	CASTLEFIELD ROAD AND SEWERS E	2.5	N	1045611
D	222m W	382960 397290	MANCUNIAN WAY - REGENTS ROAD U7	9.8	N	1043808
I	223m NW	383040 397540	MERCHANTS BRIDGE CASTLEFIELD 3	-	Y	N/A
16	227m SW	382997 397199	MANCHESTER CORP. C.SEWER	10.06	N	1042276
D	229m SW	382965 397259	MANCHESTER CORP. C.SEWER	10.21	N	1042277
D	233m W	382940 397330	MANCHESTER AND SALFORD INNER RELIEF ROAD TP29	1.5	N	1045761
J	233m NW	383070 397570	MERCHANTS BRIDGE CASTLEFIELD 2	-	Y	N/A
D	234m W	382940 397320	MANCUNIAN WAY - REGENTS ROAD U5	15.05	N	1043806
K	236m SW	383030 397140	LOWER MEDLOCK UCISO'S CONTRACT 1 MAN 0279 308	20.17	N	1043387
D	241m W	382934 397313	MANCHESTER CORP. C.SEWER	9.45	N	1042278
L	241m W	382931 397387	BLANTYRE STREET MANCHESTER 5	5.0	N	15624891
J	242m NW	383070 397580	MERCHANTS BRIDGE CASTLEFIELD 1	-	Y	N/A
K	245m SW	383014 397144	MANCHESTER CORP. C.SEWER	10.36	N	1042275
L	249m W	382926 397406	BLANTYRE STREET MANCHESTER 4	4.5	N	15624889

This data is sourced from the British Geological Survey.



17 Natural ground subsidence - Shrink swell clays



17.1 Shrink swell clays

Records within 50m

1

The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).


Features are displayed on the Natural ground subsidence - Shrink swell clays map on **page 127**

Location	Hazard rating	Details
On site	Negligible	Ground conditions predominantly non-plastic.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Running sands



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☐ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

17.2 Running sands

Records within 50m

2

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.

Features are displayed on the Natural ground subsidence - Running sands map on **page 128**


Location	Hazard rating	Details
On site	Very low	Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly.

Location	Hazard rating	Details
On site	Low	Running sand conditions may be present. Constraints may apply to land uses involving excavation or the addition or removal of water.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Compressible deposits



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☐ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

17.3 Compressible deposits

Records within 50m

1

The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.


Features are displayed on the Natural ground subsidence - Compressible deposits map on **page 130**

Location	Hazard rating	Details
On site	Negligible	Compressible strata are not thought to occur.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Collapsible deposits



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☒ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

17.4 Collapsible deposits

Records within 50m

1

The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.


Features are displayed on the Natural ground subsidence - Collapsible deposits map on **page 131**

Location	Hazard rating	Details
On site	Very low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Landslides



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☐ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

© Crown copyright and database rights 2022. Ordnance Survey licence 100035207

17.5 Landslides

Records within 50m

1

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.


Features are displayed on the Natural ground subsidence - Landslides map on **page 132**

Location	Hazard rating	Details
On site	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Ground dissolution of soluble rocks



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☐ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

17.6 Ground dissolution of soluble rocks

Records within 50m

1

The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.


Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on **page 133**

Location	Hazard rating	Details
On site	Negligible	Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.

This data is sourced from the British Geological Survey.



18 Mining, ground workings and natural cavities



- Site Outline
- Search buffers in metres (m)
- Natural cavities (Area)
- Natural cavities (Point)
- BritPits
- Surface ground workings
- Underground workings
- Historical Mineral Planning Areas
- Mining Cavities
- Non Coal Mining
- Sporadic underground mining of restricted extent possible
- Localised small scale underground mining possible
- Small scale mining possible
- Underground mining known or likely within or in close proximity
- Underground mining known within or in very close proximity

18.1 Natural cavities

Records within 500m

0

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

This data is sourced from Stantec UK Ltd.

18.2 BritPits

Records within 500m

0

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

This data is sourced from the British Geological Survey.

18.3 Surface ground workings

Records within 250m

24

Historical land uses identified from Ordnance Survey mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

Features are displayed on the Mining, ground workings and natural cavities map on **page 135**

ID	Location	Land Use	Year of mapping	Mapping scale
A	31m NW	Quay	1851	1:10560
B	33m N	Quay	1938	1:10560
B	33m N	Quay	1932	1:10560
B	33m N	Quay	1916	1:10560
B	33m N	Quay	1905	1:10560
B	33m N	Quay	1923	1:10560
1	77m W	Unspecified Ground Workings	1851	1:10560
C	83m N	Canal	1988	1:10000
A	88m NW	Pond	1851	1:10560
A	89m N	Canal	1971	1:10000
A	89m N	Canal	1978	1:10000
A	89m N	Canal	1985	1:10000
A	89m N	Canal	1994	1:10000
C	89m N	Canal	1956	1:10560
2	156m NW	Quay	1851	1:10560
C	159m NW	Canal	1896	1:10560
3	183m E	Pond	1851	1:10560



ID	Location	Land Use	Year of mapping	Mapping scale
A	184m N	Canal	1938	1:10560
A	184m N	Canal	1932	1:10560
A	184m N	Canal	1916	1:10560
A	184m N	Canal	1905	1:10560
A	184m N	Canal	1923	1:10560
4	242m NW	Gravel Pit	1851	1:10560
5	242m N	Unspecified Ground Workings	1851	1:10560

This data is sourced from Ordnance Survey/Groundsure.

18.4 Underground workings

Records within 1000m

0

Historical land uses identified from Ordnance Survey mapping that indicate the presence of underground workings e.g. mine shafts.

This data is sourced from Ordnance Survey/Groundsure.

18.5 Historical Mineral Planning Areas

Records within 500m

0

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

This data is sourced from the British Geological Survey.

18.6 Non-coal mining

Records within 1000m

0

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

This data is sourced from the British Geological Survey.



18.7 Mining cavities

Records within 1000m

1

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

Features are displayed on the Mining, ground workings and natural cavities map on **page 135**

ID	Location	Mine Address	Mineral	Data source	Publisher
-	972m W	Wodens Cave, Manchester, Greater Manchester	Firestone, Freestone, Hearthstone , Honestone, Ragstone, Sandstone, Scythestone , Silver Sand, Whetstone	'Underground Manchester - Secrets of the city revealed'	Willow Publishing

This data is sourced from Stantec UK Ltd.

18.8 JPB mining areas

Records on site

1

Areas which could be affected by former coal and other mining. This data includes some mine plans unavailable to the Coal Authority.

Location	Details
On site	In addition to being located inside an area where The Coal Authority have information on coal mining activities, Johnson Poole & Bloomer (JPB) have information such as mining plans and maps held within their archive of mining activities that have occurred within 1km of this property which may supplement this information. Please note, the plans held by JPB may also relate to non-mining records. Further details and a quote for services (if appropriate) can be obtained by emailing this report to enquiries.gs@jpb.co.uk .

This data is sourced from Johnson Poole and Bloomer.



18.9 Coal mining

Records on site	1
-----------------	---

Areas which could be affected by past, current or future coal mining.

Location	Details
On site	The site is located within a coal mining area as defined by the Coal Authority. A Consultants Coal Mining Report is recommended to further assess coal mining issues at the site. This can be ordered directly through Groundsure or your preferred search provider.

This data is sourced from the Coal Authority.

18.10 Brine areas

Records on site	0
-----------------	---

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

This data is sourced from the Cheshire Brine Subsidence Compensation Board.

18.11 Gypsum areas

Records on site	0
-----------------	---

Generalised areas that may be affected by gypsum extraction.

This data is sourced from British Gypsum.

18.12 Tin mining

Records on site	0
-----------------	---

Generalised areas that may be affected by historical tin mining.

This data is sourced from Groundsure.

18.13 Clay mining

Records on site	0
-----------------	---

Generalised areas that may be affected by kaolin and ball clay extraction.


This data is sourced from the Kaolin and Ball Clay Association (UK).



19 Radon



© Crown copyright and database rights 2022. Ordnance Survey licence 100035207



19.1 Radon

Records on site

1

Estimated percentage of dwellings exceeding the Radon Action Level. This data is the highest resolution radon dataset available for the UK and is produced to a 75m level of accuracy to allow for geological data accuracy and a 'residential property' buffer. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain. The data was derived from both geological assessments and long term measurements of radon in more than 479,000 households.

Features are displayed on the Radon map on **page 140**

Location	Estimated properties affected	Radon Protection Measures required
On site	Less than 1%	None**

This data is sourced from the British Geological Survey and Public Health England.



20 Soil chemistry

20.1 BGS Estimated Background Soil Chemistry

Records within 50m

2

The estimated values provide the likely background concentration of the potentially harmful elements Arsenic, Cadmium, Chromium, Lead and Nickel in topsoil. The values are estimated primarily from rural topsoil data collected at a sample density of approximately 1 per 2 km². In areas where rural soil samples are not available, estimation is based on stream sediment data collected from small streams at a sampling density of 1 per 2.5 km²; this is the case for most of Scotland, Wales and southern England. The stream sediment data are converted to soil-equivalent concentrations prior to the estimation.

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 - 25 mg/kg	No data	100 - 200 mg/kg	60 - 120 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
44m NW	25 - 35 mg/kg	No data	100 - 200 mg/kg	60 - 120 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 mg/kg

This data is sourced from the British Geological Survey.

20.2 BGS Estimated Urban Soil Chemistry

Records within 50m

6

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km²).

Location	Arsenic (mg/kg)	Bioaccessible Arsenic (mg/kg)	Lead (mg/kg)	Bioaccessible Lead (mg/kg)	Cadmium (mg/kg)	Chromium (mg/kg)	Copper (mg/kg)	Nickel (mg/kg)	Tin (mg/kg)
On site	18	3.2	59	41	0.3	61	46	25	7
On site	19	3.3	83	57	0.3	64	31	26	7
8m SW	18	3.2	57	39	0.3	63	42	26	7
9m SE	19	3.3	87	60	0.2	65	31	26	7
30m NW	17	3	60	41	0.3	58	49	24	6
30m NE	18	3.2	85	58	0.4	59	32	24	8



This data is sourced from the British Geological Survey.

20.3 BGS Measured Urban Soil Chemistry

Records within 50m


0

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km².

This data is sourced from the British Geological Survey.



21 Railway infrastructure and projects



- Site Outline
- Search buffers in metres (m)
- C1 Crossrail 1 Stations
- Crossrail 1 Route
- Crossrail 1 Worksites
- C2 Crossrail 2 Stations
- Crossrail 2 Route
- Crossrail 2 Worksites
- Crossrail 2 Safeguarding
- Crossrail 2 Headhouses
- Railway stations
- Active railways
- Active tunnels
- Abandoned railways
- Historic railways
- Historic tunnels
- Underground stations
- Underground Lines
- Royal Mail tunnels
- HS2 optimised route
- HS2 Stations
- HS2 Depots
- HS2 Surface Safeguarding
- HS2 Subsurface Safeguarding

21.1 Underground railways (London)

Records within 250m

0

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

This data is sourced from publicly available information by Groundsure.

21.2 Underground railways (Non-London)

Records within 250m

0

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.



This data is sourced from publicly available information by Groundsure.

21.3 Railway tunnels

Records within 250m

0

Railway tunnels taken from contemporary Ordnance Survey mapping.

This data is sourced from the Ordnance Survey.

21.4 Historical railway and tunnel features

Records within 250m

19

Railways and tunnels digitised from historical Ordnance Survey mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

Features are displayed on the Railway infrastructure and projects map on **page 143**

Location	Land Use	Year of mapping	Mapping scale
171m NW	Railway Sidings	1948	1250
171m NW	Railway Sidings	1963	1250
171m NW	Railway Sidings	1979	1250
205m NE	Railway Sidings	1893	2500
205m NE	Railway Sidings	1908	2500
205m NE	Railway Sidings	1922	2500
205m NE	Railway Sidings	1932	2500
206m NE	Railway	1922	-
210m NE	Railway	1932	-
217m N	Railway Sidings	1948	2500
217m N	Railway Sidings	1979	2500
218m NE	Railways	1893	-
229m N	Railway Sidings	1923	10560
233m N	Railway Sidings	1938	10560
233m N	Railway Sidings	1932	10560
233m N	Railway Sidings	1916	10560
233m N	Railway Sidings	1905	10560



Location	Land Use	Year of mapping	Mapping scale
244m N	Railway Sidings	1963	2500
248m NE	Tunnel	1932	2500

This data is sourced from Ordnance Survey/Groundsure.

21.5 Royal Mail tunnels

Records within 250m

0

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.

This data is sourced from Groundsure/the Postal Museum.

21.6 Historical railways

Records within 250m

0

Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed lines.

This data is sourced from OpenStreetMap.

21.7 Railways

Records within 250m

19

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways. Features are displayed on the Railway infrastructure and projects map on **page 143**

Location	Name	Type
213m NE		rail
216m NE		rail
217m NE	Not given	Multi Track
218m N		rail
218m N		rail
221m N		rail
221m N		rail



Location	Name	Type
222m N	Not given	Multi Track
222m N	Not given	Multi Track
224m N	Not given	Multi Track
226m N		rail
226m N		rail
228m N	Not given	Multi Track
233m N	Not given	Multi Track
245m N		light_rail
246m N	Not given	Multi Track
248m N		light_rail
248m N	Not given	Multi Track
249m N	Not given	Multi Track

This data is sourced from Ordnance Survey and OpenStreetMap.

21.8 Crossrail 1

Records within 500m

0

The Crossrail railway project links 41 stations over 100 kilometres from Reading and Heathrow in the west, through underground sections in central London, to Shenfield and Abbey Wood in the east.

This data is sourced from publicly available information by Groundsure.

21.9 Crossrail 2

Records within 500m

0

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London.

This data is sourced from publicly available information by Groundsure.



21.10 HS2

Records within 500m

0

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b (Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

This data is sourced from HS2 Ltd.



Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see <https://www.groundsure.com/sources-reference>.

Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: <https://www.groundsure.com/terms-and-conditions-jan-2020/>.



APPENDIX VII – HISTORICAL BGS BOREHOLES

APPENDIX VII – HISTORICAL BGS BOREHOLES

LEONARD FAIRCLOUGH, LIMITED

SITE INVESTIGATION DIVISION

Chapel Street, Adlington, Lancashire PR7 4JP

Telephone: ADLINGTON 264 & 471 Telex: 67510

BOREHOLE LOG SHEET

383166
397270

British Geological Survey

B.H. No. 6

British Geological Survey

Job. No. 72/147

British Geological Survey

Date 17th November 1972

Location Mancunian Way

Rig 10" Hollow Stem Auger

Client Hind, Woodhouse Partnership

Scale 1:50

Description	O.S.D.	Legend	Depth	Thickness	Sample	S.P.T. "N" Value	Water Levels
Fill				1.52			
Very dense to dense grey gravel with sand			1.52	2.14	1.52 1.98 3.05 3.50	28 43	
Brown stony clay			3.66	3.96	4.57 4.88 5.71 6.25	49	
Red sandstone			7.62 7.77	0.15	7.62 7.77	50 for 15mm	No water struck End of bore

Undisturbed Sample ☐

Disturbed Sample ☐

Water Sample ☐

Standard Penetration Test ☒