





St John's Globe and Simpson Materials Schedule

Material	Description	Size	Nos. of items	Supplier	Image	Link
Vehicle tarmac to loading bay				To engineer's details		
Natural stone paver type 1	Angola black granite, flamed finish	W:250mm x random length x D:75mm		Hardscape		https://hardscape.co.uk/select/materials/angola-black/
Natural stone paver type 2	Angola black / Azul plata granite, shotblasted	W:450mm x L: 900mm x D:75mm		Hardscape		https://hardscape.co.uk/select/materials/angola-black/ https://hardscape.co.uk/select/materials/azul-plata/
Natural stone paver type 3	Azul plata granite, flamed finish	W:250mm x random length x D:75mm		Hardscape		https://hardscape.co.uk/select/materials/azul-plata/
Natural stone type special	Angola black granite, flamed finish	W:200mm x L:300mm x D:75mm		Hardscape		https://hardscape.co.uk/select/materials/angola-black/
Granite Kerb	Azul plata granite, flamed finish	W:125mm x L:915mm x H:255mm		Hardscape		https://hardscape.co.uk/select/materials/azul-plata/
Granite transitional drop Kerb	Azul plata granite, flamed finish	W:125mm x L:915mm x H:255-100mm		Hardscape		https://hardscape.co.uk/select/materials/azul-plata/
Step nosing	Angola black granite, shotblasted	W:50mm x L:812mm x H:50mm		Hardscape		https://hardscape.co.uk/select/materials/angola-black/
Corduroy granite tactile paving	Angola black granite, shotblasted	W:400mm x L:400mm x H:75mm		Hardscape		https://hardscape.co.uk/select/materials/angola-black/

Self-compacting bins (General waste & Recycling)			2 x General Waste 2 x Recycling	To client's specification		
Semi dome top bollard	Galvanised steel powder coated black	1000H (above FGL) x 101.6Ømm	5	Bailey Street Scene		https://www.baileystreetscene.co.uk/semi-dome-top-stainless-steel-bollard
Fold down post	Galvanised steel powder coated black	620H (above FGL) x 63Ømm	6	Bailey Street Scene		https://www.baileystreetscene.co.uk/fold-down-parking-post
Stainless steel studs	Low dome	25mm diameter	19			
Door barriers	Galvanised steel powder coated black		11	Bailey Street Scene		https://www.baileystreetscene.co.uk/sheffield-door-barrier
Handrails to steps		1000mm above ground level, 50mm Ø	2	Logic		https://logic-bespoke.com/
In ground power supply			3	To M&E specification		
Drainage Gullies			5	To engineer's details, final locations subject to slab survey result		
Escofet column lighting	Single head Bali LED, carbon steel tube. Hot-dip galvanized Forge Black finish	Height to be confirmed by M&E engineer	4	To lighting consultant's specification		https://escofet.com/en/products/lighting/street-lamps/bali
In ground up-lighting			10	To M&E & lighting consultant's specification		

Cycle stands	SNS cycle stand, pinto finish	750 x 750mm. 50 x 50 x 6mm	10	Logic		https://logic-bespoke.com/
Cycleway demarcation studs	Stainless steel satin finish, 5mm low dome top. Cycleway etched infills	105mm diameter, 5mm dome	4	Landmark street furniture		https://landmarkstreetfurniture.com/wp-content/uploads/downloads/2025/09/LMDS01-09-001-1%2025mm%20spec%20chamfered%20etched.pdf
Digital advertising signage			3	Outdoor lcd digital unit forum model or equivalent to M&E specification		
Fairy lights to trees			lighting to 5 trees	Integrated power provision to M&E specification		
Free standing planter	Forkliftable planter, steel with pinto finish	H:960mm x 1600Ø	11	Logic		https://logic-bespoke.com/
Timber bench top	Opepe timber top, Metal base Integrated with existing vent extract	6635mm x 1675mm x 506mmH	2	Logic		https://logic-bespoke.com/
Arborraft cell system	Root protection system for in ground trees	Individual unit: 708x354x150mm	Rootcell system to 2 trees. Refer to manufacturer's information for individual unit numbers	Green-tech		https://www.green-tech.co.uk/hard-landscaping/abborraft-system/arborraft-urban-tree-planting-system
Tree surround	Powder coated black tree grille	Outer Ø1800mm inner Ø600mm	5	GreenBlue Urban		https://greenblue.com/gb/products/%e2%80%8b%e2%80%8bthames-tree-grille/