



Shauna McLoughlin
Earth Environmental & Geotechnical Ltd
Houldsworth Mill Business Centre
Houldsworth Street
Reddish
Stockport
Cheshire
SK5 6DA

Derwentside Environmental Testing Services Ltd
Unit 1
Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Kent
ME17 2JN
t: 01622 850410

DETS Report No: 22-07019

Site Reference: Old Market Street, Blackley

Project / Job Ref: A4932

Order No: A4932/SM

Sample Receipt Date: 17/08/2022

Sample Scheduled Date: 18/08/2022

Report Issue Number: 1

Reporting Date: 25/08/2022

Authorised by:

Dave Ashworth
Technical Manager

Dates of laboratory activities for each tested analyte are available upon request.

Opinions and interpretations are outside the laboratory's scope of ISO 17025 accreditation. This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.



DETS Ltd
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate						
DETS Report No: 22-07019	Date Sampled	12/08/22	12/08/22	15/08/22	15/08/22	15/08/22
Earth Environmental & Geotechnical Ltd	Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Site Reference: Old Market Street, Blackley	TP / BH No	BH2	BH2	BH1	TP1	TP2
Project / Job Ref: A4932	Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Order No: A4932/SM	Depth (m)	1.50	3.00	1.50	3.00	1.50
Reporting Date: 25/08/2022	DETS Sample No	609493	609494	609495	609496	609497

Determinand	Unit	RL	Accreditation	(n)				
Asbestos Screen ^(S)	N/a	N/a	ISO17025	Not Detected	Not Detected	Detected	Not Detected	Detected
Sample Matrix ^(S)	Material Type	N/a	NONE			NA		NA
Asbestos Type ^(S)	PLM Result	N/a	ISO17025			Chrysotile		Chrysotile
pH	pH Units	N/a	MCERTS	7.5	8.5	8.0	8.4	9.3
Total Cyanide	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	< 2
Complex Cyanide	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	< 2
Free Cyanide	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	< 2
Total Sulphate as SO ₄	mg/kg	< 200	MCERTS	614	9557	21300	402	15450
Total Sulphate as SO ₄	%	< 0.02	MCERTS	0.06	0.96	2.13	0.04	1.54
W/S Sulphate as SO ₄ (2:1)	mg/l	< 10	MCERTS	120	1540	1810	188	1400
W/S Sulphate as SO ₄ (2:1)	g/l	< 0.01	MCERTS	0.12	1.54	1.81	0.19	1.40
Sulphide	mg/kg	< 5	NONE	< 5	< 5	< 5	< 5	< 5
Organic Matter (SOM)	%	< 0.1	MCERTS	1.3	2	1.9	0.4	2.3
Arsenic (As)	mg/kg	< 2	MCERTS	7	14	14	7	11
Barium (Ba)	mg/kg	< 2.5	MCERTS	82	278	272	30	217
Beryllium (Be)	mg/kg	< 0.5	MCERTS	< 0.5	0.6	0.5	< 0.5	< 0.5
W/S Boron	mg/kg	< 1	NONE	< 1	1.1	1.6	< 1	1.3
Cadmium (Cd)	mg/kg	< 0.2	MCERTS	< 0.2	0.8	0.3	< 0.2	0.3
Chromium (Cr)	mg/kg	< 2	MCERTS	16	17	13	10	11
Chromium (hexavalent)	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	< 2
Copper (Cu)	mg/kg	< 4	MCERTS	17	28	22	16	23
Lead (Pb)	mg/kg	< 3	MCERTS	24	269	699	43	325
Mercury (Hg)	mg/kg	< 1	MCERTS	< 1	< 1	< 1	< 1	< 1
Nickel (Ni)	mg/kg	< 3	MCERTS	8	11	9	9	8
Selenium (Se)	mg/kg	< 2	MCERTS	< 3	< 3	< 3	< 3	< 3
Vanadium (V)	mg/kg	< 1	MCERTS	22	21	18	13	18
Zinc (Zn)	mg/kg	< 3	MCERTS	41	146	219	37	215
Total Phenols (monohydric)	mg/kg	< 2	NONE	< 2	< 2	< 2	< 2	< 2
EPH (C10 - C40)	mg/kg	< 6	MCERTS	11	132	130	< 6	258

Analytical results are expressed on a dry weight basis where samples are assisted-dried at less than 30°C. The Method Description page describes if the test is performed on the dried or as-received portion

Subcontracted analysis (S)

(n) Please note we are only MCERTS accredited (UK soils only) for sand, loam and clay and any other matrix is outside our scope of accreditation



DETS Ltd
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate						
DETS Report No: 22-07019	Date Sampled	15/08/22	15/08/22			
Earth Environmental & Geotechnical Ltd	Time Sampled	None Supplied	None Supplied			
Site Reference: Old Market Street, Blackley	TP / BH No	TP3	TP4			
Project / Job Ref: A4932	Additional Refs	None Supplied	None Supplied			
Order No: A4932/SM	Depth (m)	2.50	2.00			
Reporting Date: 25/08/2022	DETS Sample No	609498	609499			

Determinand	Unit	RL	Accreditation					
Asbestos Screen ^(S)	N/a	N/a	ISO17025	Not Detected	Not Detected			
Sample Matrix ^(S)	Material Type	N/a	NONE					
Asbestos Type ^(S)	PLM Result	N/a	ISO17025					
pH	pH Units	N/a	MCERTS	5.4	7.6			
Total Cyanide	mg/kg	< 2	NONE	< 2	< 2			
Complex Cyanide	mg/kg	< 2	NONE	< 2	< 2			
Free Cyanide	mg/kg	< 2	NONE	< 2	< 2			
Total Sulphate as SO ₄	mg/kg	< 200	MCERTS	< 200	< 200			
Total Sulphate as SO ₄	%	< 0.02	MCERTS	< 0.02	< 0.02			
W/S Sulphate as SO ₄ (2:1)	mg/l	< 10	MCERTS	30	16			
W/S Sulphate as SO ₄ (2:1)	g/l	< 0.01	MCERTS	0.03	0.02			
Sulphide	mg/kg	< 5	NONE	< 5	< 5			
Organic Matter (SOM)	%	< 0.1	MCERTS	0.3	0.5			
Arsenic (As)	mg/kg	< 2	MCERTS	3	< 2			
Barium (Ba)	mg/kg	< 2.5	MCERTS	10	20			
Beryllium (Be)	mg/kg	< 0.5	MCERTS	< 0.5	< 0.5			
W/S Boron	mg/kg	< 1	NONE	< 1	< 1			
Cadmium (Cd)	mg/kg	< 0.2	MCERTS	< 0.2	< 0.2			
Chromium (Cr)	mg/kg	< 2	MCERTS	5	3			
Chromium (hexavalent)	mg/kg	< 2	NONE	< 2	< 2			
Copper (Cu)	mg/kg	< 4	MCERTS	6	< 4			
Lead (Pb)	mg/kg	< 3	MCERTS	5	< 3			
Mercury (Hg)	mg/kg	< 1	MCERTS	< 1	< 1			
Nickel (Ni)	mg/kg	< 3	MCERTS	4	< 3			
Selenium (Se)	mg/kg	< 2	MCERTS	< 3	< 3			
Vanadium (V)	mg/kg	< 1	MCERTS	7	4			
Zinc (Zn)	mg/kg	< 3	MCERTS	16	10			
Total Phenols (monohydric)	mg/kg	< 2	NONE	< 2	< 2			
EPH (C10 - C40)	mg/kg	< 6	MCERTS	< 6	< 6			

Analytical results are expressed on a dry weight basis where samples are assisted-dried at less than 30°C. The Method Description page describes if the test is performed on the dried or as-received portion
 Subcontracted analysis (S)



DETS Ltd
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Speciated PAHs						
DETS Report No: 22-07019	Date Sampled	12/08/22	12/08/22	15/08/22	15/08/22	15/08/22
Earth Environmental & Geotechnical Ltd	Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Site Reference: Old Market Street, Blackley	TP / BH No	BH2	BH2	BH1	TP1	TP2
Project / Job Ref: A4932	Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Order No: A4932/SM	Depth (m)	1.50	3.00	1.50	3.00	1.50
Reporting Date: 25/08/2022	DETS Sample No	609493	609494	609495	609496	609497

Determinand	Unit	RL	Accreditation	(n)				
Naphthalene	mg/kg	< 0.1	MCERTS	< 0.1	0.35	< 0.1	< 0.1	0.18
Acenaphthylene	mg/kg	< 0.1	MCERTS	< 0.1	0.28	< 0.1	< 0.1	< 0.1
Acenaphthene	mg/kg	< 0.1	MCERTS	< 0.1	0.38	< 0.1	< 0.1	0.26
Fluorene	mg/kg	< 0.1	MCERTS	< 0.1	0.61	< 0.1	< 0.1	0.18
Phenanthrene	mg/kg	< 0.1	MCERTS	0.50	6.34	0.38	< 0.1	1.96
Anthracene	mg/kg	< 0.1	MCERTS	0.13	1.49	< 0.1	< 0.1	0.51
Fluoranthene	mg/kg	< 0.1	MCERTS	0.59	8.11	0.69	< 0.1	3.99
Pyrene	mg/kg	< 0.1	MCERTS	0.53	7.59	0.63	< 0.1	3.69
Benzo(a)anthracene	mg/kg	< 0.1	MCERTS	0.25	3.30	0.42	< 0.1	2.52
Chrysene	mg/kg	< 0.1	MCERTS	0.24	3.24	0.51	< 0.1	2.24
Benzo(b)fluoranthene	mg/kg	< 0.1	MCERTS	0.20	2.69	0.47	< 0.1	2.88
Benzo(k)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	1.08	0.19	< 0.1	0.81
Benzo(a)pyrene	mg/kg	< 0.1	MCERTS	0.22	2.83	0.39	< 0.1	2.63
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	1.33	0.28	< 0.1	1.53
Dibenz(a,h)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	0.38	< 0.1	< 0.1	0.39
Benzo(ghi)perylene	mg/kg	< 0.1	MCERTS	< 0.1	1.12	0.22	< 0.1	1.21
Total EPA-16 PAHs	mg/kg	< 1.6	MCERTS	2.7	41.1	4.2	< 1.6	25

(n) Please note we are only MCERTS accredited (UK soils only) for sand, loam and clay and any other matrix is outside our scope of accreditation



DETS Ltd
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Speciated PAHs						
DETS Report No: 22-07019	Date Sampled	15/08/22	15/08/22			
Earth Environmental & Geotechnical Ltd	Time Sampled	None Supplied	None Supplied			
Site Reference: Old Market Street, Blackley	TP / BH No	TP3	TP4			
Project / Job Ref: A4932	Additional Refs	None Supplied	None Supplied			
Order No: A4932/SM	Depth (m)	2.50	2.00			
Reporting Date: 25/08/2022	DETS Sample No	609498	609499			

Determinand	Unit	RL	Accreditation				
Naphthalene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Acenaphthylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Acenaphthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Fluorene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Phenanthrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Benzo(a)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Chrysene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Benzo(b)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Benzo(k)fluoranthene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Benzo(a)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Dibenz(a,h)anthracene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Benzo(ghi)perylene	mg/kg	< 0.1	MCERTS	< 0.1	< 0.1		
Total EPA-16 PAHs	mg/kg	< 1.6	MCERTS	< 1.6	< 1.6		



DETS Ltd
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - TPH CWG Banded

DETS Report No: 22-07019	Date Sampled	12/08/22	12/08/22	15/08/22	15/08/22	15/08/22
Earth Environmental & Geotechnical Ltd	Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Site Reference: Old Market Street, Blackley	TP / BH No	BH2	BH2	BH1	TP1	TP2
Project / Job Ref: A4932	Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Order No: A4932/SM	Depth (m)	1.50	3.00	1.50	3.00	1.50
Reporting Date: 25/08/2022	DETS Sample No	609493	609494	609495	609496	609497

Determinand	Unit	RL	Accreditation	(n)				
Aliphatic >C5 - C6	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aliphatic >C6 - C8	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Aliphatic >C8 - C10	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aliphatic >C10 - C12	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aliphatic >C12 - C16	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	< 3
Aliphatic >C16 - C21	mg/kg	< 3	MCERTS	< 3	< 3	< 3	< 3	3
Aliphatic >C21 - C34	mg/kg	< 10	MCERTS	< 10	< 10	18	< 10	29
Aliphatic (C5 - C34)	mg/kg	< 21	NONE	< 21	< 21	< 21	< 21	32
Aromatic >C5 - C7	mg/kg	< 0.01	NONE	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aromatic >C7 - C8	mg/kg	< 0.05	NONE	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Aromatic >C8 - C10	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aromatic >C10 - C12	mg/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Aromatic >C12 - C16	mg/kg	< 2	MCERTS	< 2	7	< 2	< 2	4
Aromatic >C16 - C21	mg/kg	< 3	MCERTS	< 3	45	< 3	< 3	25
Aromatic >C21 - C35	mg/kg	< 10	MCERTS	< 10	46	< 10	< 10	76
Aromatic (C5 - C35)	mg/kg	< 21	NONE	< 21	97	< 21	< 21	104
Total >C5 - C35	mg/kg	< 42	NONE	< 42	97	< 42	< 42	137

(n) Please note we are only MCERTS accredited (UK soils only) for sand, loam and clay and any other matrix is outside our scope of accreditation



DETS Ltd
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - TPH CWG Banded

DETS Report No: 22-07019	Date Sampled	15/08/22	15/08/22			
Earth Environmental & Geotechnical Ltd	Time Sampled	None Supplied	None Supplied			
Site Reference: Old Market Street, Blackley	TP / BH No	TP3	TP4			
Project / Job Ref: A4932	Additional Refs	None Supplied	None Supplied			
Order No: A4932/SM	Depth (m)	2.50	2.00			
Reporting Date: 25/08/2022	DETS Sample No	609498	609499			

Determinand	Unit	RL	Accreditation			
Aliphatic >C5 - C6	mg/kg	< 0.01	NONE	< 0.01	< 0.01	
Aliphatic >C6 - C8	mg/kg	< 0.05	NONE	< 0.05	< 0.05	
Aliphatic >C8 - C10	mg/kg	< 2	MCERTS	< 2	< 2	
Aliphatic >C10 - C12	mg/kg	< 2	MCERTS	< 2	< 2	
Aliphatic >C12 - C16	mg/kg	< 3	MCERTS	< 3	< 3	
Aliphatic >C16 - C21	mg/kg	< 3	MCERTS	< 3	< 3	
Aliphatic >C21 - C34	mg/kg	< 10	MCERTS	< 10	< 10	
Aliphatic (C5 - C34)	mg/kg	< 21	NONE	< 21	< 21	
Aromatic >C5 - C7	mg/kg	< 0.01	NONE	< 0.01	< 0.01	
Aromatic >C7 - C8	mg/kg	< 0.05	NONE	< 0.05	< 0.05	
Aromatic >C8 - C10	mg/kg	< 2	MCERTS	< 2	< 2	
Aromatic >C10 - C12	mg/kg	< 2	MCERTS	< 2	< 2	
Aromatic >C12 - C16	mg/kg	< 2	MCERTS	< 2	< 2	
Aromatic >C16 - C21	mg/kg	< 3	MCERTS	< 3	< 3	
Aromatic >C21 - C35	mg/kg	< 10	MCERTS	< 10	< 10	
Aromatic (C5 - C35)	mg/kg	< 21	NONE	< 21	< 21	
Total >C5 - C35	mg/kg	< 42	NONE	< 42	< 42	



DETS Ltd
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - BTEX / MTBE						
DETS Report No: 22-07019	Date Sampled	12/08/22	12/08/22	15/08/22	15/08/22	15/08/22
Earth Environmental & Geotechnical Ltd	Time Sampled	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Site Reference: Old Market Street, Blackley	TP / BH No	BH2	BH2	BH1	TP1	TP2
Project / Job Ref: A4932	Additional Refs	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Order No: A4932/SM	Depth (m)	1.50	3.00	1.50	3.00	1.50
Reporting Date: 25/08/2022	DETS Sample No	609493	609494	609495	609496	609497

Determinand	Unit	RL	Accreditation	(n)				
Benzene	ug/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
Toluene	ug/kg	< 5	MCERTS	< 5	< 5	< 5	< 5	< 5
Ethylbenzene	ug/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
p & m-xylene	ug/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
o-xylene	ug/kg	< 2	MCERTS	< 2	< 2	< 2	< 2	< 2
MTBE	ug/kg	< 5	MCERTS	< 5	< 5	< 5	< 5	< 5

(n) Please note we are only MCERTS accredited (UK soils only) for sand, loam and clay and any other matrix is outside our scope of accreditation



DETS Ltd
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - BTEX / MTBE						
DETS Report No: 22-07019	Date Sampled	15/08/22	15/08/22			
Earth Environmental & Geotechnical Ltd	Time Sampled	None Supplied	None Supplied			
Site Reference: Old Market Street, Blackley	TP / BH No	TP3	TP4			
Project / Job Ref: A4932	Additional Refs	None Supplied	None Supplied			
Order No: A4932/SM	Depth (m)	2.50	2.00			
Reporting Date: 25/08/2022	DETS Sample No	609498	609499			

Determinand	Unit	RL	Accreditation				
Benzene	ug/kg	< 2	MCERTS	< 2	< 2		
Toluene	ug/kg	< 5	MCERTS	< 5	< 5		
Ethylbenzene	ug/kg	< 2	MCERTS	< 2	< 2		
p & m-xylene	ug/kg	< 2	MCERTS	< 2	< 2		
o-xylene	ug/kg	< 2	MCERTS	< 2	< 2		
MTBE	ug/kg	< 5	MCERTS	< 5	< 5		



DETS Ltd
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Sample Descriptions

DETS Report No: 22-07019	
Earth Environmental & Geotechnical Ltd	
Site Reference: Old Market Street, Blackley	
Project / Job Ref: A4932	
Order No: A4932/SM	
Reporting Date: 25/08/2022	

DETS Sample No	TP / BH No	Additional Refs	Depth (m)	Moisture Content (%)	Sample Matrix Description
609493	BH2	None Supplied	1.50	15.4	Brown sandy clay
609494	BH2	None Supplied	3.00	14.1	Brown gravelly sand with stones and brick
609495	BH1	None Supplied	1.50	10	Brown gravelly sand with stones and concrete
609496	TP1	None Supplied	3.00	12.6	Brown sandy clay
609497	TP2	None Supplied	1.50	10.6	Brown sandy gravel with stones and concrete
609498	TP3	None Supplied	2.50	10.3	Brown sandy clay
609499	TP4	None Supplied	2.00	6.4	Brown sandy clay with stones

Moisture content is part of procedure E003 & is not an accredited test

Insufficient Sample ^{I/S}

Unsuitable Sample ^{U/S}



DETS Ltd
Unit 1, Rose Lane Industrial Estate
Rose Lane
Lenham Heath
Maidstone
Kent ME17 2JN
Tel : 01622 850410



Soil Analysis Certificate - Methodology & Miscellaneous Information

DETS Report No: 22-07019

Earth Environmental & Geotechnical Ltd

Site Reference: Old Market Street, Blackley

Project / Job Ref: A4932

Order No: A4932/SM

Reporting Date: 25/08/2022

Matrix	Analysed On	Determinand	Brief Method Description	Method No
Soil	D	Boron - Water Soluble	Determination of water soluble boron in soil by 2:1 hot water extract followed by ICP-OES	E012
Soil	AR	BTEX	Determination of BTEX by headspace GC-MS	E001
Soil	D	Cations	Determination of cations in soil by aqua-regia digestion followed by ICP-OES	E002
Soil	D	Chloride - Water Soluble (2:1)	Determination of chloride by extraction with water & analysed by ion chromatography	E009
Soil	AR	Chromium - Hexavalent	Determination of hexavalent chromium in soil by extraction in water then by acidification, addition of 1,5 diphenylcarbazide followed by colorimetry	E016
Soil	AR	Cyanide - Complex	Determination of complex cyanide by distillation followed by colorimetry	E015
Soil	AR	Cyanide - Free	Determination of free cyanide by distillation followed by colorimetry	E015
Soil	AR	Cyanide - Total	Determination of total cyanide by distillation followed by colorimetry	E015
Soil	D	Cyclohexane Extractable Matter (CEM)	Gravimetrically determined through extraction with cyclohexane	E011
Soil	AR	Diesel Range Organics (C10 - C24)	Determination of hexane/acetone extractable hydrocarbons by GC-FID	E004
Soil	AR	Electrical Conductivity	Determination of electrical conductivity by addition of saturated calcium sulphate followed by electrometric measurement	E022
Soil	AR	Electrical Conductivity	Determination of electrical conductivity by addition of water followed by electrometric measurement	E023
Soil	D	Elemental Sulphur	Determination of elemental sulphur by solvent extraction followed by GC-MS	E020
Soil	AR	EPH (C10 - C40)	Determination of acetone/hexane extractable hydrocarbons by GC-FID	E004
Soil	AR	EPH Product ID	Determination of acetone/hexane extractable hydrocarbons by GC-FID	E004
Soil	AR	EPH TEXAS (C6-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C40)	Determination of acetone/hexane extractable hydrocarbons by GC-FID for C8 to C40. C6 to C8 by headspace GC-MS	E004
Soil	D	Fluoride - Water Soluble	Determination of Fluoride by extraction with water & analysed by ion chromatography	E009
Soil	D	Fraction Organic Carbon (FOC)	Determination of TOC by combustion analyser.	E027
Soil	D	Organic Matter (SOM)	Determination of TOC by combustion analyser.	E027
Soil	D	TOC (Total Organic Carbon)	Determination of TOC by combustion analyser.	E027
Soil	AR	Exchangeable Ammonium	Determination of ammonium by discrete analyser.	E029
Soil	D	FOC (Fraction Organic Carbon)	Determination of fraction of organic carbon by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	D	Loss on Ignition @ 450oC	Determination of loss on ignition in soil by gravimetrically with the sample being ignited in a muffle furnace	E019
Soil	D	Magnesium - Water Soluble	Determination of water soluble magnesium by extraction with water followed by ICP-OES	E025
Soil	D	Metals	Determination of metals by aqua-regia digestion followed by ICP-OES	E002
Soil	AR	Mineral Oil (C10 - C40)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge	E004
Soil	AR	Moisture Content	Moisture content; determined gravimetrically	E003
Soil	D	Nitrate - Water Soluble (2:1)	Determination of nitrate by extraction with water & analysed by ion chromatography	E009
Soil	D	Organic Matter	Determination of organic matter by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	AR	PAH - Speciated (EPA 16)	Determination of PAH compounds by extraction in acetone and hexane followed by GC-MS with the use of surrogate and internal standards	E005
Soil	AR	PCB - 7 Congeners	Determination of PCB by extraction with acetone and hexane followed by GC-MS	E008
Soil	D	Petroleum Ether Extract (PEE)	Gravimetrically determined through extraction with petroleum ether	E011
Soil	AR	pH	Determination of pH by addition of water followed by electrometric measurement	E007
Soil	AR	Phenols - Total (monohydric)	Determination of phenols by distillation followed by colorimetry	E021
Soil	D	Phosphate - Water Soluble (2:1)	Determination of phosphate by extraction with water & analysed by ion chromatography	E009
Soil	D	Sulphate (as SO4) - Total	Determination of total sulphate by extraction with 10% HCl followed by ICP-OES	E013
Soil	D	Sulphate (as SO4) - Water Soluble (2:1)	Determination of sulphate by extraction with water & analysed by ion chromatography	E009
Soil	D	Sulphate (as SO4) - Water Soluble (2:1)	Determination of water soluble sulphate by extraction with water followed by ICP-OES	E014
Soil	AR	Sulphide	Determination of sulphide by distillation followed by colorimetry	E018
Soil	D	Sulphur - Total	Determination of total sulphur by extraction with aqua-regia followed by ICP-OES	E024
Soil	AR	SVOC	Determination of semi-volatile organic compounds by extraction in acetone and hexane followed by GC-MS	E006
Soil	AR	Thiocyanate (as SCN)	Determination of thiocyanate by extraction in caustic soda followed by acidification followed by addition of ferric nitrate followed by colorimetry	E017
Soil	D	Toluene Extractable Matter (TEM)	Gravimetrically determined through extraction with toluene	E011
Soil	D	Total Organic Carbon (TOC)	Determination of organic matter by oxidising with potassium dichromate followed by titration with iron (II) sulphate	E010
Soil	AR	TPH CWG (ali: C5- C6, C6-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C34, aro: C5-C7, C7-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C35)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge for C8 to C35. C5 to C8 by headspace GC-MS	E004
Soil	AR	TPH LQM (ali: C5-C6, C6-C8, C8-C10, C10-C12, C12-C16, C16-C35, C35-C44, aro: C5-C7, C7-C8, C8-C10, C10-C12, C12-C16, C16-C21, C21-C35, C35-C44)	Determination of hexane/acetone extractable hydrocarbons by GC-FID fractionating with SPE cartridge for C8 to C44. C5 to C8 by headspace GC-MS	E004
Soil	AR	VOCs	Determination of volatile organic compounds by headspace GC-MS	E001
Soil	AR	VPH (C6-C8 & C8-C10)	Determination of hydrocarbons C6-C8 by headspace GC-MS & C8-C10 by GC-FID	E001

D Dried
AR As Received