



Section A-A



Section B-B

Section C-C

NOTES

Notes continued from sheet 1 of 2

23. Where stud partition walls are running parallel to the floor joists, these should be supported on double joists.
24. The WC wastes to shower rooms on the ground and first floors to be connected to the existing drain pipe as shown. The soil pipe shall terminate 900mm above any window opening on that elevation.
25. The 38mm dia. shower waste and 32mm dia. WHB wastes, on ground and first floors, shall combine to 50mm dia. before discharging to new 100mm dia. Soil & vent pipe.
26. Foundations within 1.0 metre of drain pipe shall be taken down to invert level.
27. Any drains within the proposed walls shall be protectec by concrete lintol.
28. Any drain within the proposed building shall be protected by 150mm concrete.
28. First floor hall and landing area shall be fitted with smoke detection, to be hardwired and interlinked with battery back up. Smoke detection should be located no more than 7.5m from habitable rooms.

No	DATE	DRAWN	CHK'D	AMENDMENT

DRAWING STATUS
Planning

CLIENT Mr M. Shafique

PROJECT
14 Bankside Road, Didsbury,
Manchester M20 5GD

DRAWN A. Ul-Haq | CHKD AUH

TITLE
Proposed Double Storey Side Extension

Proposed Sections
Sheet 2 of 2

SCALE	DRAWING No	DATE	AMDT
1:50	2022/02/02	Aug 2022	

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 cm
FULL SIZE ON ORIGINAL

A1