

P1 - Block Paving Mix Type 1
(Permeable)



Option 1 Mix
Hydropave Duo Tegula - Bracken



Option 1 Mix
Hydropave Duo Tegula - Slate

P2 - Block Paving - Type 2
(Permeable)



Option 2 - P2: Type 2
Hydropave Duo Tegula - Slate

Decorative Gravel - 40mm



Decorative Gravel - 20mm - adjacent to facade where deeper build up
can't be achieved







THIS DRAWING IS COPYRIGHT PROTECTED AND MAY NOT BE
REPRODUCED IN WHOLE OR PART WITHOUT WRITTEN
AUTHORITY FROM THE OWNER.

- NOTES:**
1. Do not scale from this drawing.
 2. Always work to noted dimensions.
 3. All dimensions are in millimetres unless otherwise stated.
 4. All setting out, levels and dimensions to be agreed on site.
 5. The dimensions of all materials must be checked on site before being laid out.
 6. This drawing must be read with the relevant specification clauses and detail drawings.
 7. Order of construction and setting out to be agreed on site.

KEY

HARDWORKS

- P1  **Block Paving Mix Type 1 / Permeable**
Option 1 Mix 1d
60% Hydropave Duo Tegula - Bracken. Size: 173mm x 173mm x 60mmD, 208mm x 173mm x 60mmD, 40% Hydropave Duo Tegula - Slate. Size: 173mm x 173mm x 60mmD, 208mm x 173mm x 60mmD
Laid: Random stretcher bond
Joining: 6mm joints. Grid to BS EN7533-13:2009.
Units not to be cut to less than 1/3 of original size.
Refer to drawing VIC-PIE-AL-01-DR-L-10000 / 50000
Refer to NBS clause Q24/115
- P2  **Block Paving Type 2 / Permeable**
Option 2
Hydropave Duo Tegula - Slate
Size: 173mm x 173mm x 60mmD, 208mm x 173mm x 60mmD
Laid: Stretcher bond on radii as shown
Joining: 6mm joints. Grid to BS EN7533-13:2009.
Units not to be cut to less than 1/3 of original size.
Refer to drawing VIC-PIE-AL-01-DR-L-10000 / 50000
Refer to NBS clause Q24/115
- AG  **Artificial Grass**
Product: Flame Safe Artificial Grass
Size: 20mm thick, 5m rolls to avoid cut lines within area.
Supplier: Perfectly Green or similar approved
Installation to manufacturer's specification
Refer to drawing VIC-PIE-AL-01-DR-L-10000 / 50000
Refer to NBS clause Q26/350
- G  **Decorative Gravel Margin**
Product: Oyster Pearl Pebbles 40mm
Product for next to facade where depth is difficult to achieve Oyster Pearl Chippings 20mm
A blend of blue/gray, brown and cream. Water worn rounded pebbles.
Dimensions: min 50mm depth
Supplier: Offerton Sand and Gravel or similar and approved.
Sample to be submitted for approval by landscape architect prior to construction.
Refer to drawing VIC-PIE-AL-01-DR-L-10000 / 50000
Refer to NBS clause Q23
- S1  **Stepping Stones**
Material: Natural Stone - sandstone.
Size: approx. 500mmL x 300mmW x 80mmD.
Finish: Rough chopped sides with sawn top and bottom.
Supplier: Hardscape or similar and approved
- E  **Steel Edging**
Product: Stapel Raised Planter Edging & Velox Rapid Edge System
Material: Galvanised steel
Size: 3mm thick, 450-700mmH. Circular profile
Colour: Powder coated - 'Gold' - Interpon D2525 / 'Y1212' - Gold Pearl Matt Metallic
Colour sample to be submitted for landscape architect's approval.
50mm return to planting edge
Supplier: Logic Manufactured Bespoke
Refer to drawing VIC-PIE-AL-01-DR-L-30001 / 50001
Refer to NBS clause Q37/420

S4-C02	07.10.22	For construction	TF	AM
S3-P07	12.09.22	client confirmation on final material spec	AM	AM
S3-P06	25.08.22	Stage 3/4 redesign	JN	AM
S3-P05	03.08.22	Stage 3/4 redesign	JN	AM
S3-P04	14.04.22	Stage 3/4 redesign	TF	AM
S3-P03	25.02.22	Stage 3/4 redesign	TF/AM	AM
S4-C01	10.09.21	Construction Issue	TF	AM
S1-P02	21.07.21	Clay paving changed to tiles	TF	AM

Revision	Date	Description	Drawn	Apprvd.
----------	------	-------------	-------	---------

Planit I.E. Limited
E: info@planit-ie.com W: planit-ie.com
MANCHESTER
2 Back Grafton St., Altrincham, WA14 1DY
T: 0161 928 9281
LONDON
Unit 6 Waterside, 44-48 Wharf Road, London, N1 7UX
T: 0207 253 9678
LIVERPOOL
Tempest 5.3, 12 Tithebarn Street, Liverpool, L2 2DT
T: 0151 363 1230

Client Muse Developments

Project New Victoria

Drg Title Hardworks General Arrangement
Amenity Link

Created on 19/05/21 Created by TF Approved by AM

Scale 1:100 Size A1 Workstage Stage 5

Drg No. VIC-PIE-AL-01-DR-L-10000 Suitability S4 Revision C02