



EARTH ENVIRONMENTAL & GEOTECHNICAL
Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA
Tel: 0161 975 6088
Email: info@earthenvironmental.co.uk
Web: www.earthenvironmental.co.uk

TRIAL PIT LOG

Project Name: Mount Road, Gorton

Date: 4/8/22

Project No.: A4506

Client: Ozma Khan


Hole Number: SA1

Logged By: BG

Total Depth: 2.00m

Remarks:

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.10	MADE GROUND: Black sandy GRAVEL. Sand is fine to coarse. Gravel is fine to coarse subangular redbrick and sandstone.
	0.10-2.00	Stiff brown mottled grey slightly sandy CLAY. Sand is fine to coarse.

Trial pit terminated at 2.00m.

Trial pit stable.

Groundwater ingress at 1.80m.

ES = Environmental Sample, D= Geotechnical Sample, HP = Hand Penetrometer

Pictures:



Soakaway Pit 1: Overview of excavation



Soakaway Pit 1: Overview of excavated soils



EARTH ENVIRONMENTAL
& GEOTECHNICAL

EARTH ENVIRONMENTAL & GEOTECHNICAL
Houldsworth Mill Business & Arts Centre, Houldsworth Street,
Stockport, SK5 6DA
Tel: 0161 975 6088
Email: info@earthenvironmental.co.uk
Web: www.earthenvironmental.co.uk

TRIAL PIT LOG

Project Name: Mount Road, Gorton

Date: 4/8/22

Project No.: A4506

Client: Ozma Khan


Hole Number: SA2

Logged By: BG

Total Depth: 2.00m

Remarks:

Schematic Profile:



Legend	Depth (m)	Description
	0.00-0.15	MADE GROUND: Black sandy GRAVEL. Sand is fine to coarse. Gravel is fine to coarse subangular redbrick and sandstone.
	0.15-2.00	Stiff brown mottled grey slightly sandy CLAY. Sand is fine to coarse.

Trial pit terminated at 2.00m.

Trial pit stable.

Groundwater ingress at 1.80m.

ES = Environmental Sample, D= Geotechnical Sample, HP = Hand Penetrometer

Pictures:



Soakaway Pit 2: Overview of excavation



Soakaway Pit 2: Overview of excavated soils