

ID	Location	Company	Address	Activity	Category
3	217m NW	Telephone Exchange	Greater Manchester, M43	Telecommunications Features	Infrastructure and Facilities

This data is sourced from Ordnance Survey.

4.2 Current or recent petrol stations

Records within 500m

1

Open, closed, under development and obsolete petrol stations.

Features are displayed on the Current industrial land use map on **page 34**

ID	Location	Company	Address	LPG	Status
A	147m E	UNBRANDED	1559, Ashton Old Road, Openshaw, Manchester, Greater Manchester, M11 1GR	No	Open

This data is sourced from Experian.

4.3 Electricity cables

Records within 500m

0

High voltage underground electricity transmission cables.

This data is sourced from National Grid.

4.4 Gas pipelines

Records within 500m

0

High pressure underground gas transmission pipelines.

This data is sourced from National Grid.

4.5 Sites determined as Contaminated Land

Records within 500m

0

Contaminated Land Register of sites designated under Part 2a of the Environmental Protection Act 1990.

This data is sourced from Local Authority records.



4.6 Control of Major Accident Hazards (COMAH)

Records within 500m**0**

Control of Major Accident Hazards (COMAH) sites. This data includes upper and lower tier sites, and includes a historical archive of COMAH sites and Notification of Installations Handling Hazardous Substances (NIHHS) records.

This data is sourced from the Health and Safety Executive.

4.7 Regulated explosive sites

Records within 500m**0**

Sites registered and licensed by the Health and Safety Executive under the Manufacture and Storage of Explosives Regulations 2005 (MSER). The last update to this data was in April 2011.

This data is sourced from the Health and Safety Executive.

4.8 Hazardous substance storage/usage

Records within 500m**0**

Consents granted for a site to hold certain quantities of hazardous substances at or above defined limits in accordance with the Planning (Hazardous Substances) Regulations 2015.

This data is sourced from Local Authority records.

4.9 Historical licensed industrial activities (IPC)

Records within 500m**0**

Integrated Pollution Control (IPC) records of substance releases to air, land and water. This data represents a historical archive as the IPC regime has been superseded.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.10 Licensed industrial activities (Part A(1))

Records within 500m**0**

Records of Part A(1) installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

This data is sourced from the Environment Agency and Natural Resources Wales.



4.11 Licensed pollutant release (Part A(2)/B)

Records within 500m

1

Records of Part A(2) and Part B installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

Features are displayed on the Current industrial land use map on **page 34**

ID	Location	Address	Details	
A	149m E	St Anne's Service Station, 1559-1571 Ashton Old Road, Openshaw, M11 1GR	Process: Unloading of Petrol into Storage at Service Stations Status: Current Permit Permit Type: Part B	Enforcement: No Enforcement Notified Date of enforcement: No Enforcement Notified Comment: No Enforcement Notified

This data is sourced from Local Authority records.

4.12 Radioactive Substance Authorisations

Records within 500m

0

Records of the storage, use, accumulation and disposal of radioactive substances regulated under the Radioactive Substances Act 1993.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.13 Licensed Discharges to controlled waters

Records within 500m

12

Discharges of treated or untreated effluent to controlled waters under the Water Resources Act 1991.

Features are displayed on the Current industrial land use map on **page 34**

ID	Location	Address	Details	
A	211m E	ASHTON OLD RD MANSHAW ST CSO 281CD, ASHTON OLD ROAD, DROYLSDEN, MANCHESTER, GREATER MANCHESTER, M43 6TT	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: 01MAN0204 Permit Version: 1 Receiving Water: MOSS BROOK	Status: POST NRA LEGISLATION WHERE ISSUE DATE > 31-AUG-89 (HISTORIC ONLY) Issue date: - Effective Date: 01/01/1995 Revocation Date: 02/09/2010
A	211m E	ASHTON OLD RD MANSHAW ST CSO 281CD, ASHTON OLD ROAD, DROYLSDEN, MANCHESTER, GREATER MANCHESTER, M43 6TT	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: 01MAN0204 Permit Version: 2 Receiving Water: MOSS BROOK	Status: VARIED UNDER EPR 2010 Issue date: 03/09/2010 Effective Date: 03/09/2010 Revocation Date: 04/02/2016



ID	Location	Address	Details	
A	214m E	ASHTON OLD RD MANSHAW ST CSO 281CD, ASHTON OLD ROAD, DROYLSDEN, MANCHESTER, GREATER MANCHESTER, M43 6TT	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: 01MAN0204 Permit Version: 3 Receiving Water: MOSS BROOK	Status: VARIED UNDER EPR 2010 Issue date: 05/02/2016 Effective Date: 05/02/2016 Revocation Date: 10/04/2018
A	214m E	ASHTON OLD RD MANSHAW ST CSO 281CD, ASHTON OLD ROAD, DROYLSDEN, MANCHESTER, GREATER MANCHESTER, M43 6TT	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: 01MAN0204 Permit Version: 4 Receiving Water: MOSS BROOK	Status: VARIED UNDER EPR 2010 Issue date: 11/04/2018 Effective Date: 11/04/2018 Revocation Date: -
B	218m SE	HARTSHEAD CLOSE/MANSHAW ROAD CSO, 22 HARTSHEAD CLOSE, AUDENSHAW, MANCHESTER, GREATER MANCHESTER, M11 1HG	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: 01MAN0203 Permit Version: 1 Receiving Water: MOSS BROOK	Status: POST NRA LEGISLATION WHERE ISSUE DATE > 31-AUG-89 (HISTORIC ONLY) Issue date: - Effective Date: 01/01/1995 Revocation Date: 02/09/2010
B	218m SE	HARTSHEAD CLOSE/MANSHAW ROAD CSO, 22 HARTSHEAD CLOSE, AUDENSHAW, MANCHESTER, GREATER MANCHESTER, M11 1HG	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: 01MAN0203 Permit Version: 2 Receiving Water: MOSS BROOK	Status: VARIED UNDER EPR 2010 Issue date: 03/09/2010 Effective Date: 03/09/2010 Revocation Date: 04/02/2016
B	218m SE	HARTSHEAD CLOSE/MANSHAW ROAD CSO, 22 HARTSHEAD CLOSE, AUDENSHAW, MANCHESTER, GREATER MANCHESTER, M11 1HG	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: 01MAN0203 Permit Version: 3 Receiving Water: MOSS BROOK	Status: VARIED UNDER EPR 2010 Issue date: 05/02/2016 Effective Date: 05/02/2016 Revocation Date: 08/01/2020
B	224m E	HARTSHEAD CLOSE/MANSHAW ROAD CSO, 22 HARTSHEAD CLOSE, AUDENSHAW, MANCHESTER, GREATER MANCHESTER, M11 1HG	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: 01MAN0203 Permit Version: 4 Receiving Water: CULVERTED SECTION MOSS BROOK	Status: VARIED UNDER EPR 2010 Issue date: 09/01/2020 Effective Date: 09/01/2020 Revocation Date: -
5	250m SE	HOBSON ST/MANSHAW RD, MANCHESTER, GREATER MANCHESTER	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: 01MAN0210 Permit Version: 1 Receiving Water: MOSS BROOK	Status: REVOKED - UNSPECIFIED Issue date: - Effective Date: 01/01/1995 Revocation Date: 25/10/1995



ID	Location	Address	Details	
B	252m E	MANCHESTER RD/FAIRFIELD, STOCKPORT, GREATER MANCHESTER	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: 01TAM0058 Permit Version: 1 Receiving Water: GORE BROOK	Status: REVOKED - UNSPECIFIED Issue date: - Effective Date: 01/01/1995 Revocation Date: 25/10/1995
C	305m SE	MANSHAW ROAD CSO, OPPOSITE 16 MANSHAW ROAD, AUDENSHAW, MANCHESTER, GREATER MANCHESTER, M11 1HS	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: 016982836 Permit Version: 2 Receiving Water: MOSS BROOK VIA SWS	Status: VARIED UNDER EPR 2010 Issue date: 24/01/2020 Effective Date: 24/01/2020 Revocation Date: -
C	308m SE	MANSHAW ROAD CSO, OPPOSITE 16 MANSHAW ROAD, AUDENSHAW, MANCHESTER, GREATER MANCHESTER, M11 1HS	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: 016982836 Permit Version: 1 Receiving Water: MOSS BROOK	Status: POST NRA LEGISLATION WHERE ISSUE DATE > 31-AUG-89 (HISTORIC ONLY) Issue date: - Effective Date: 03/01/1995 Revocation Date: 23/01/2020

This data is sourced from the Environment Agency and Natural Resources Wales.

4.14 Pollutant release to surface waters (Red List)

Records within 500m

0

Discharges of specified substances under the Environmental Protection (Prescribed Processes and Substances) Regulations 1991.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.15 Pollutant release to public sewer

Records within 500m

0

Discharges of Special Category Effluents to the public sewer.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.16 List 1 Dangerous Substances

Records within 500m

0

Discharges of substances identified on List I of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.



4.17 List 2 Dangerous Substances

Records within 500m

0

Discharges of substances identified on List II of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.18 Pollution Incidents (EA/NRW)

Records within 500m

4

Records of substantiated pollution incidents. Since 2006 this data has only included category 1 (major) and 2 (significant) pollution incidents.

Features are displayed on the Current industrial land use map on **page 34**

ID	Location	Details	
4	227m NW	Incident Date: 19/04/2002 Incident Identification: 73072 Pollutant: Specific Waste Materials Pollutant Description: Asbestos	Water Impact: Category 4 (No Impact) Land Impact: Category 3 (Minor) Air Impact: Category 4 (No Impact)
D	311m S	Incident Date: 18/03/2002 Incident Identification: 64700 Pollutant: General Biodegradable Materials and Wastes:Specific Waste Materials Pollutant Description: Vegetable Cuttings and Deposits:Containers	Water Impact: Category 4 (No Impact) Land Impact: Category 3 (Minor) Air Impact: Category 3 (Minor)
D	311m S	Incident Date: 18/03/2002 Incident Identification: 64700 Pollutant: General Biodegradable Materials and Wastes Pollutant Description: Vegetable Cuttings and Deposits	Water Impact: Category 4 (No Impact) Land Impact: Category 3 (Minor) Air Impact: Category 3 (Minor)
D	311m S	Incident Date: 18/03/2002 Incident Identification: 64700 Pollutant: Specific Waste Materials Pollutant Description: Containers	Water Impact: Category 4 (No Impact) Land Impact: Category 3 (Minor) Air Impact: Category 3 (Minor)

This data is sourced from the Environment Agency and Natural Resources Wales.



4.19 Pollution inventory substances

Records within 500m**0**

The pollution inventory (substances) includes reporting on annual emissions of certain regulated substances to air, controlled waters and land. A reporting threshold for each substance is also included. Where emissions fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

4.20 Pollution inventory waste transfers

Records within 500m**0**

The pollution inventory (waste transfers) includes reporting on annual transfers and recovery/disposal of controlled wastes from a site. A reporting threshold for each waste type is also included. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

4.21 Pollution inventory radioactive waste


Records within 500m**0**

The pollution inventory (radioactive wastes) includes reporting on annual releases of radioactive substances from a site, including the means of release. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.



5 Hydrogeology - Superficial aquifer



- Site Outline
- Search buffers in metres (m)
- Principal
 - Secondary A
 - Secondary B
 - Secondary Undifferentiated
 - Unproductive
 - Unknown

5.1 Superficial aquifer

Records within 500m

2

Aquifer status of groundwater held within superficial geology.

Features are displayed on the Hydrogeology map on **page 42**


ID	Location	Designation	Description
1	On site	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
2	68m E	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type



This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



Bedrock aquifer



- Site Outline
- Search buffers in metres (m)
- Principal
 - Secondary A
 - Secondary B
 - Secondary Undifferentiated
 - Unproductive

5.2 Bedrock aquifer

Records within 500m

3

Aquifer status of groundwater held within bedrock geology.

Features are displayed on the Bedrock aquifer map on **page 44**

ID	Location	Designation	Description
1	On site	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers
2	68m E	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers





ID	Location	Designation	Description
3	445m SW	Secondary B	Predominantly lower permeability layers which may store/yield limited amounts of groundwater due to localised features such as fissures, thin permeable horizons and weathering. These are generally the water-bearing parts of the former non-aquifers

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



Groundwater vulnerability



5.3 Groundwater vulnerability

Records within 50m

1

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High - Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium - Intermediate between high and low vulnerability.
- Low - Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on **page 46**



ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	On site	Summary Classification: Secondary superficial aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: <40% Dilution value: 300- 550mm/year	Vulnerability: Low Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

5.4 Groundwater vulnerability- soluble rock risk

Records on site

0

This dataset identifies areas where solution features that enable rapid movement of a pollutant may be present within a 1km grid square.

This data is sourced from the British Geological Survey and the Environment Agency.

5.5 Groundwater vulnerability- local information

Records on site


0

This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on enquiries@environment-agency.gov.uk.

This data is sourced from the British Geological Survey and the Environment Agency.



Abstractions and Source Protection Zones



- Site Outline
- Search buffers in metres (m)
- Source Protection Zone 1
Inner catchment
- Source Protection Zone 2
Outer catchment
- Source Protection Zone 3
Total catchment
- Source Protection Zone 4
Zone of Special Interest
- Source Protection Zone 1c
Inner catchment - confined aquifer
- Source Protection Zone 2c
Outer catchment - confined aquifer
- Source Protection Zone 3c
Total catchment - confined aquifer
- Drinking water abstraction licences
Polygon features
- Drinking water abstraction licences
Linear features
- Groundwater abstraction licence (point)
- Groundwater abstraction licence (area)
- Groundwater abstraction licence (linear)
- Surface Water Abstractions (point)
- Surface Water Abstractions (area)
- Surface Water Abstractions (linear)

5.6 Groundwater abstractions

Records within 2000m

4

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on **page 48**



ID	Location	Details	
-	1183m SE	Status: Historical Licence No: NW/069/0013/001 Details: Spray Irrigation - Direct Direct Source: Ground Water - North West Region Point: DENTON GOLF CLUB BOREHOLE Data Type: Point Name: The Denton Golf Club Limited Easting: 390716 Northing: 396461	Annual Volume (m ³): 8000 Max Daily Volume (m ³): 127.4 Original Application No: - Original Start Date: 27/08/2009 Expiry Date: 31/03/2018 Issue No: 1 Version Start Date: 27/08/2009 Version End Date: -
-	1183m SE	Status: Active Licence No: NW/069/0013/001/R01 Details: Spray Irrigation - Direct Direct Source: Ground Water - North West Region Point: DENTON GOLF CLUB BOREHOLE Data Type: Point Name: The Denton Golf Club Limited Easting: 390716 Northing: 396461	Annual Volume (m ³): 8,000 Max Daily Volume (m ³): 127.40 Original Application No: NPS/WR/024169 Original Start Date: 01/04/2018 Expiry Date: 31/03/2030 Issue No: 1 Version Start Date: 01/04/2018 Version End Date: -
-	1930m W	Status: Historical Licence No: 2569006044 Details: Process Water Direct Source: Ground Water - North West Region Point: BOREHOLE AT PRESTON STREET, GORTON, MANCHESTER Data Type: Point Name: CEMEX UK MATERIALS LTD Easting: 388030 Northing: 396880	Annual Volume (m ³): 15000 Max Daily Volume (m ³): 115 Original Application No: - Original Start Date: 23/10/2003 Expiry Date: 31/03/2014 Issue No: 3 Version Start Date: 15/10/2007 Version End Date: -
-	1930m W	Status: Active Licence No: NW/069/0004/012 Details: Process Water Direct Source: Ground Water - North West Region Point: BOREHOLE AT PRESTON STREET, MANCHESTER Data Type: Point Name: Cemex UK Materials Limited Easting: 388030 Northing: 396880	Annual Volume (m ³): 7,500 Max Daily Volume (m ³): 72 Original Application No: NPS/WR/030760A Original Start Date: 19/06/2014 Expiry Date: 31/03/2027 Issue No: 2 Version Start Date: 21/12/2018 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.7 Surface water abstractions

Records within 2000m

2

Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.



Features are displayed on the Abstractions and Source Protection Zones map on **page 48**

ID	Location	Details	
A	624m SE	Status: Historical Licence No: 2569006039 Details: Spray Irrigation - Direct Direct Source: "Surface, Non-Tidal - North West Region" Point: "UPPER GORTON RESERVOIR, AUDENSHAW, MANCHESTER" Data Type: Point Name: FAIRFIELD GOLF AND SAILING CLUB Easting: 390450 Northing: 397000	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 20/11/1996 Expiry Date: - Issue No: 100 Version Start Date: 20/11/1996 Version End Date: -
A	624m SE	Status: Historical Licence No: 2569006039 Details: Spray Irrigation - Direct Direct Source: Surface, Non-Tidal - North West Region Point: UPPER GORTON RESERVOIR, AUDENSHAW, MANCHESTER Data Type: Point Name: FAIRFIELD GOLF AND SAILING CLUB Easting: 390450 Northing: 397000	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 20/11/1996 Expiry Date: - Issue No: 100 Version Start Date: 20/11/1996 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.8 Potable abstractions

Records within 2000m

0

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

This data is sourced from the Environment Agency and Natural Resources Wales.

5.9 Source Protection Zones

Records within 500m

0

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination.

This data is sourced from the Environment Agency and Natural Resources Wales.



5.10 Source Protection Zones (confined aquifer)

Records within 500m


0

Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.

This data is sourced from the Environment Agency and Natural Resources Wales.



6 Hydrology



- Site Outline
- Search buffers in metres (m)
- Water Network (OS MasterMap)
- Surface water features (wider than 5m)
- Surface water features (narrower than 5m)
- - - WFD River, canal and surface water transfer water bodies
- WFD Lake water bodies
- WFD Transitional and coastal water bodies
- - - WFD Surface water body catchments boundaries
- - - WFD Groundwater body boundaries

6.1 Water Network (OS MasterMap)

Records within 250m

0

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

This data is sourced from the Ordnance Survey.

6.2 Surface water features

Records within 250m

0

Covering rivers, streams and lakes (some overlap with OS MasterMap Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.



This data is sourced from the Ordnance Survey.

6.3 WFD Surface water body catchments

Records on site

1

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.

Features are displayed on the Hydrology map on **page 52**

ID	Location	Type	Water body catchment	Water body ID	Operational catchment	Management catchment
2	On site	River	Irwell / Manchester Ship Canal (Irk to confluence with Upper Mers	GB112069061452	Croal Irwell	Irwell

This data is sourced from the Environment Agency and Natural Resources Wales.

6.4 WFD Surface water bodies

Records identified

1

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on **page 52**

ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
-	6253m W	River	Irwell / Manchester Ship Canal (Irk to confluence with Upper Mers	GB112069061452	Moderate	Fail	Moderate	2019

This data is sourced from the Environment Agency and Natural Resources Wales.

