

Public Open Space (Parks) - 6% SOM Sandy Loam																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Use MRL Values?																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Constituent	Unit	Limit of Detection	Generic Assessment Criteria	Number of Samples	Minimum Value	Maximum Value	Number of Exceedances	Locations of Exceedances	Location																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
									Sample ID	Depth	BH1	BH1	BH1	TP2	TP2	TP2	DCP1	DCP2	DCP3	DCP4	TP1	BH2	BH2	BH2	BH2	BH2	BH2	BH1	BH1	BH1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
											Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
										01/03/2022	01/03/2022	01/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022	02/03/2022

[illegible]

Assessment Criteria :		Freshwater EQS												
CaCO (mg/l):		0.00	pH		0.00									
Calcium (mg/l):		0.00	DOC (mg/l)		0.00	Catchment area:		Anglesey						
Constituents	Unit	Limit of Detection	Generic Assessment Criteria	Number of Samples	Minimum Value	Maximum Value	Number of Exceedences	Locations of Exceedences	Location					
									Sample ID		BH1	BH1	DCP1	TP2
									Depth		0.20m	0.20m	0.20m	0.5m
									Date		01-Mar-22	07-Mar-22	04-Mar-22	02-Mar-22
									Strata	Zone	Made Ground	Made Ground	Made Ground	Made Ground
pH	pH	0.01	6-9	4	6.96	8.02	0				8.02	7.73	7.24	6.96
Ammoniacal nitrogen as N	mg/l	0.02	0.2	4	<0.02	0.03	0				<0.02	<0.02	0.03	<0.02
Sulphate	mg/l	1	400	4	2.75	18.11	0				6.06	2.75	11.74	18.11
Cyanide (free)	mg/l	0.005	0.001	4	<0.005	<0.005	0				<0.005	<0.005	<0.005	<0.005
Cyanide (total)	mg/l	0.005	N/A	4	<0.005	<0.005	0				<0.005	<0.005	<0.005	<0.005
Antimony	mg/l	0.001	N/A	4	0.002	0.006	0				0.005	0.002	0.006	0.005
Arsenic	mg/l	0.001	0.05	4	0.012	0.022	0				0.022	0.018	0.012	0.02
Boron	mg/l	0.01	2	4	<0.01	0.014	0				0.013	<0.01	0.012	0.014
Cadmium	mg/l	0.001	0.00008	4	<0.001	<0.001	0				<0.001	<0.001	<0.001	<0.001
Copper	mg/l	0.001	0.001	4	0.044	0.094	4	BH1, 0.20m, 01-Mar-22, Made Ground; BH1, 0.20m, 07-Mar-22, Made Ground; DCP1, 0.20m, 04-Mar-22, Made Ground; TP2, 0.5m, 02-Mar-22, Made Ground			0.044	0.057	0.094	0.048
Chromium	mg/l	0.001	See Cr VI as first pass	4	0.001	0.004	0				0.002	0.001	<0.001	0.004
Lead	mg/l	0.001	0.0012	4	0.053	0.096	4	BH1, 0.20m, 01-Mar-22, Made Ground; BH1, 0.20m, 07-Mar-22, Made Ground; DCP1, 0.20m, 04-Mar-22, Made Ground; TP2, 0.5m, 02-Mar-22, Made Ground			0.053	0.078	0.096	0.069
Magnesium	mg/l	1	N/A	4	1	1	0				<1	<1	1	<1
Mercury	mg/l	0.0001	0.00007	4	0.0001	0.0001	1	TP2, 0.5m, 02-Mar-22, Made Ground			<0.0001	<0.0001	<0.0001	0.0001
Nickel	mg/l	0.001	0.004	4	0.002	0.012	1	DCP1, 0.20m, 04-Mar-22, Made Ground			0.003	0.004	0.012	0.002
Selenium	mg/l	0.001	N/A	4	<0.001	<0.001	0				<0.001	<0.001	<0.001	<0.001
Vanadium	mg/l	0.001	0.02	4	0.005	0.01	0				0.01	0.009	0.005	0.01
Zinc	mg/l	0.001	0.0139	4	0.033	0.104	4	BH1, 0.20m, 01-Mar-22, Made Ground; BH1, 0.20m, 07-Mar-22, Made Ground; DCP1, 0.20m, 04-Mar-22, Made Ground; TP2, 0.5m, 02-Mar-22, Made Ground			0.033	0.057	0.104	0.066
Acenaphthene	mg/l	0.00002	Screen BaP only	4	0.00002	0.00486	0				0.00486	0.00013	0.00002	0.0023
Acenaphthylene	mg/l	0.00002	Screen BaP only	4	<0.00002	0.00009	0				0.00009	<0.00002	<0.00002	0.00009
Anthracene	mg/l	0.00002	0.0001	4	<0.00002	0.00168	2	BH1, 0.20m, 01-Mar-22, Made Ground; TP2, 0.5m, 02-Mar-22, Made Ground			0.00168	0.00008	<0.00002	0.00047
Benzo(a)anthracene	mg/l	0.00002	Screen BaP only	4	<0.00002	0.00169	0				0.00169	0.00062	<0.00002	0.00042
Benzo(a)pyrene	mg/l	0.00002	0.00000017	4	<0.00002	0.00075	3	BH1, 0.20m, 01-Mar-22, Made Ground; BH1, 0.20m, 07-Mar-22, Made Ground; TP2, 0.5m, 02-Mar-22, Made Ground			0.00075	0.00032	<0.00002	0.00018
Benzo(b)fluoranthene	mg/l	0.00002	Screen BaP only	4	<0.00002	0.00087	0				0.00087	0.00041	<0.00002	0.00022
Benzo(ghi)perylene	mg/l	0.00002	Screen BaP only	4	<0.00002	0.00047	0				0.00047	0.00039	<0.00002	0.0001
Benzo(k)fluoranthene	mg/l	0.00002	Screen BaP only	4	<0.00002	0.00037	0				0.00037	0.00015	<0.00002	0.00007
Chrysene	mg/l	0.00002	Screen BaP only	4	<0.00002	0.00166	0				0.00166	0.00074	<0.00002	0.00047
Dibenzo(ah)anthracene	mg/l	0.00002	No WSV	4	<0.00002	0.00008	0				0.00008	0.00004	<0.00002	<0.00002
Fluoranthene	mg/l	0.00002	0.0000063	4	<0.00002	0.01056	3	BH1, 0.20m, 01-Mar-22, Made Ground; BH1, 0.20m, 07-Mar-22, Made Ground; TP2, 0.5m, 02-Mar-22, Made Ground			0.01056	0.00282	<0.00002	0.0021
Fluorene	mg/l	0.00002	N/A	4	<0.00002	0.00109	0				0.00109	0.00003	<0.00002	0.00081
Indeno(123-cd)pyrene	mg/l	0.00002	Screen BaP only	4	<0.00002	0.00049	0				0.00049	0.00032	<0.00002	0.00011
Naphthalene	mg/l	0.00002	0.002	4	<0.00002	0.00006	0				<0.00002	<0.00002	0.00006	<0.00002
Phenanthrene	mg/l	0.00002	Screen BaP only	4	0.00005	0.0021	0				0.00111	0.00013	0.00005	0.0021
Pyrene	mg/l	0.00002	N/A	4	<0.00002	0.00809	0				0.00809	0.00182	<0.00002	0.00162
Total PAH 16MS	mg/l	0.00002	No WSV	4	0.00013	0.0339	0				0.0339	0.008	0.00013	0.0111



Assessment Criteria :		Drinking Water Standard England and Wales/WHO													
CaCO (mg/l):		0.00	pH		0.00										
Calcium (mg/l):		0.00	DOC (mg/l)		0.00	Catchment area:		Anglesey							
Constituents	Unit	Limit of Detection	Generic Assessment Criteria	Number of Samples	Minimum Value	Maximum Value	Number of Exceedences	Locations of Exceedences	Location						
									Sample ID		BH1	BH1	DCP1	TP2	
									Depth		0.20m	0.20m	0.20m	0.5m	
									Date		01-Mar-22	07-Mar-22	04-Mar-22	02-Mar-22	
									Strata	Zone	Made Ground	Made Ground	Made Ground	Made Ground	
pH	pH	0.01	6.5-9.5	4	6.96	8.02	0				8.02	7.73	7.24	6.96	
Ammoniacal nitrogen as N	mg/l	0.02	0.39	4	<0.02	0.03	0				<0.02	<0.02	0.03	<0.02	
Sulphate	mg/l	1	250	4	2.75	18.11	0				6.06	2.75	11.74	18.11	
Cyanide (free)	mg/l	0.005	See Cyanide (total)	4	<0.005	<0.005	0				<0.005	<0.005	<0.005	<0.005	
Cyanide (total)	mg/l	0.005	0.05	4	<0.005	<0.005	0				<0.005	<0.005	<0.005	<0.005	
Antimony	mg/l	0.001	0.005	4	0.002	0.006	1	DCP1, 0.20m, 04-Mar-22, Made Ground			0.005	0.002	0.006	0.005	
Arsenic	mg/l	0.001	0.01	4	0.012	0.022	4	BH1, 0.20m, 01-Mar-22, Made Ground; BH1, 0.20m, 07-Mar-22, Made Ground; DCP1, 0.20m, 04-Mar-22, Made Ground; TP2, 0.5m, 02-Mar-22, Made Ground			0.022	0.018	0.012	0.02	
Boron	mg/l	0.01	1	4	<0.01	0.014	0				0.013	<0.01	0.012	0.014	
Cadmium	mg/l	0.001	0.005	4	<0.001	<0.001	0				<0.001	<0.001	<0.001	<0.001	
Copper	mg/l	0.001	2	4	0.044	0.094	0				0.044	0.057	0.094	0.048	
Chromium	mg/l	0.001	0.05	4	0.001	0.004	0				0.002	0.001	<0.001	0.004	
Lead	mg/l	0.001	0.01	4	0.053	0.096	4	BH1, 0.20m, 01-Mar-22, Made Ground; BH1, 0.20m, 07-Mar-22, Made Ground; DCP1, 0.20m, 04-Mar-22, Made Ground; TP2, 0.5m, 02-Mar-22, Made Ground			0.053	0.078	0.096	0.069	
Magnesium	mg/l	1	N/A	4	1	1	0				<1	<1	1	<1	
Mercury	mg/l	0.0001	0.001	4	0.0001	0.0001	0				<0.0001	<0.0001	<0.0001	0.0001	
Nickel	mg/l	0.001	0.02	4	0.002	0.012	0				0.003	0.004	0.012	0.002	
Selenium	mg/l	0.001	0.01	4	<0.001	<0.001	0				<0.001	<0.001	<0.001	<0.001	
Vanadium	mg/l	0.001	N/A	4	0.005	0.01	0				0.01	0.009	0.005	0.01	
Zinc	mg/l	0.001	3	4	0.033	0.104	0				0.033	0.057	0.104	0.066	
Acenaphthene	mg/l	0.00002	See BaP	4	0.00002	0.00486	0				0.00486	0.00013	0.00002	0.0023	
Acenaphthylene	mg/l	0.00002	See BaP	4	<0.00002	0.00009	0				0.00009	<0.00002	<0.00002	0.00009	
Anthracene	mg/l	0.00002	See BaP	4	<0.00002	0.00168	0				0.00168	0.00008	<0.00002	0.00047	
Benzo(a)anthracene	mg/l	0.00002	See BaP	4	<0.00002	0.00169	0				0.00169	0.00062	<0.00002	0.00042	
Benzo(a)pyrene	mg/l	0.00002	0.00001	4	<0.00002	0.00075	3	BH1, 0.20m, 01-Mar-22, Made Ground; BH1, 0.20m, 07-Mar-22, Made Ground; TP2, 0.5m, 02-Mar-22, Made Ground			0.00075	0.00032	<0.00002	0.00018	
Benzo(b)fluoranthene	mg/l	0.00002	See PAH Sum of 4	4	<0.00002	0.00087	0				0.00087	0.00041	<0.00002	0.00022	
Benzo(ghi)perylene	mg/l	0.00002	See PAH Sum of 4	4	<0.00002	0.00047	0				0.00047	0.00039	<0.00002	0.0001	
Benzo(k)fluoranthene	mg/l	0.00002	See PAH Sum of 4	4	<0.00002	0.00037	0				0.00037	0.00015	<0.00002	0.00007	
Chrysene	mg/l	0.00002	See BaP	4	<0.00002	0.00166	0				0.00166	0.00074	<0.00002	0.00047	
Dibenzo(ah)anthracene	mg/l	0.00002	No WSV	4	<0.00002	0.00008	0				0.00008	0.00004	<0.00002	<0.00002	
Fluoranthene	mg/l	0.00002	See BaP	4	<0.00002	0.01056	0				0.01056	0.00282	<0.00002	0.0021	
Fluorene	mg/l	0.00002	See BaP	4	<0.00002	0.00109	0				0.00109	0.00003	<0.00002	0.00081	
Indeno(123-cd)pyrene	mg/l	0.00002	See PAH Sum of 4	4	<0.00002	0.00049	0				0.00049	0.00032	<0.00002	0.00011	
Naphthalene	mg/l	0.00002	See BaP	4	<0.00002	0.00006	0				<0.00002	<0.00002	0.00006	<0.00002	
Phenanthrene	mg/l	0.00002	See BaP	4	0.00005	0.0021	0				0.00111	0.00013	0.00005	0.0021	
Pyrene	mg/l	0.00002	See BaP	4	<0.00002	0.00809	0				0.00809	0.00182	<0.00002	0.00162	
Total PAH 16MS	mg/l	0.00002	No WSV	4	0.00013	0.0339	0				0.0339	0.008	0.00013	0.0111	

Site Name	Clayton Vale
Location	Clayton Vale
Site ID	
Job Number	
Date	9/14/2022
User Name	Anuj.Singh@atkinsglobal.com
Company Name	Atkins

Hole ID	Sample Depth	Hazardous Waste Y/N	HP1	HP2	HP3	HP4	HP5	HP6	HP7	HP8	HP9
TP2	0.20 m	Y	No	No	No	No	No	No	Yes	Yes	No
TP2	0.50 m	Y	No	No	No	No	No	No	Yes	No	No
TP2	1.00 m	Y	No	No	No	No	No	No	Yes	No	No
DCP1	0.20 m	N	No	No	No	No	No	No	No	No	No
DCP2	0.50 m	N	No	No	No	No	No	No	No	No	No
DCP3	1.00 m	N	No	No	No	No	No	No	No	No	No
DCP4	0.50 m	Y	No	No	No	No	No	No	Yes	No	No
TP1	0.50 m	N	No	No	No	No	No	No	No	No	No
W1-CLAYTON-BH2	0.20 m	Y	No	No	No	No	No	No	Yes	No	No
W1-CLAYTON-BH2	0.50 m	Y	No	No	No	No	No	No	Yes	No	No
W1-CLAYTON-BH2	1.00 m	N	No	No	No	No	No	No	No	No	No
W1-CLAYTON-BH2	1.60 m	N	No	No	No	No	No	No	No	No	No
W1-CLAYTON-BH2	2.40 m	Y	No	No	No	No	No	No	Yes	No	No
W1-CLAYTON-BH2	6.40 m	Y	No	No	No	No	No	No	Yes	No	No
W1-CLAYTON-BH2	10.20 m	N	No	No	No	No	No	No	No	No	No
BH1	0.20 m	Y	No	No	No	No	No	No	Yes	No	No
BH1	0.50 m	Y	No	No	No	No	No	No	Yes	No	No
BH1	1.00 m	Y	No	No	No	No	No	No	Yes	No	No
BH1- Mar	0.20 m	Y	No	No	No	No	No	No	Yes	No	No
BH1- Mar	2.00 m	N	No	No	No	No	No	No	No	No	No
BH1- Mar	5.00 m	N	No	No	No	No	No	No	No	No	No

Site Name	Clayton Vale
Location	Clayton Vale
Site ID	
Job Number	
Date	9/14/2022
User Name	Anuj.Singh@atkinsglobal.com
Company Name	Atkins

Hole ID	Sample Depth	Hazardous Waste Y/N	HP10	HP11	HP12	HP13	HP14	HP15	HP16
TP2	0.20 m	Y	No	Yes	No	No	No	No	No
TP2	0.50 m	Y	No	Yes	No	No	No	No	No
TP2	1.00 m	Y	No	Yes	No	No	No	No	No
DCP1	0.20 m	N	No	No	No	No	No	No	No
DCP2	0.50 m	N	No	No	No	No	No	No	No
DCP3	1.00 m	N	No	No	No	No	No	No	No
DCP4	0.50 m	Y	No	Yes	No	No	No	No	No
TP1	0.50 m	N	No	No	No	No	No	No	No
W1-CLAYTON-BH2	0.20 m	Y	No	Yes	No	No	No	No	No
W1-CLAYTON-BH2	0.50 m	Y	No	Yes	No	No	No	No	No
W1-CLAYTON-BH2	1.00 m	N	No	No	No	No	No	No	No
W1-CLAYTON-BH2	1.60 m	N	No	No	No	No	No	No	No
W1-CLAYTON-BH2	2.40 m	Y	No	Yes	No	No	No	No	No
W1-CLAYTON-BH2	6.40 m	Y	No	Yes	No	No	No	No	No
W1-CLAYTON-BH2	10.20 m	N	No	No	No	No	No	No	No
BH1	0.20 m	Y	No	Yes	No	No	No	No	No
BH1	0.50 m	Y	No	Yes	No	No	No	No	No
BH1	1.00 m	Y	No	Yes	No	No	No	No	No
BH1- Mar	0.20 m	Y	No	Yes	No	No	No	No	No
BH1- Mar	2.00 m	N	No	No	No	No	No	No	No
BH1- Mar	5.00 m	N	No	No	No	No	No	No	No