



ATKINSON STREET

BYROM STREET




Netting to be secured to scaffold structure using manufacturers fixings at 500mm c/c horizontally by 1000mm c/c vertically in accordance with manufacturers details

TYPICAL CLADDING DETAIL
scale 1:50




Indicative fixing locations

RISK - CLADDING BLOWING FREE
Control Measure: Cladding materials for scaffolding are prone to blowing free due to limited capacity of fixings so install cladding on inside of uprights ensuring safer install and less risk of large sheets blowing free and causing hazards external to the site





Horizontal ranch boarding to be secured to scaffold structure using single coupler fixings uprights horizontally by 500mm c/c vertically.

TYPICAL RANCH BOARDING DETAIL
scale 1:50



18mm ply installed to ranch boarding



HOOK TIE DETAIL
scale 1:50

HIGHER LEVEL PLAN
scale 1:100

2 no. 12 mm bolts installed at indicated locations

HIGHER LEVEL PLAN
scale 1:100

QUAY STREET

DOCUMENT REFERENCES

This design is to be read in conjunction with the following design drawings and/or documents:
CRE-MOTION-001-001_REPORT
APPENDIX A - CRE-MOTION-001-001_1,2,3,4.dwg

AMENDMENTS / REVISIONS

REV	BY	DATE	CHECK	DATE	APPD	DATE
-	SKE	12.07.22	KRB	12.07.22		

Checked By:



FOR APPROVAL

Project Number	Rev	Scale	Sheet
CRE-MOTION-001-001	2	1 : 50,25	A1

Checked By:

ACCESS SCAFFOLD
MANCHESTER OPERA HOUSE
QUAY STREET
M3 3HP

Checked By:

SEE QUOTE
CREATOR
SCAFFOLD DESIGNS
& TEMPORARY WORKS CONSULTANTS LTD
Access Address:
Manchester House, Fallowfield Road,
Fallowfield, M20 2PH
Contact Details:
Email: info@creator-scaffold.co.uk
Tel: 0161 261 0566
www.creator-scaffold.co.uk