

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %	
		TYPE	USE	NOTES	%	%		%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
PRINCESS HOUSE																			
F00	R1	RESIDENTIAL	LKD		W1/F00	4.2	2	2.2	52.4%	96.1	62	8.5	35.5%	6	6	2	2	66.7%	66.7%
			LKD		W2/F00	10.6	3.4	7.2	67.9%					19	13	7	3	63.2%	76.9%
	R2 (3)	RESIDENTIAL	LKD		W3/F00	15.5	4.2	11.3	72.9%	57.5	36.9	6.1	35.9%	37	13	14	2	62.2%	84.6%
			LKD		W4/F00	16.4	3.9	12.5	76.2%					38	13	11	1	71.1%	92.3%
	R3	RESIDENTIAL	BEDROOM		W5/F00	21.9	7.6	14.3	65.3%	68.1	33.3	4.3	51.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W6/F00	20.2	5.8	14.4	71.3%	43.7	10.1	4.3	76.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W7/F00	23.1	8.4	14.7	63.6%	87.6	31.9	6.0	63.6%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W9/F00	8.8	4.3	4.5	51.1%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	LKD		W8/F00	10	1	9	90.0%	99.5	39.2	11.1	60.6%	22	9	4	0	81.8%	100.0%
			LKD		W10/F00	6	0	6	100.0%					10	9	0	0	100.0%	100.0%
			LKD		W11/F00	13.2	2	11.2	84.8%					30	10	5	0	83.3%	100.0%
			LKD		W12/F00	18.6	4.7	13.9	74.7%					38	12	7	0	81.6%	100.0%
			LKD		W13/F00	20.4	6.5	13.9	68.1%					41	12	9	0	78.0%	100.0%
			LKD		W14/F00	19.8	6.5	13.3	67.2%					42	12	10	0	76.2%	100.0%
			LKD		W15/F00	17.5	5.9	11.6	66.3%					40	11	10	0	75.0%	100.0%
			LKD		W16/F00	14.3	5.5	8.8	61.5%					34	10	5	0	85.3%	100.0%
			LKD		W17/F00	11.6	5.8	5.8	50.0%					26	8	4	0	84.6%	100.0%
			LKD		W18/F00	9.3	6	3.3	35.5%					22	8	4	0	81.8%	100.0%
			LKD		W19/F00	7.9	5.4	2.5	31.6%					20	7	4	0	80.0%	100.0%
F01	R1	RESIDENTIAL	LKD		W1/F01	27.8	27.7	0.1	0.4%	99.9	92.6	2.5	7.4%	59	15	15	4	100%	100%
			LKD		W2/F01	26.4	14.8	11.6	43.9%					61	15	33	3	45.9%	80.0%
			LKD		W3/F01	26.5	13.7	12.8	48.3%					57	14	30	4	47.4%	71.4%
			LKD		W4/F01	26.6	13.2	13.4	50.4%					58	15	30	4	48.3%	73.3%
			LKD		W5/F01	26.6	12.8	13.8	51.9%					57	14	29	3	49.1%	78.6%
	R2 (3)	RESIDENTIAL	LKD		W6/F01	26.5	11.8	14.7	55.5%	58.2	34.9	7.4	40.0%	58	14	29	2	50.0%	85.7%
			LKD		W7/F01	26.5	11.4	15.1	57.0%					58	14	26	1	55.2%	92.9%
			LKD		W8/F01	26.4	11.1	15.3	58.0%					57	14	25	1	56.1%	92.9%
	R3	RESIDENTIAL	BEDROOM		W9/F01	26.3	10.9	15.4	58.6%	93.1	51.9	5.4	44.2%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W10/F01	26.2	10.5	15.7	59.9%					N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W13/F01	11	5	6	54.5%					N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W11/F01	21.5	6.5	15	69.8%	49.7	10.8	5.0	78.2%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R5	RESIDENTIAL	BEDROOM		W12/F01	24.8	9.4	15.4	62.1%	90.4	32.4	6.2	64.1%	N/A	N/A	N/A	N/A	N/A	N/A
PRINCESS HOUSE (CONTINUED)																			
			BEDROOM		W15/F01	10	5.4	4.6	46.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	LKD		W14/F01	11	15	9.5	86.4%	99.6	42.6	10.5	57.2%	25	10	6	0	76.0%	100.0%
			LKD		W16/F01	6.8	0	6.8	100.0%					14	10	1	0	92.9%	100.0%
			LKD		W17/F01	14.3	2.6	11.7	81.8%					33	11	7	0	78.8%	100.0%
			LKD		W18/F01	19.9	5.4	14.5	72.9%					41	13	10	0	75.6%	100.0%
			LKD		W19/F01	21.8	7.4	14.4	66.1%					45	13	13	0	71.1%	100.0%
			LKD		W20/F01	21.3	7.5	13.8	64.8%					45	13	13	0	71.1%	100.0%
			LKD		W21/F01	19	7.1	11.9	62.6%					43	12	12	0	72.1%	100.0%
			LKD		W22/F01	15.9	6.8	9.1	57.2%					37	11	7	0	81.1%	100.0%
			LKD		W23/F01	13.2	7.1	6.1	46.2%					29	9	6	0	79.3%	100.0%
			LKD		W24/F01	10.8	7.4	3.4	31.5%					25	9	6	0	76.0%	100.0%
			LKD		W25/F01	9.3	6.7	2.6	28.0%					23	8	8	0	65.2%	100.0%
F02	R1	RESIDENTIAL	LKD		W1/F02	30.2	30.1	0.1	0.3%	100	95.7	14	4.3%	63	4	23	4	0.0%	0.0%
			LKD		W2/F02	28.2	16.3	11.9	42.2%					64	16	35	3	45.3%	81.3%
			LKD		W3/F02	28.3	15.1	13.2	46.6%					63	15	35	4	44.4%	73.3%
			LKD		W4/F02	28.4	14.6	13.8	48.6%					65	16	36	4	44.6%	75.0%
			LKD		W5/F02	28.3	14.1	14.2	50.2%					65	15	37	3	43.1%	80.0%
	R2 (3)	RESIDENTIAL	LKD		W6/F02	28.2	13.1	15.1	53.5%	54.1	30.6	7.0	43.4%	65	15	35	2	46.2%	86.7%
			LKD		W7/F02	28.2	12.6	15.6	55.3%					63	15	30	1	52.4%	93.3%
	R3	RESIDENTIAL	BEDROOM		W8/F02	28	12.1	15.9	56.8%	95	53.7	5.8	43.5%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W9/F02	27.9	11.7	16.2	58.1%					N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W12/F02	12	5.9	6.1	50.8%					N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W10/F02	20.3	4.9	15.4	75.9%	66.3	14.7	6.6	77.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W11/F02	26.3	10.4	15.9	60.5%	97.5	37.9	6.4	61.1%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W14/F02	10.4	5.7	4.7	45.2%					N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W19/F02	6.9	2.5	4.4	63.8%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	LKD		W13/F02	12	2	10	83.3%	99.8	47.3	9.7	52.6%	28	10	10	0	64.3%	100.0%
			LKD		W15/F02	7.7	0.2	7.5	97.4%					15	10	1	0	93.3%	100.0%
			LKD		W16/F02	15.4	3.2	12.2	79.2%					36	11	11	0	69.4%	100.0%
			LKD		W17/F02	21.1	6.3	14.8	70.1%					44	13	14	0	68.2%	100.0%

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
			LKD		W18/F02	23.2	8.3	14.9	64.2%					48	14	17	1	64.6%	92.9%
			LKD		W20/F02	22.9	8.7	14.2	62.0%					49	14	18	1	63.3%	92.9%
PRINCESS HOUSE (CONTINUED)																			
			LKD		W21/F02	20.8	8.4	12.4	59.6%					47	13	18	1	61.7%	92.3%
			LKD		W22/F02	17.7	8.3	9.4	53.1%					39	11	11	0	71.8%	100.0%
			LKD		W23/F02	15	8.8	6.2	41.3%					31	9	10	0	67.7%	100.0%
			LKD		W24/F02	12.6	9.1	3.5	27.8%					26	9	9	0	65.4%	100.0%
			LKD		W25/F02	11	8.3	2.7	24.5%					24	8	10	0	58.3%	100.0%
F03	R1	RESIDENTIAL	LKD		W1/F03	32.6	32.6	0	0.0%	100	97.4	0.9	2.6%						
			LKD		W2/F03	30.1	17.8	12.3	40.9%					69	17	41	3	40.6%	82.4%
			LKD		W3/F03	30	16.5	13.5	45.0%					71	17	44	4	38.0%	76.5%
			LKD		W4/F03	30	16	14	46.7%					70	17	43	4	38.6%	76.5%
			LKD		W5/F03	30	15.5	14.5	48.3%					69	16	42	3	39.1%	81.3%
	R2 (3)	RESIDENTIAL	LKD		W6/F03	29.8	14.4	15.4	51.7%	55.7	31	7.4	44.3%	69	16	39	2	43.5%	87.5%
			LKD		W7/F03	29.7	13.9	15.8	53.2%					69	16	36	1	47.8%	93.8%
	R3	RESIDENTIAL	BEDROOM		W8/F03	29.6	13.4	16.2	54.7%	95.4	54.5	5.7	42.9%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W9/F03	29.5	13	16.5	55.9%					N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W12/F03	13.1	6.9	6.2	47.3%					N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W10/F03	21.3	5.6	15.7	73.7%	73.3	15.8	7.4	78.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W11/F03	27.7	11.5	16.2	58.5%	99.4	42	6.2	57.7%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W14/F03	11.9	7.2	4.7	39.5%					N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W19/F03	8.1	3.6	4.5	55.6%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	LKD		W13/F03	13	2.6	10.4	80.0%	99.8	53.6	8.5	46.3%	31	10	12	0	61.3%	100.0%
			LKD		W15/F03	8.7	0.5	8.2	94.3%					18	12	2	0	88.9%	100.0%
			LKD		W16/F03	16.5	3.9	12.6	76.4%					39	11	15	0	61.5%	100.0%
			LKD		W17/F03	22.3	7.2	15.1	67.7%					48	14	18	0	62.5%	100.0%
			LKD		W18/F03	24.6	9.5	15.1	61.4%					52	15	21	1	59.6%	93.3%
			LKD		W20/F03	24.6	10.1	14.5	58.9%					54	15	23	1	57.4%	93.3%
			LKD		W21/F03	22.7	10.1	12.6	55.5%					52	14	23	1	55.8%	92.9%
			LKD		W22/F03	19.8	10.1	9.7	49.0%					44	13	16	0	63.6%	100.0%
			LKD		W23/F03	17.3	10.8	6.5	37.6%					35	10	14	0	60.0%	100.0%
			LKD		W24/F03	14.8	11.1	3.7	25.0%					30	10	13	0	56.7%	100.0%

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX	PR	LOSS	LOSS	EX	PR	LOSS	LOSS	EX		PR		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
			LKD		W25/F03	13.1	10.3	2.8	21.4%					27	8	14	0	48.1%	100.0%
F04	R1	RESIDENTIAL	LKD		W1/F04	34.7	34.7	0	0.0%	100	97.4	0.9	2.6%	31	4	31	4	0.0%	0.0%
			LKD		W2/F04	31.7	19.2	12.5	39.4%					74	19	49	4	33.8%	78.9%
PRINCESS HOUSE (CONTINUED)																			
			LKD		W3/F04	31.6	17.8	13.8	43.7%					74	19	49	6	33.8%	68.4%
			LKD		W4/F04	31.5	17.3	14.2	45.1%					74	19	48	6	35.1%	68.4%
			LKD		W5/F04	31.5	16.8	14.7	46.7%					73	17	47	4	35.6%	76.5%
	R2 (3)	RESIDENTIAL	LKD		W6/F04	31.3	15.7	15.6	49.8%	58.6	31.9	8.0	45.5%	73	17	45	3	38.4%	82.4%
			LKD		W7/F04	31.3	15.3	16	51.1%					73	17	42	2	42.5%	88.2%
	R3	RESIDENTIAL	BEDROOM		W8/F04	31.1	14.8	16.3	52.4%	95.6	55.3	5.7	42.2%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W9/F04	31	14.4	16.6	53.5%					N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W12/F04	14.2	8	6.2	43.7%					N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W10/F04	22.3	6.5	15.8	70.9%	84.1	16.8	8.6	80.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W11/F04	29.1	12.8	16.3	56.0%	99.9	46.9	5.7	53.1%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W14/F04	12.2	7.5	4.7	38.5%					N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W19/F04	7.1	2.6	4.5	63.4%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	LKD		W13/F04	12.3	2.1	10.2	82.9%	99.9	61.7	7.1	38.2%	35	15	14	0	60.0%	100.0%
			LKD		W15/F04	4	0	4	100.0%					8	8	0	0	100.0%	100.0%
			LKD		W16/F04	16.4	3.8	12.6	76.8%					43	16	17	0	60.5%	100.0%
			LKD		W17/F04	23.3	8	15.3	65.7%					53	18	22	0	58.5%	100.0%
			LKD		W18/F04	26.1	10.7	15.4	59.0%					58	19	27	2	53.4%	89.5%
			LKD		W20/F04	26.4	11.6	14.8	56.1%					61	19	30	2	50.8%	89.5%
			LKD		W21/F04	24.9	12	12.9	51.8%					60	18	30	2	50.0%	88.9%
			LKD		W22/F04	22.2	12.3	9.9	44.6%					51	15	22	0	56.9%	100.0%
			LKD		W23/F04	19.8	13.1	6.7	33.8%					42	12	20	0	52.4%	100.0%
			LKD		W24/F04	17.4	13.5	3.9	22.4%					37	12	19	0	48.6%	100.0%
			LKD		W25/F04	15.5	12.5	3	19.4%					34	10	19	0	44.1%	100.0%
F05	R1	RESIDENTIAL	LKD		W1/F05	36.4	36.4	0	0.0%	100	80	6.7	19.9%	31	5	34	5	0.0%	0.0%
			LKD		W2/F05	33	19	14	42.4%					80	22	55	7	31.3%	68.2%
	R2 (3)	RESIDENTIAL	LKD		W3/F05	32.7	16.9	15.8	48.3%	76	33.7	12.6	55.7%	80	23	51	6	36.3%	73.9%
	R3	RESIDENTIAL	BEDROOM		W4/F05	32.5	16	16.5	50.8%	99.7	54	6.4	45.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W5/F05	26.9	10.9	16	59.5%	97.5	21.4	9.7	78.1%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R5	RESIDENTIAL	BEDROOM		W6/F05	30.6	14.2	16.4	53.6%	99.1	58.2	4.4	41.3%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W8/F05	9.4	4.6	4.8	51.1%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	LKD		W7/F05	12.5	2.4	10.1	80.8%	99.9	72.9	5.0	27.1%	33	16	12	0	63.6%	100.0%
			LKD		W9/F05	2.7	0	2.7	100.0%					4	4	0	0	100.0%	100.0%
PRINCESS HOUSE (CONTINUED)																			
			LKD		W10/F05	16.9	4.3	12.6	74.6%					47	17	21	0	55.3%	100.0%
			LKD		W11/F05	24.2	8.8	15.4	63.6%					57	19	25	0	56.1%	100.0%
			LKD		W12/F05	27.3	11.8	15.5	56.8%					64	21	31	2	51.6%	90.5%
			LKD		W13/F05	28.1	13.1	15	53.4%					67	21	34	2	49.3%	90.5%
			LKD		W14/F05	27	13.9	13.1	48.5%					67	20	36	3	46.3%	85.0%
			LKD		W15/F05	24.6	14.5	10.1	41.1%					58	17	28	1	51.7%	94.1%
			LKD		W16/F05	22.4	15.5	6.9	30.8%					49	14	26	1	46.9%	92.9%
			LKD		W17/F05	19.9	15.9	4	20.1%					44	14	25	1	43.2%	92.9%
			LKD		W18/F05	17.9	14.8	3.1	17.3%					41	12	26	1	36.6%	91.7%
F06	R1	RESIDENTIAL	LKD		W1/F06	37.4	37.4	0	0.0%	100	80.1	6.7	19.9%						
			LKD		W2/F06	34	20	14	41.2%					81	25	56	9	30.9%	64.0%
	R2 (3)	RESIDENTIAL	LKD		W3/F06	33.7	18	15.7	46.6%	79	33.9	13.4	57.0%	83	25	55	7	33.7%	72.0%
	R3	RESIDENTIAL	BEDROOM		W4/F06	33.5	17.1	16.4	49.0%	99.7	54.6	6.3	45.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W5/F06	27.5	11.6	15.9	57.8%	97.5	23.1	9.5	76.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W6/F06	31.5	15.1	16.4	52.1%	99.3	59.5	4.3	40.1%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W8/F06	10.6	5.8	4.8	45.3%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	LKD		W7/F06	13.4	3	10.4	77.6%	99.9	84.7	2.8	15.2%	35	17	14	0	60.0%	100.0%
			LKD		W9/F06	3.2	0	3.2	100.0%					5	5	0	0	100.0%	100.0%
			LKD		W10/F06	17.9	5.1	12.8	71.5%					48	17	23	0	52.1%	100.0%
			LKD		W11/F06	25.2	9.8	15.4	61.1%					58	19	30	0	48.3%	100.0%
			LKD		W12/F06	28.4	12.9	15.5	54.6%					65	21	36	2	44.6%	90.5%
			LKD		W13/F06	29.5	14.5	15	50.8%					69	21	39	2	43.5%	90.5%
			LKD		W14/F06	28.8	15.6	13.2	45.8%					68	20	40	3	41.2%	85.0%
			LKD		W15/F06	26.7	16.5	10.2	38.2%					60	18	32	1	46.7%	94.4%
			LKD		W16/F06	24.6	17.5	7.1	28.9%					51	15	30	1	41.2%	93.3%
			LKD		W17/F06	22	17.9	4.1	18.6%					46	15	29	2	37.0%	86.7%
			LKD		W18/F06	19.8	16.6	3.2	16.2%					43	13	29	2	32.6%	84.6%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F07	R1	RESIDENTIAL	LKD		W1/F07	38	38	0	0.0%	100	80.1	6.7	19.9%	3		35	7	0.0%	0.0%
			LKD		W2/F07	34.6	20.7	13.9	40.2%					81	25	59	9	27.2%	64.0%
	R2 (3)	RESIDENTIAL	LKD		W3/F07	34.3	18.8	15.5	45.2%	82.8	34.4	14.5	58.5%	82	26	55	8	32.9%	69.2%
	R3	RESIDENTIAL	BEDROOM		W4/F07	34.2	17.9	16.3	47.7%	99.7	55.4	6.2	44.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W5/F07	27.4	11.7	15.7	57.3%	97.5	24.8	9.3	74.5%	N/A	N/A	N/A	N/A	N/A	N/A
PRINCESS HOUSE (CONTINUED)																			
	R5	RESIDENTIAL	BEDROOM		W6/F07	31.7	15.5	16.2	51.1%	99.3	60.4	4.2	39.1%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W8/F07	12.1	7.3	4.8	39.7%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	LKD		W7/F07	14.3	3.7	10.6	74.1%	99.9	98.2	0.3	1.7%	36	18	16	2	55.6%	88.9%
			LKD		W9/F07	4	0.2	3.8	95.0%					5	5	0	0	100.0%	100.0%
			LKD		W10/F07	18.9	6.1	12.8	67.7%					50	19	26	2	48.0%	89.5%
			LKD		W11/F07	25.5	10.3	15.2	59.6%					59	21	31	2	47.5%	90.5%
			LKD		W12/F07	28.8	13.5	15.3	53.1%					66	23	37	4	43.9%	82.6%
			LKD		W13/F07	30.4	15.5	14.9	49.0%					70	23	41	4	41.4%	82.6%
			LKD		W14/F07	30.2	17	13.2	43.7%					69	21	42	3	39.1%	85.7%
			LKD		W15/F07	28.4	18.1	10.3	36.3%					62	19	35	1	43.5%	94.7%
			LKD		W16/F07	26.1	19	7.1	27.2%					54	17	32	1	40.7%	94.1%
			LKD		W17/F07	23.2	19	4.2	18.1%					49	17	31	2	36.7%	88.2%
			LKD		W18/F07	20.7	17.5	3.2	15.5%					46	15	32	2	30.4%	86.7%
F08	R1	RESIDENTIAL	LKD		W1/F08	29.3	29.3	0	0.0%	99.9	79.8	6.7	20.1%			35		0.0%	0.0%
			LKD		W2/F08	27.1	13.4	13.7	50.6%					57	25	35	9	38.6%	64.0%
	R2 (3)	RESIDENTIAL	LKD		W3/F08	26.9	11.7	15.2	56.5%	83.2	33	15.0	60.4%	57	26	31	8	45.6%	69.2%
	R3	RESIDENTIAL	BEDROOM		W4/F08	26.8	10.9	15.9	59.3%	98.1	52.4	6.4	46.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W5/F08	21	6	15	71.4%	96.9	19.8	9.9	79.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W6/F08	25.7	9.8	15.9	61.9%	98.9	61.5	4.0	37.8%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W8/F08	14.9	10.8	4.1	27.5%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	LKD		W7/F08	14.7	5.4	9.3	63.3%	99.9	99.9	0.0	0.0%	33	17	18	3	45.5%	82.4%
			LKD		W9/F08	8.3	0.4	7.9	95.2%					14	14	1	1	92.9%	92.9%
			LKD		W10/F08	18.6	7	11.6	62.4%					43	20	23	3	46.5%	85.0%
			LKD		W11/F08	20.8	6.3	14.5	69.7%					40	22	16	3	60.0%	86.4%
			LKD		W12/F08	24.6	9.5	15.1	61.4%					54	23	29	4	46.3%	82.6%
			LKD		W13/F08	25.8	11.1	14.7	57.0%					62	23	37	4	40.3%	82.6%

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
			LKD		W14/F08	25.2	12.2	13	51.6%					60	23	36	5	40.0%	78.3%
			LKD		W15/F08	23.3	13.2	10.1	43.3%					53	20	30	2	43.4%	90.0%
			LKD		W16/F08	21.3	14.2	7.1	33.3%					45	18	27	2	40.0%	88.9%
			LKD		W17/F08	18.5	14.3	4.2	22.7%					40	17	26	3	35.0%	82.4%
			LKD		W18/F08	14.3	11.4	2.9	20.3%					31	12	22	3	29.0%	75.0%
F09	R1	RESIDENTIAL	UNKNOWN		W1/F09	24.6	24.6	0	0.0%	99	99	0.0	0.0%	10		10	0	100%	100%
PRINCESS HOUSE (CONTINUED)																			
			UNKNOWN		W2/F09	21	12.6	8.4	40.0%					44	16	31	6	29.5%	62.5%
			UNKNOWN		W3/F09	33.8	19.1	14.7	43.5%					77	26	55	9	28.6%	65.4%
	R2	RESIDENTIAL	UNKNOWN		W4/F09	32.3	16.9	15.4	47.7%	98.9	70.7	4.9	28.5%	77	26	53	8	31.2%	69.2%
			UNKNOWN		W6/F09	13.3	7.7	5.6	42.1%					31	19	15	5	51.6%	73.7%
	R3	RESIDENTIAL	UNKNOWN		W5/F09	20.2	5.8	14.4	71.3%	99.4	97.9	1.0	1.5%	41	23	20	6	51.2%	73.9%
			UNKNOWN		W7/F09	17.7	8	9.7	54.8%					40	20	26	6	35.0%	70.0%
			UNKNOWN		W8/F09	14.2	10.5	3.7	26.1%					33	17	22	6	33.3%	64.7%
			UNKNOWN		W9/F09	21.1	18.2	2.9	13.7%					41	17	30	6	26.8%	64.7%
F10	R1	RESIDENTIAL	UNKNOWN		W1/F10	11.1	11.1	0	0.0%	98	97.4	0.2	0.6%	10	0	10	0	0.0%	0.0%
			UNKNOWN		W2/F10	9.2	5	4.2	45.7%					11	9	7	5	36.4%	44.4%
			UNKNOWN		W3/F10	19	6.1	12.9	67.9%					29	23	11	6	62.1%	73.9%
	R2	RESIDENTIAL	UNKNOWN		W4/F10	14.6	3.9	10.7	73.3%	93.2	68.2	4.3	26.8%	19	18	5	4	73.7%	77.8%
			UNKNOWN		W6/F10	3	0.7	2.3	76.7%					5	5	1	1	80.0%	80.0%
	R3	RESIDENTIAL	UNKNOWN		W5/F10	8.1	11	7	86.4%	99.5	92.7	4.8	6.8%	10	10	3	3	70.0%	70.0%
			UNKNOWN		W7/F10	10	2	8	80.0%					14	14	3	3	78.6%	78.6%
			UNKNOWN		W8/F10	4.2	2.4	1.8	42.9%					5	5	3	3	40.0%	40.0%
			UNKNOWN		W9/F10	10.6	8.3	2.3	21.7%					21	11	14	4	33.3%	63.6%
MONTANA HOUSE																			
F01	R1	RESIDENTIAL	UNKNOWN		W1/F01	10.1	10	0.1	1.0%	24.2	24.2	0.0	0.3%	14	2	12	0	14.3%	100.0%
			UNKNOWN		W2/F01	10.1	10	0.1	1.0%					14	2	12	0	14.3%	100.0%
	R2	RESIDENTIAL	UNKNOWN		W3/F01	2.5	2.2	0.3	12.0%	16.8	11.9	0.8	28.9%	6	1	5	0	16.7%	100.0%
			UNKNOWN		W4/F01	2.5	2.2	0.3	12.0%					6	1	5	0	16.7%	100.0%
			UNKNOWN		W5/F01	3.4	3.4	0	0.0%					12	0	12	0	0.0%	0.0%
F02	R1	RESIDENTIAL	UNKNOWN		W1/F02	11.2	11.1	0.1	0.9%	26.5	26.3	0.0	0.7%	16	2	15	1	6.3%	50.0%

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R2	RESIDENTIAL	UNKNOWN		W2/F02	3.4	3	0.4	11.8%	20.3	14.1	1.0	30.5%	7	1	6	0	14.3%	100.0%
			UNKNOWN		W3/F02	3.7	3.7	0	0.0%					14	0	14	0	0.0%	0.0%
F03	R1	RESIDENTIAL	UNKNOWN		W1/F03	12.4	12.3	0.1	0.8%	29.6	29.2	0.1	1.4%	20	3	18	1	10.0%	66.7%
	R2	RESIDENTIAL	UNKNOWN		W2/F03	4.6	4.1	0.5	10.9%	25.3	17.4	1.2	31.1%	9	2	8	1	11.1%	50.0%
			UNKNOWN		W3/F03	4.1	4.1	0	0.0%					16	0	16	0	0.0%	0.0%
F04	R1	RESIDENTIAL	UNKNOWN		W1/F04	13.8	13.7	0.1	0.7%	33.6	33.1	0.1	1.3%	20	3	18	1	10.0%	66.7%
	R2	RESIDENTIAL	UNKNOWN		W2/F04	5.8	5.2	0.6	10.3%	31.6	22.1	1.5	30.1%	11	2	10	1	9.1%	50.0%
MONTANA HOUSE (CONTINUED)																			
			UNKNOWN		W3/F04	4.5	4.5	0	0.0%					20	1	20	1	0.0%	0.0%
F05	R1	RESIDENTIAL	UNKNOWN		W1/F05	15.4	15.3	0.1	0.6%	38.2	37.8	0.1	11%	24	4	23	3	4.2%	25.0%
	R2	RESIDENTIAL	UNKNOWN		W2/F05	7.1	6.4	0.7	9.9%	37.1	28.3	1.4	23.6%	15	2	14	1	6.7%	50.0%
			UNKNOWN		W3/F05	4.9	4.9	0	0.0%					19	2	19	2	0.0%	0.0%
F06	R1	RESIDENTIAL	UNKNOWN		W1/F06	17	16.8	0.2	1.2%	42.4	42.1	0.0	0.7%	26	6	25	5	3.8%	16.7%
	R2	RESIDENTIAL	UNKNOWN		W2/F06	8.5	7.7	0.8	9.4%	43.5	37.7	0.9	13.5%	16	3	16	3	0.0%	0.0%
			UNKNOWN		W3/F06	5.3	5.3	0	0.0%					19	2	19	2	0.0%	0.0%
F07	R1	RESIDENTIAL	UNKNOWN		W1/F07	18.5	18.4	0.1	0.5%	47.4	47.1	0.0	0.5%	28	7	26	5	7.1%	28.6%
	R2	RESIDENTIAL	UNKNOWN		W2/F07	9.4	8.6	0.8	8.5%	48.8	44.1	0.7	9.7%	17	4	16	3	5.9%	25.0%
			UNKNOWN		W3/F07	5.7	5.7	0	0.0%					20	2	20	2	0.0%	0.0%
F08	R1	RESIDENTIAL	UNKNOWN		W1/F08	20.2	20.1	0.1	0.5%	53.9	53.7	0.0	0.3%	29	8	27	6	6.9%	25.0%
	R2	RESIDENTIAL	UNKNOWN		W2/F08	10.3	9.4	0.9	8.7%	54.7	50.6	0.6	7.5%	17	5	16	4	5.9%	20.0%
			UNKNOWN		W3/F08	6.3	6.3	0	0.0%					20	4	20	4	0.0%	0.0%
F09	R1	RESIDENTIAL	UNKNOWN		W1/F09	22.1	21.9	0.2	0.9%	61.4	61.2	0.0	0.2%	30	9	29	8	3.3%	11.1%
	R2	RESIDENTIAL	UNKNOWN		W2/F09	6.1	5.2	0.9	14.8%	47.3	41.3	0.9	12.8%	11	6	10	5	9.1%	16.7%
			UNKNOWN		W3/F09	7.5	7.5	0	0.0%					22	4	22	4	0.0%	0.0%
F10	R1	RESIDENTIAL	UNKNOWN		W1/F10	23.8	23.6	0.2	0.8%	67.2	67.1	0.0	0.2%	32	9	31	8	3.1%	11.1%
	R2	RESIDENTIAL	UNKNOWN		W2/F10	6.9	5.9	1	14.5%	54	47.9	1.0	11.4%	10	4	9	3	10.0%	25.0%
			UNKNOWN		W3/F10	10.7	10.7	0	0.0%					29	4	29	4	0.0%	0.0%
F11	R1	RESIDENTIAL	UNKNOWN		W1/F11	25.7	25.5	0.2	0.8%	77.3	77.3	0.0	0.1%	35	11	34	10	2.9%	9.1%
	R2	RESIDENTIAL	UNKNOWN		W2/F11	9.6	8.8	0.8	8.3%	81.6	75.9	0.9	7.0%	18	11	17	10	5.6%	9.1%
			UNKNOWN		W3/F11	20.2	20.2	0	0.0%					53	8	53	8	0.0%	0.0%

PLOT 11

(1) KITCHEN SMALLER THAN 13m2
(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)
(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	PR. %	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
														ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F01	R1	RESIDENTIAL	STUDIO-APT		W1/F01	23.3	15.4	7.9	33.9%	83	78.2	1.0	5.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO-APT		W2/F01	22	15.2	6.8	30.9%	77.8	74.4	0.7	4.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDIO-APT		W3/F01	20.5	14.7	5.8	28.3%	73.1	70.2	0.6	3.9%	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	STUDIO-APT		W1/F02	24.6	16.4	8.2	33.3%	83.6	78.8	1.0	5.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO-APT		W2/F02	23.2	16.2	7	30.2%	78.1	74.6	0.7	4.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDIO-APT		W3/F02	21.7	15.8	5.9	27.2%	73.4	70.6	0.6	3.8%	N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	RESIDENTIAL	STUDIO-APT		W1/F03	25.9	17.5	8.4	32.4%	84.3	79.5	1.0	5.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO-APT		W2/F03	24.5	17.4	7.1	29.0%	78.8	75.4	0.7	4.3%	N/A	N/A	N/A	N/A	N/A	N/A
PLOT 11 (CONTINUED)																			
	R3	RESIDENTIAL	STUDIO-APT		W3/F03	22.9	17	5.9	25.8%	74	71.3	0.5	3.7%	N/A	N/A	N/A	N/A	N/A	N/A
F04	R1	RESIDENTIAL	STUDIO-APT		W1/F04	27.3	18.7	8.6	31.5%	85.3	80.6	1.0	5.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO-APT		W2/F04	25.9	18.7	7.2	27.8%	79.7	76.3	0.7	4.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDIO-APT		W3/F04	24.3	18.3	6	24.7%	75.2	72.5	0.5	3.5%	N/A	N/A	N/A	N/A	N/A	N/A
F05	R1	RESIDENTIAL	STUDIO-APT		W1/F05	28.8	20	8.8	30.6%	87	82.3	0.9	5.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO-APT		W2/F05	27.4	20.1	7.3	26.6%	81.4	78.1	0.7	4.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDIO-APT		W3/F05	25.9	19.8	6.1	23.6%	76.4	73.9	0.5	3.3%	N/A	N/A	N/A	N/A	N/A	N/A
F06	R1	RESIDENTIAL	STUDIO-APT		W1/F06	30.3	21.3	9	29.7%	89.6	85	0.9	5.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO-APT		W2/F06	29.1	21.7	7.4	25.4%	83.8	80.5	0.7	3.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDIO-APT		W3/F06	27.6	21.5	6.1	22.1%	78.3	76	0.5	3.0%	N/A	N/A	N/A	N/A	N/A	N/A
F07	R1	RESIDENTIAL	STUDIO-APT		W1/F07	32	22.8	9.2	28.8%	92.6	88.2	0.9	4.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO-APT		W2/F07	30.9	23.4	7.5	24.3%	86.6	83.5	0.6	3.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDIO-APT		W3/F07	29.5	23.4	6.1	20.7%	80.7	78.5	0.4	2.7%	N/A	N/A	N/A	N/A	N/A	N/A
F08	R1	RESIDENTIAL	STUDIO-APT		W1/F08	33.6	24.4	9.2	27.4%	96.2	91.9	0.9	4.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO-APT		W2/F08	32.7	25.2	7.5	22.9%	91.4	88.5	0.6	3.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDIO-APT		W3/F08	31.5	25.5	6	19.0%	85.7	83.7	0.4	2.3%	N/A	N/A	N/A	N/A	N/A	N/A
F09	R1	RESIDENTIAL	STUDIO-APT		W1/F09	35.1	26	9.1	25.9%	98.5	94.4	0.8	4.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO-APT		W2/F09	34.5	27.1	7.4	21.4%	97.3	94.7	0.5	2.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDIO-APT		W3/F09	33.6	27.7	5.9	17.6%	94.7	93	0.3	1.8%	N/A	N/A	N/A	N/A	N/A	N/A
F10	R1	RESIDENTIAL	BEDROOM		W1/F10	36.4	27.4	9	24.7%	98.5	94.7	0.8	3.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W2/F10	36	28.9	7.1	19.7%	98.5	96.2	0.5	2.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F10	35.5	29.8	5.7	16.1%	98.5	97.3	0.2	1.2%	N/A	N/A	N/A	N/A	N/A	N/A
F11	R1	RESIDENTIAL	LKD		W1/F11	36.6	6.9	29.7	81.1%	99.9	97.9	0.3	2.0%	79	25	18	5	77.2%	80.0%

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
			LKD		W2/F11	37.4	28.1	9.3	24.9%					0	0	0	0	98.0%	100.0%
	R2	RESIDENTIAL	LKD		W3/F11	37.3	30	7.3	19.6%	99.1	87.5	17	11.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	LKD		W4/F11	37.2	31.4	5.8	15.6%	99.9	99.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A


(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: PRINCESS HOUSE
 DATE: 08/06/2022
 SCHEME IR: IR01
 DRAWING No.: 1901-REL01-IS01-DD1

KEY:
 GAIN
 LOSS
 MAINTAINED LIT AREA
 1 METRE GRID




F00

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PRINCESS HOUSE								
F00	R1	RESIDENTIAL	LKD	24.9	96.1	62	8.5	35.5
F00	R2	RESIDENTIAL	LKD	29.4	57.5	36.9	6.1	35.9
F00	R3	RESIDENTIAL	BEDROOM	12.3	68.1	33.3	4.3	51.1
F00	R4	RESIDENTIAL	BEDROOM	12.8	43.7	10.1	4.3	76.9
F00	R5	RESIDENTIAL	BEDROOM	10.7	87.6	31.9	6.0	63.6
F00	R6	RESIDENTIAL	LKD	12.5	99.5	22.5	1.1	8.8

PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PRINCESS HOUSE
DATE: 08/06/2022
SCHEME IR: IR01
DRAWING No.: 1901-REL01-IS01-DD2

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PRINCESS HOUSE								
F01	R1	RESIDENTIAL	LKD	33.5	99.9	92.6	2.5	7.4
F01	R2	RESIDENTIAL	LKD	32.0	58.2	34.9	7.4	40
F01	R3	RESIDENTIAL	BEDROOM	13.1	93.1	51.9	5.4	44.2
F01	R4	RESIDENTIAL	BEDROOM	12.8	49.7	10.8	5.0	78.2
F01	R5	RESIDENTIAL	BEDROOM	10.7	90.4	32.4	6.2	64.1
F01	R6	RESIDENTIAL	LKD	13.5	99.9	12.6	0.9	7.0

PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PRINCESS HOUSE
DATE: 08/06/2022
SCHEME IR: IR01
DRAWING No.: 1901-REL01-IS01-DD3

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PRINCESS HOUSE								
F02	R1	RESIDENTIAL	LKD	33.5	100	95.7	1.4	4.3
F02	R2	RESIDENTIAL	LKD	29.8	54.1	30.6	7.0	43.4
F02	R3	RESIDENTIAL	BEDROOM	14.0	95	53.7	5.8	43.5
F02	R4	RESIDENTIAL	BEDROOM	12.8	66.3	14.7	6.6	77.8
F02	R5	RESIDENTIAL	BEDROOM	10.7	97.5	37.9	6.4	61.1
F02	R6	RESIDENTIAL	LKD	13.5	22.6	15.3	3.5	73.9

PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PRINCESS HOUSE
DATE: 08/06/2022
SCHEME IR: IR01
DRAWING No.: 1901-REL01-IS01-DD4

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PRINCESS HOUSE								
F03	R1	RESIDENTIAL	LKD	33.5	100	97.4	0.9	2.6
F03	R2	RESIDENTIAL	LKD	29.8	55.7	31	7.4	44.3
F03	R3	RESIDENTIAL	BEDROOM	14.0	95.4	54.5	5.7	42.9
F03	R4	RESIDENTIAL	BEDROOM	12.8	73.3	15.8	7.4	78.4
F03	R5	RESIDENTIAL	BEDROOM	10.7	99.4	42	6.2	57.7
F03	R6	RESIDENTIAL	LKD	13.5	22.6	53.3	3.5	12.6

PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: PRINCESS HOUSE
 DATE: 08/06/2022
 SCHEME IR: IR01
 DRAWING No.: 1901-REL01-IS01-DD5

KEY:
 GAIN
 LOSS
 MAINTAINED LIT AREA
 1 METRE GRID



F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PRINCESS HOUSE								
F04	R1	RESIDENTIAL	LKD	33.5	100	97.4	0.9	2.6
F04	R2	RESIDENTIAL	LKD	29.8	58.6	31.9	8.0	45.5
F04	R3	RESIDENTIAL	BEDROOM	14.0	95.6	55.3	5.7	42.2
F04	R4	RESIDENTIAL	BEDROOM	12.8	84.1	16.8	8.6	80
F04	R5	RESIDENTIAL	BEDROOM	10.7	99.9	46.9	5.7	53.1
F04	R6	RESIDENTIAL	LKD	12.5	22.6	21.5	1.0	22.6

PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: PRINCESS HOUSE
 DATE: 08/06/2022
 SCHEME IR: IR01
 DRAWING No.: 1901-REL01-IS01-DD6

KEY:
 GAIN
 LOSS
 MAINTAINED LIT AREA
 1 METRE GRID




F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PRINCESS HOUSE								
F05	R1	RESIDENTIAL	LKD	33.5	100	80	6.7	19.9
F05	R2	RESIDENTIAL	LKD	29.8	76	33.7	12.6	55.7
F05	R3	RESIDENTIAL	BEDROOM	14.0	99.7	54	6.4	45.8
F05	R4	RESIDENTIAL	BEDROOM	12.8	97.5	21.4	9.7	78.1
F05	R5	RESIDENTIAL	BEDROOM	10.7	99.1	58.2	4.4	41.3
F05	R6	RESIDENTIAL	LKD	13.5	99.9	53.3	5.6	41.5

PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PRINCESS HOUSE
DATE: 08/06/2022
SCHEME IR: IR01
DRAWING No.: 1901-REL01-IS01-DD7

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PRINCESS HOUSE								
F06	R1	RESIDENTIAL	LKD	33.5	100	80.1	6.7	19.9
F06	R2	RESIDENTIAL	LKD	29.8	79	33.9	13.4	57
F06	R3	RESIDENTIAL	BEDROOM	14.0	99.7	54.6	6.3	45.2
F06	R4	RESIDENTIAL	BEDROOM	12.8	97.5	23.1	9.5	76.3
F06	R5	RESIDENTIAL	BEDROOM	10.7	99.3	59.5	4.3	40.1
F06	R6	RESIDENTIAL	LKD	12.5	99.3	24.5	2.5	19.9

PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: PRINCESS HOUSE
 DATE: 08/06/2022
 SCHEME IR: IR01
 DRAWING No.: 1901-REL01-IS01-DD8

KEY:
 GAIN
 LOSS
 MAINTAINED LIT AREA
 1 METRE GRID



F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PRINCESS HOUSE								
F07	R1	RESIDENTIAL	LKD	33.5	100	80.1	6.7	19.9
F07	R2	RESIDENTIAL	LKD	29.8	82.8	34.4	14.5	58.5
F07	R3	RESIDENTIAL	BEDROOM	14.0	99.7	55.4	6.2	44.5
F07	R4	RESIDENTIAL	BEDROOM	12.8	97.5	24.8	9.3	74.5
F07	R5	RESIDENTIAL	BEDROOM	10.7	99.3	60.4	4.2	39.1

PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PRINCESS HOUSE
DATE: 08/06/2022
SCHEME IR: IR01
DRAWING No.: 1901-REL01-IS01-DD9

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PRINCESS HOUSE								
F08	R1	RESIDENTIAL	LKD	33.5	99.9	79.8	6.7	20.1
F08	R2	RESIDENTIAL	LKD	29.8	83.2	33	15.0	60.4
F08	R3	RESIDENTIAL	BEDROOM	14.0	98.1	52.4	6.4	46.7
F08	R4	RESIDENTIAL	BEDROOM	12.8	96.9	19.8	9.9	79.6
F08	R5	RESIDENTIAL	BEDROOM	10.7	98.9	61.5	4.0	37.8
F08	R6	RESIDENTIAL	LKD	12.5	99.9	99.9	0.0	0.0





NSL CONTOURS



PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PRINCESS HOUSE
DATE: 08/06/2022
SCHEME IR: IR01
DRAWING No.: 1901-REL01-IS01-DD10

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PRINCESS HOUSE								
F09	R1	RESIDENTIAL	UNKNOWN	39.4	99	99	0.0	0
F09	R2	RESIDENTIAL	UNKNOWN	17.4	98.9	70.7	4.9	28.5
F09	R3	RESIDENTIAL	UNKNOWN	71.7	99.4	97.9	1.0	1.5
F10	R1	RESIDENTIAL	UNKNOWN	39.4	98	97.4	0.2	0.6
F10	R2	RESIDENTIAL	UNKNOWN	17.4	93.2	68.2	4.3	26.8
F10	R3	RESIDENTIAL	UNKNOWN	71.7	99.5	99.5	1.0	1.5






NSL CONTOURS



PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: MONTANA HOUSE
 DATE: 08/06/2022
 SCHEME IR: IR01
 DRAWING No.: 1901-REL01-IS01-DD11

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MONTANA HOUSE								
F01	R1	RESIDENTIAL	UNKNOWN	16.4	24.2	24.2	0.0	0.3
F01	R2	RESIDENTIAL	UNKNOWN	15.5	16.8	11.9	0.8	28.9
F02	R1	RESIDENTIAL	UNKNOWN	16.4	26.5	26.3	0.0	0.7
F02	R2	RESIDENTIAL	UNKNOWN	15.5	20.3	14.1	1.0	30.5
F03	R1	RESIDENTIAL	UNKNOWN	16.4	29.6	29.2	0.1	1.4
F03	R2	RESIDENTIAL	UNKNOWN	15.5	25.3	17.4	1.2	31.1
F04	R1	RESIDENTIAL	UNKNOWN	16.4	33.6	33.1	0.1	1.3
F04	R2	RESIDENTIAL	UNKNOWN	15.5	21.5	20.1	1.5	22.4




NSL CONTOURS



PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: MONTANA HOUSE
 DATE: 08/06/2022
 SCHEME IR: IR01
 DRAWING No.: 1901-REL01-IS01-DD12

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MONTANA HOUSE								
F05	R1	RESIDENTIAL	UNKNOWN	16.4	38.2	37.8	0.1	1.1
F05	R2	RESIDENTIAL	UNKNOWN	15.5	37.1	28.3	1.4	23.6
F06	R1	RESIDENTIAL	UNKNOWN	16.4	42.4	42.1	0.0	0.7
F06	R2	RESIDENTIAL	UNKNOWN	15.5	43.5	37.7	0.9	13.5
F07	R1	RESIDENTIAL	UNKNOWN	16.4	47.4	47.1	0.0	0.5
F07	R2	RESIDENTIAL	UNKNOWN	15.5	48.8	44.1	0.7	9.7
F08	R1	RESIDENTIAL	UNKNOWN	16.4	53.9	53.7	0.0	0.3
F08	R2	RESIDENTIAL	UNKNOWN	15.5	51.5	50.9	0.3	1.9




NSL CONTOURS



PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: MONTANA HOUSE
 DATE: 08/06/2022
 SCHEME IR: IR01
 DRAWING No.: 1901-REL01-IS01-DD13

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID







FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
MONTANA HOUSE								
F09	R1	RESIDENTIAL	UNKNOWN	16.4	61.4	61.2	0.0	0.2
F09	R2	RESIDENTIAL	UNKNOWN	15.5	47.3	41.3	0.9	12.8
F10	R1	RESIDENTIAL	UNKNOWN	16.4	67.2	67.1	0.0	0.2
F10	R2	RESIDENTIAL	UNKNOWN	15.5	54	47.9	1.0	11.4
F11	R1	RESIDENTIAL	UNKNOWN	16.4	77.3	77.3	0.0	0.1

PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: PLOT 11
 DATE: 08/06/2022
 SCHEME IR: IR01
 DRAWING No.: 1901-REL01-IS01-DD14

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PLOT 11								
F01	R1	RESIDENTIAL	STUDIO-APT	20.0	83	78.2	1.0	5.9
F01	R2	RESIDENTIAL	STUDIO-APT	20.0	77.8	74.4	0.7	4.4
F01	R3	RESIDENTIAL	STUDIO-APT	20.0	73.1	70.2	0.6	3.9
F02	R1	RESIDENTIAL	STUDIO-APT	20.0	83.6	78.8	1.0	5.8
F02	R2	RESIDENTIAL	STUDIO-APT	20.0	78.1	74.6	0.7	4.5



NSL CONTOURS



PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: PLOT 11
 DATE: 08/06/2022
 SCHEME IR: IR01
 DRAWING No.: 1901-REL01-IS01-DD15

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PLOT 11								
F03	R1	RESIDENTIAL	STUDIO-APT	20.0	84.3	79.5	1.0	5.7
F03	R2	RESIDENTIAL	STUDIO-APT	20.0	78.8	75.4	0.7	4.3
F03	R3	RESIDENTIAL	STUDIO-APT	20.0	74	71.3	0.5	3.7
F04	R1	RESIDENTIAL	STUDIO-APT	20.0	85.3	80.6	1.0	5.6
F04	R2	RESIDENTIAL	STUDIO-APT	20.0	79.7	76.3	0.7	4.3




NSL CONTOURS



PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: PLOT 11
 DATE: 08/06/2022
 SCHEME IR: IR01
 DRAWING No.: 1901-REL01-IS01-DD16

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID






FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PLOT 11								
F05	R1	RESIDENTIAL	STUDIO-APT	20.0	87	82.3	0.9	5.4
F05	R2	RESIDENTIAL	STUDIO-APT	20.0	81.4	78.1	0.7	4.1
F05	R3	RESIDENTIAL	STUDIO-APT	20.0	76.4	73.9	0.5	3.3
F06	R1	RESIDENTIAL	STUDIO-APT	20.0	89.6	85	0.9	5.2
F06	R2	RESIDENTIAL	STUDIO-APT	20.0	83.8	80.5	0.7	3.9

PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: PLOT 11
 DATE: 08/06/2022
 SCHEME IR: IR01
 DRAWING No.: 1901-REL01-IS01-DD17

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID







FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PLOT 11								
F07	R1	RESIDENTIAL	STUDIO-APT	20.0	92.6	88.2	0.9	4.8
F07	R2	RESIDENTIAL	STUDIO-APT	20.0	86.6	83.5	0.6	3.6
F07	R3	RESIDENTIAL	STUDIO-APT	20.0	80.7	78.5	0.4	2.7
F08	R1	RESIDENTIAL	STUDIO-APT	20.0	96.2	91.9	0.9	4.5
F08	R2	RESIDENTIAL	STUDIO-APT	20.0	91.4	88.5	0.6	3.2

PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
REPORT TITLE: EXISTING VS. PROPOSED
ADDRESS: PLOT 11
DATE: 08/06/2022
SCHEME IR: IR01
DRAWING No.: 1901-REL01-IS01-DD18

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PLOT 11								
F09	R1	RESIDENTIAL	STUDIO-APT	20.0	98.5	94.4	0.8	4.2
F09	R2	RESIDENTIAL	STUDIO-APT	20.0	97.3	94.7	0.5	2.7
F09	R3	RESIDENTIAL	STUDIO-APT	20.0	94.7	93	0.3	1.8
F10	R1	RESIDENTIAL	BEDROOM	20.0	98.5	94.7	0.8	3.9
F10	R2	RESIDENTIAL	BEDROOM	20.0	98.5	96.2	0.5	2.4
F10	R3	RESIDENTIAL	BEDROOM	20.0	98.5	95.3	0.5	2.5


NSL CONTOURS



PROJECT: 1901 - PLOT 3 CIRCLE SQUARE, MANCHE
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: PLOT 11
 DATE: 08/06/2022
 SCHEME IR: IR01
 DRAWING No.: 1901-REL01-IS01-DD19

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
PLOT 11								
F11	R1	RESIDENTIAL	LKD	14.8	99.9	97.9	0.3	2
F11	R2	RESIDENTIAL	LKD	14.8	99.1	87.5	1.7	11.7
F11	R3	RESIDENTIAL	LKD	14.8	99.9	97.9	0.3	2