
DO NOT SCALE, IF IN DOUBT ASK. DO NOT INTERROGATE CAD BASE




EXISTING IMPERMEABLE AREA:1140m² (0.114 Ha)
EXISTING SW RUN-OFF: 2.78 x 0.114 x 50 = 15.8 L/S - 53% = 7.5 L/S*
(*AS AGREED WITH UNITED UTILITIES)

PROPOSED IMPERMEABLE AREA: 2260m² ( 0.226 Ha)

APPROX. SITE BOUNDARY: 2960m² (0.269Ha)

| REV. | DATE. | REVISION. | BY. | CHK. |
|---|---|---|---|---|
| – | | FIRST ISSUE. | PH | NB |
| A | 13.07.22 | PROPOSED IMPERMEABLE AREA ADDED. | PH | NB |

Euro Garages Ltd

Proposed PFS & Drive 'Thru' Restaurant
Cheetham Hill Road, Manchester

Impermeable Area Plan

Goodson Associates

Tel: +44 (0)113 369 7925
Fax: -
Email: leeds@goodsons.com
Web: www.goodsons.com

Consulting Civil, Structural & Transportation Engineers
Fountain House, 4 South Parade,
Leeds, LS1 5QX
Also at Aberdeen, Edinburgh and Glasgow.

PLANNING

| DATE CREATED: | SCALE: | |
|---|---|---|
| July, '22' | 1:500 | @ A1 |

| CONTRACT No: | DRAWING No: | REV: |
|---|---|---|
| P15633 | 501 | A |