



National Football Museum- Application number: 131037/VO/2021

Document

Issue date

Revision

Planning Condition 3 -Discharge Information

7th July 2022

0

Condition 3

No development that is hereby approved shall commence unless and until samples and specifications of all materials to be used on all external elevations of the development have been submitted to and approved in writing by the City Council as local planning authority.

Discharge Response

To address the condition, we provide below details of the fabrication drawings and material specification for the structure that covers the external dry coolers. To support the images a mock up sample of a section of the roof covering has been manufactured and is available for planning officer review upon agreement of where this is to be delivered to (site or council offices)




Figure 1-Ariel view showing location of CCTV cameras





Figure 2-Planning Application Intent perspective image



National Football Museum- Application number: 131037/VO/2021



Spec/Legend.

Galvanised Steel Framework with galvanised steel roof.
Profiled galvanised steel fins.

All Steel Hot Dip Galvanised.

All structure by others U.N.O.

1. 100x100x8 RSA. Hot Dip Galvanised
2. M12 Bolt (TBA by SE). Galvanised.
3. 1.6mm Steel pressed Capping. HDG.
4. 10mm Steel Fin bracket. HDG.
5. 10mm Steel profiled cut Fin. HDG.
6. M12 Anchor Bolt (TBA by SE). Galvanised.
7. 150x90x24 PFC. Hot Dip Galvanised
8. 1.6mm Steel butt-strap. HDG.
9. Self drilling fixing. Galvanised.
10. M10 csk bolt (TBA by SE). Galvanised.

Figure 4- Structure material specification.



National Football Museum- Application number: 131037/VO/2021




Figure 5- Fabrication drawing cross section of structure