





Exist. Front Elevation




Exist. Rear Elevation




Exist. East Elevation




Exist. West Elevation



Proposed Rear Elevation




Proposed East Elevation




Proposed West Elevation


Roof Construction:
EPDM or similar approved roofing felt.
12mm Thick external plywood board.
Timber fairings starting at 38x50mm and ending at 38x100mm to provide minimum fall of 1 in 80.
38x145mm Rafter @400mm centres-C16, to Table 38 of TRADA tables.
125mm Thick Kingspan Kooltherm K7 insulation board between the rafters.
A minimum 50mm gap required above the insulation for air circulation.
12.5mm Thick foil backed plasterboard to ceiling, to be Plastered & skimmed.



Section A-A




Section B-B



Section C-C

Roof Construction:
EPDM or similar approved roofing felt.
12mm Thick external plywood board.
Timber fairings starting at 38x50mm and ending at 38x100mm to provide minimum fall of 1 in 80.
38x145mm Rafter @400mm centres-C16, to Table 38 of TRADA tables.
125mm Thick Kingspan Kooltherm K7 insulation board between the rafters.
A minimum 50mm gap required above the insulation for air circulation.
12.5mm Thick foil backed plasterboard to ceiling, to be Plastered & skimmed.



Section D-D

NOTES

P3	09.06.22	AUH	AUH	Section C-C amended.
P2	07.06.22	AUH	AUH	The internal width of extension increased from 2.50m to 4.84m.
P1	04.04.22	AUH	AUH	Roof of the proposed extension changed from pitched roof to flat roof.
No	DATE	DRAWN	CHK'D	AMENDMENT

DRAWING STATUS
Planning

CLIENT	Mr M.Ahmed
PROJECT	2 Malgam Drive, Didsbury, Manchester M20 5GN
DRAWN	A. Ul-Haq
CHKD	AUH

TITLE	Proposed Single Storey Rear Kitchen Extension.
Existing & Proposed Elevation and Proposed Sections	Sheet 2 of 2
SCALE	Elevations=1:100 Sections = 1:50
DRAWING No	2021/05/02
DATE	June 2021
AMDT	P3