

LEGEND



TREES						
Abbreviation	Species	Height	Girth	Specification	Pot Size	No of trees
AC	Acer Campestre	350-425cm	12-14cm	Heavy Standard: 3x		3
CB	Carpinus betulus	350-425cm	12-14cm	Heavy Standard: 3x	CB	3

Tree planting within soft landscape areas
Trees shall conform to BS: 3936-1: 1992 and be planted in tree pits of the following sizes unless directed otherwise:
Heavy standards - 1200 x 1200 x 600
Excavated subsoil or stone shall be carted off site to tip. The bottom 250mm of the pit shall be dug and broken up.
The bottom of the pit shall be backfilled with subsoil (site or imported) to comply with BS 8601: 2013. The top 300mm of the pit shall be backfilled with imported topsoil as specified unless directed otherwise.

Stakes for trees
Stakes shall be peeled round softwood, pointed, minimum diameter 75mm. The stakes shall be driven into the base of the tree pit prior to placing the tree and backfilling.
Stakes shall in general have a clear height above the finished ground level as follows unless directed otherwise:
Heavy standards/Extra heavy standards - 1200mm (2 stakes, one tie each)
The stake shall be long enough to drive until they hold the tree firmly without rocking.

Tree ties
Ties for bareroot trees, shall be approved rubber nail-on type with cushioned spacer such as Toms, or other equal and approved. Nails shall be flat headed galvanised and shall hold the ties securely into the stake. Ties shall not be over tight on the tree stems.
Heavy standards - Type L3 (one tie per stake)
Ties for rootball and container grown trees shall be 50mm rubber tree belts in a figure of eight around the tree. Fixed to the stake with two flat head galvanised nails.
Heavy standards - two belts

Planting of trees
The trees shall be set upright and at the same depth as grown in the nursery, the roots shall be spread out (bareroot) and the soil followed by compost topsoil mixture, backfilled.
Backfilling should be done to ensure close contact between roots and by firming in layers (bareroot).
The soil shall be left level and tidy, any subsoil clods, bricks or stones over 50mm arising, collected and carted off site.



Proposed Site Plan

Revision	Date	Details
A	22.06.22	CYCLE STORE / EV CHARGING POINTS ADDED
B	30.06.22	NEW PARKING AMENDED
C	02.08.22	ADDITIONAL TREE PLANTING ADDED

Registered in England and Wales. Reg No. 2140639
Quality Assured to BS EN ISO 9001:1994 Certificate Number GB 4723

Heyside House Blackshaw Lane Heyside Royton Oldham OL2 6NS
t:01706 290088 f:01706 290069 e:oldham@nicolthomas.com

Also at Birmingham (Registered office)
Do not scale from this drawing. All dimensions must be checked and verified before preparing production drawings or commencing work.
This drawing and its design is the copyright of Nicol Thomas Ltd and may not be reproduced in any form whatsoever without their prior express written consent.

Client:		ARCON HOUSING ASSOCIATION	
Job:		MARILLAC HOUSE, MANCHESTER	
Drawing title:		PROPOSED SITE PLAN	
Drawing Number: (Job number)	M4678.P.08		Revision: C
Scale:	1:100 @ A0		
Date:	11.04.22		
Drawn by/ checked by:	S		

nicol thomas