

Important – Planning permission & notices of consent

Compliance with conditions

- Your planning approval or consent is attached. It will contain conditions that you must comply with.
- Please read the conditions and understand their requirements and restrictions, for example submission and approval of details or measures to protect trees.
- Some conditions will require action before you start development and it is imperative that you seek to have these discharged before any work commences.
- Whilst every effort has been made to group conditions logically, it is your responsibility to ensure that you are aware of the requirements and/or restrictions of all conditions.
- If you fail to comply with the conditions this may result in a breach of planning control and this may lead to enforcement action.
- Failure to comply with conditions may also result in the development not being lawful.
- It is in your interests to demonstrate that conditions have been complied with. Failure to do so may cause difficulties if the property is sold or transferred.
- A fee is payable for each request to discharge conditions.
- For advice on any of these matters, please contact Planning, Manchester City Council, PO Box 532, Town Hall, Manchester M60 2LA or email planning@manchester.gov.uk

Town & Country Planning Act 1990 (as amended)

Planning Permission

Applicant

Mr James Browne
BT Telecommunications
Pp 8.05
Faraday Building
1 Knightrider Street
London
EC4V 5BT

Agent (if used)

Mr Lewis Baldwin
Mono Consultants
Steam Packet House
76 Cross Street
Manchester
M24 2JG

Part 1 – Particulars of the application/development

Proposal: Installation of 1no. new 2.98m high freestanding double-sided BT Street Hub advertising unit following removal of 2no. telephone kiosks.

Location: Pavement On Oxford Road (Opp Jcn Rosamond Street West) Outside Manchester Aquatics Centre, Manchester

Date of application: 23 August 2021

Application number: 130388/FO/2021

Part 2 – Particulars of decision

Manchester City Council gives notice that the development referred to in Part 1 has been **Approved** in accordance with the application and plans submitted subject to the condition(s) listed below (if any).

Article 35 Declaration

Officers have worked in a positive and proactive manner based on seeking solutions to problems arising in relation to dealing with the planning application. Appropriate conditions have been attached to the approval.

Condition(s) attached to this decision

1) The development must be begun not later than the expiration of three years beginning with the date of this permission.

Reason - Required to be imposed pursuant to Section 91 of the Town and Country Planning Act 1990.

2) The development hereby approved shall be carried out in accordance with the following drawings and documents:

Existing and Proposed Elevation 003 Revision B
Site Location Map 001 Revision B
Removal Kiosk Site Plans - Ref MAN021
Site Location Map 002 Revision B

Documents

Covering Letter
Conformity with ICNIRP Public Exposure Guidelines ("ICNIRP")
Land Remediation Statement
Professional Lighting Guide 05: The Brightness of Illuminated Advertisements
Street Hubs Beyond connection: Supporting local councils with digital street communication
Street Hub Anti-Social Behaviour Management Plan

Reason - To ensure that the development is carried out in accordance with the approved plans. Pursuant to policies SP1 and DM1 of the Core Strategy.

- 3) (a) No individual advertisements displayed on the LED panel shall contain moving images, animation, video or full motion images or any images that resemble road signs, traffic lights or traffic signs.
(b) No individual advertisements shall be displayed for duration of less than 10 seconds.
(c) Controls shall be in place to ensure smooth uninterrupted transition of images displayed on the panel.
(d) The display panel shall be fitted with a light sensor, designed to adjust the brightness to changes in ambient light levels.
(e) A mechanism shall be in place so that if the installation breaks down, it defaults to a black screen to avoid any flashing error messages or pixilation.
(f) The maximum luminance level of the advertisements displayed on the panel should not exceed 600 cd/m² during non-daylight/ inclement weather.

Reason - In the interests of highway safety pursuant to policies SP1 and DM1 of the Core Strategy for the City of Manchester

- 4) a) The intensity of the illuminance of the advertisement shall be no greater than 600Cdm² during hours of darkness to accord with the recommendations of the ILP publication 'PLG05 The Brightness of Illuminated Advertisements' (2015).
b) The luminance level of the digital sign shall be controlled by a light sensor to adjust the screen brightness to reflect the ambient levels during the daytime and set to a maximum brightness of 600Cdm² during hours of darkness to accord with the recommendations of the ILP publication 'PLG05 The Brightness of Illuminated Advertisements' (2015). In the event of breakdown or malfunction the screen will automatically switch off
c) "The advertisement shall display no special visual effects of any kind during the time that the advertisement is displayed or on transition between advertisements. The displayed image shall not include animated, flashing, scrolling, intermittent or video elements and the transition between successive images shall not include fading, swiping or other animated transition method.
d) The minimum display time for each piece of content on the digital display screens shall be 10 seconds.

e). The interval between each piece of content on the digital display screens shall take place over a period no greater than one second; the complete screen shall change with no visual effects (including swiping or other animated transition methods) between displays

f) Should a fault be detected or reported with the screen or advertisement, the screen will be programmed to automatically switch to a blank screen with black background.

Reason - In the interests of the amenities of the occupiers of nearby premises pursuant to policies SP1 and DM1 of the Core Strategy for the City of Manchester

5) a) The Communication apparatus hereby approved shall not use voice activated or handsfree technology unless and until a Noise Management Plan (NMP) detailing the control measures including volume and sound levels have been submitted and approved by the LPA. The agreed levels set out within the NMP shall thereafter be permanently maintained".

b) A noise assessment and noise management plan shall be submitted to determine the noise level of the speaker associated with the equipment and agreed by MCC as Local Planning Authority. Once the noise levels have been agreed, the levels will be included within the NMP and shall be complied with thereafter.

c) Once the NMP has been agreed and the unit installed, a verification report will be required to include sound testing to confirm compliance with agreed noise limit.

Reason - In the interests of the amenities of the occupiers of nearby premises pursuant to policies SP1 and DM1 of the Core Strategy for the City of Manchester.

6) Prior to the commencement of the development hereby approved, a detailed construction management plan outlining working practices during development shall be submitted to for approval in writing by the local planning authority, which for the avoidance of doubt should include:

1. Commentary on types and frequency of vehicular demands together with evidence (including appropriate swept-path assessment) of satisfactory routeing both within the site and on the adjacent highway.

2. A dilapidation survey which should include photographs and commentary on the condition of carriageway / footways on construction vehicle routes surrounding the site.

Development must be carried out in accordance with the approved construction management plan upon commencement of authorised works.

Reason

In the interests of highway safety pursuant to policies SP1 and DM1 of the Core Strategy for the City of Manchester.

7) Notwithstanding the details in condition 2 and before development commences, a scheme for the reinstatement of pavements must be submitted to and approved in writing by the City Council as local planning authority before development commences.

Reason

In the interests of visual amenity pursuant to policies SP1 and DM1 of the Core Strategy for the City of Manchester.

8) Before the development hereby approved commences, a plan must be submitted to and approved in writing by the City Council as Local Planning Authority. The plan must demonstrate how the development will be maintained to ensure the agreed light levels and noise levels are maintained and not exceeded. The plan must include details of remote monitoring and control capability, how the operator is alerted if any fault is detected and details of what action is taken where a fault is identified or reported including response time to undertake repair. The plan must include details of proposed physical inspection and monitoring frequency.

Reason

In the interests of visual amenity pursuant to policies SP1 and DM1 of the Core Strategy for the City of Manchester

Informatives

Building Regulations 2010

This permission does not grant approval under Building Regulations.

Street Naming & Numbering Requirements

Manchester City Council is responsible for allocating street naming and numbering within Manchester for new developments or property conversions. Individuals or businesses are not permitted to allocate their own property numbers, building or street names.

If your development includes the creation of new dwellings (either new build or conversion of existing buildings), creation of new commercial properties or the subdivision of existing properties you must ensure that you request new or changes to addresses through us so they can be officially allocated and registered in accordance with the Public Health Act 1925 Sections 17-19 & Greater Manchester Act 1981 Section 22.

Failure to do this may result in difficulties for the developer/occupier when requiring services such as connections to utilities, phone lines and postal services and may delay your development.

You can apply online at the following address:

http://www.manchester.gov.uk/info/100011/roads_parking_and_transport/1988/naming_and_numbering_of_houses_buildings_streets_and_roads/2

Mining Information

The proposed development lies within an area which could be subject to current coal mining or hazards resulting from past coal mining. Please read the Standing Advice from the Coal Authority in Appendix A.

Date: 10 June 2022

Signed:



Julie Roscoe
Director of Planning, Building Control & Licensing

Manchester City Council, P O Box 532, Town Hall, Manchester M60 2LA

Notes

1. This permission refers only to that required under the Town and Country Planning Act 1990 does not include any consent or approval under any other enactment, byelaw, order or regulation.

2 If the applicant is aggrieved by the decision of the local planning authority to refuse permission or approval for the proposed development, or to grant permission or approval subject to conditions, they may appeal to the Secretary of State in accordance with Section 78(1) of the Town and Country Planning Act 1990 within six months of the date of the notice of the decision.

The Planning Inspectorate have introduced an online appeals service that can be used to make appeals online. This service is available through the gov.uk website – www.gov.uk/planning-inspectorate. The Inspectorate will publish details of your appeal on the internet. Alternatively If you are unable to access the online appeal form, please contact the Planning Inspectorate to obtain a paper copy of the appeal form on tel: 0303 444 5000.

The Secretary of State has power to allow a longer period for the giving of a notice of appeal but they will not normally be prepared to exercise this power unless there are special circumstances that excuse the delay in giving notice of appeal.

If you intend to submit an appeal that you would like examined by inquiry then you must notify the City Council (planning@manchester.gov.uk) and the Planning Inspectorate (inquiryappeals@planninginspectorate.gov.uk) at least 10 days before submitting the appeal. Further details are on GOV.UK.

3. The statutory requirements are those set out in Section 79(6) of the Town and Country Planning Act 1990, namely Sections 70(1) and 72(1) of the Act.

4. If either the local planning authority or the Secretary of State refuses permission to develop land or grants it subject to conditions, the owner may claim that they can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted.

In these circumstances, the owner may serve a purchase notice on the Council in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990

5. In certain circumstances, a claim may be made against the local planning authority for compensation, where permission is refused or granted subject to conditions by the Secretary of State on appeal or on a reference of the application to them. The circumstances in which such compensation is payable are set out in Section 114 of the Town and Country Planning Act 1990.

Appendix A



The Coal
Authority

Any Planning Enquiries should be directed to:

Planning and Local Authority Liaison

Telephone: 01623 637 119

Email: planningconsultation@coal.gov.uk

Website: www.gov.uk/government/organisations/the-coal-authority

STANDING ADVICE - DEVELOPMENT LOW RISK AREA

The proposed development lies within a coal mining area which may contain unrecorded coal mining related hazards. If any coal mining feature is encountered during development, this should be reported immediately to the Coal Authority on 0345 762 6848.

Further information is also available on the Coal Authority website at:
www.gov.uk/government/organisations/the-coal-authority

This Standing Advice is valid from 1st January 2021 until 31st December 2022