


For continuation refer to drawing 284-05-2300.

ACO 100mm Multidrain PPD
constant depth drainage channel
to parking spaces. Grating to
Architect's specification

ACO 100mm Multidrain PPD
constant depth drainage channel
to front doors. Grating to
Architect's specification

Inspection chamber orientated to
allow flow / connection through the
main chamber in accordance with
the manufacturers
recommendations.



- Notes:
1. This drawing is to be read in conjunction with the site survey and all relevant Architects and Engineers drawings and the specification.
 2. For general notes refer to drawing no. 284-05-3C-N01 & 3C-N02.
 3. For setting out refer to Architects details.

- Key:
- Phase 3C Site Boundary.
 - Phase 3 Site Boundary.
- Drainage Key:
- Existing Drainage, (Surface Water).
 - Existing Drainage, (Foul).
 - Existing Drainage, (Combined).
 - Proposed Drainage, (Surface Water).
 - Proposed Drainage Attenuation Tank, (Surface Water).
 - Proposed Drainage, (Foul).
 - Proposed Land / Filter Drain.
- BD - Back Drop.
RG - Road Gully.

- All vent pipes and rainwater pipes are to be roddable above ground. Refer to Architects details.
- Drainage gradients noted are minimum gradients between access points. Refer to invert levels at each end of drainage runs.
- All surface water drainage 100mm Ø @ 1:80, unless noted otherwise.
- All foul drainage 100mm Ø @ 1:80, all foul drainage below houses 100mm Ø @ 1:40, unless noted otherwise.
- Cover levels refer to Architects drawings.

CONSTRUCTION

14.09.21	Issued for Construction, rear garden layout updated, IC's 3C-F05, 3C-F15, 3C-F17 and MH's 3C-F02, 3C-F03, 3C-F04 updated.	D	TP	SW
09.04.21	Issued for Construction, manholes in driveways centred, drainage layout under driveways updated, inspection chamber C3-S18 added. Cover levels added.	C	TP	SW
19.03.21	Issued for Information RIBA Stage 4, driveway layout and drainage updated, manhole position updated in line with Open requirements.	B	TP	SW
25.02.21	Issued for Information RIBA Stage 4, levels added, refs added, tank size updated, existing drainage connection layout updated, joint omitted.	A	TP	SW
23.11.20	Issued for Information.	-	TP	SW
Date	Issue	Rev	Prepared	Checked

joule

Joule Consulting Engineers Ltd
T 0161 832 3467
W www.jouleconsultingengineers.co.uk
E mail@jouleconsultingengineers.co.uk

Timber Wharf
40 Worsley Street
Castletield
Manchester
M15 4LD

Project:
N13,
New Islington,
Manchester.

Title:
Proposed,
Drainage,
Phase 3C,
Sheet 2 of 2.

Job No:	284-05	Orig No:	2301	Rev:	D
Scale:	1:200@ A3	Date:	06.20	Drawn:	TP