

DOOR SCHEDULE						
GROUND FLOOR PLAN						
REFERENCE	SIZE (W x H)	NEW OR EXISTING	LOCATION	EXTERNAL OR INTERNAL	FIRE DOOR	OTHER
1 DOR-001	AS EXISTING	EXISTING	B01-GF-001	EXTERNAL	NO	
2 DOR-002	AS EXISTING	EXISTING	B01-GF-001	INTERNAL	NO	
3 DOR-003	AS EXISTING	EXISTING	B01-GF-003A	INTERNAL	YES FD 30 ALLOW FOR FIRE AND SMOKE SEALS TO BE INSTALLED	
4 DOR-003A	762 x 1981 mm	NEW	B01-GF-003B	INTERNAL	YES FD 30	SOLID CORE PAINT GRADE, 44 mm THICK
5 DOR-004	AS EXISTING	EXISTING	B01-GF-015	EXTERNAL	NO	
6 DOR-005	AS EXISTING	EXISTING	B01-GF-016	INTERNAL	YES FD 30 ALLOW FOR FIRE AND SMOKE SEALS TO BE INSTALLED	
7 DOR-006	AS EXISTING	EXISTING	B01-01-002	INTERNAL	NO	
8 DOR-007	AS EXISTING	EXISTING	B01-GF-007A	INTERNAL	YES FD 30 ALLOW FOR FIRE AND SMOKE SEALS TO BE INSTALLED	
9 DOR-008	OMIT					
10 DOR-008A	838 x 1981 mm	NEW	B01-GF-005A	INTERNAL	YES FD 30	SOLID CORE PAINT GRADE WITH GLAZED VISION PANEL, 44 mm THICK
11 DOR-009	AS EXISTING	EXISTING	B01-GF-013A	EXTERNAL	NO	
12 DOR-010	OMIT					
13 DOR-010A	838 x 1981 mm	NEW	B01-GF-013A	INTERNAL	YES FD 30	SOLID CORE PAINT GRADE WITH GLAZED VISION PANEL, 44 mm THICK
14 DOR-011	OMIT					
15 DOR-012	OMIT					
16 DOR-013	AS EXISTING	EXISTING	B01-GF-008	INTERNAL	NO	
17 DOR-014	AS EXISTING	EXISTING	B01-GF-007A	EXTERNAL	NO	
18 DOR-015	OMIT					
19 DOR-016	AS EXISTING	EXISTING	B01-GF-009	INTERNAL	YES FD 30 ALLOW FOR FIRE AND SMOKE SEALS TO BE INSTALLED	
20 DOR-016A	686 x 1981 mm	NEW	B01-GF-009A	INTERNAL	NO	SOLID CORE PAINT GRADE, 44 mm THICK
21 DOR-016B	762 x 1981 mm	NEW	B01-GF-009B	INTERNAL	NO	SOLID CORE PAINT GRADE, 44 mm THICK
22 DOR-017	AS EXISTING	EXISTING	B01-GF-010	INTERNAL	NO	
23 DOR-018	OMIT					
24 DOR-018A	762 x 1981 mm	NEW	B01-GF-011A	INTERNAL	YES FD 30	SOLID CORE PAINT GRADE WITH GLAZED VISION PANEL, 44 mm THICK
25 DOR-019	OMIT					
26 DOR-019A	762 x 1981 mm	NEW	B01-GF-011A	INTERNAL	YES FD 30	SOLID CORE PAINT GRADE WITH GLAZED VISION PANEL, 44 mm THICK
27 DOR-020	AS EXISTING	EXISTING	B01-GF-014	INTERNAL	YES FD 30 ALLOW FOR FIRE AND SMOKE SEALS TO BE INSTALLED	
28 DOR-021	OMIT					
29 DOR-022	AS EXISTING	EXISTING	B01-GF-017	INTERNAL	YES FD 30 ALLOW FOR FIRE AND SMOKE SEALS TO BE INSTALLED	
30 DOR-023	OMIT					
31 DOR-024	AS EXISTING	EXISTING	B01-GF-019	INTERNAL	NO	
32 DOR-024A	686 x 1981 mm	NEW	B01-GF-019	INTERNAL	NO	SOLID CORE PAINT GRADE, 44 mm THICK
33 DOR-024B	686 x 1981 mm	NEW	B01-GF-019	INTERNAL	NO	SOLID CORE PAINT GRADE, 44 mm THICK
34 DOR-025	OMIT					
35 DOR-026	OMIT					
36 DOR-026A	914 x 1981 mm	NEW	B01-GF-021	INTERNAL	NO	SOLID CORE PAINT GRADE, 44 mm THICK
37 DOR-027	OMIT					
38 DOR-027A	762 x 1981 mm	NEW	B01-GF-022	INTERNAL	YES FD 30	SOLID CORE PAINT GRADE, 44 mm THICK
39 DOR-028	OMIT					
40 DOR-029	SEE DRAWING 2141 FR 019					
41 DOR-030	SEE DRAWING 2141 FR 019					
42 DOR-031	OMIT					
FIRST FLOOR PLAN						
REFERENCE	SIZE (W x H)	NEW OR EXISTING	LOCATION	EXTERNAL OR INTERNAL	FIRE DOOR	OTHER
43 DOR-001	OMIT					

- DO NOT SCALE FROM THIS DRAWING - USE FIGURED DIMENSIONS ONLY.
- READ IN CONJUNCTION WITH ALL OTHER CONSULTANTS / SPECIALISTS DRAWINGS, REPORT ANY DISCREPANCIES BEFORE AFFECTED WORK COMMENCES.
- ALL SETTING OUT DIMENSIONS TO BE CHECKED ON SITE BY CONTRACTOR BEFORE WORK COMMENCES.
- THIS DRAWING REMAINS COPYRIGHT OF KEP CZYK PEARCE SANDERSON LTD. COPY / DISTRIBUTE ONLY WITH CONSENT OF THE AUTHOR.

Contract Open Libraries Development		Door Schedule as Proposed						
Client	Manchester City Council		Contract No.	2141	Drawn	LMC	Drawing No.	FR 022
Building / Structure	Chorlton District Library, Chorlton-cum-Hardy		Date	Jul 2022	Revision	-	Scale	N/A
KEPCZYK PEARCE SANDERSON ARCHITECTS, SURVEYORS & HISTORIC BUILDING CONSULTANTS			Address: 75 Wilmslow Road, Handforth, Cheshire SK9 3EN Tel: 01625 400103					