





DISCLAIMER :
SURVEY BASED ON VISUAL INSPECTION OF SURFACE GROWTH. JKSL HOLD NO
LIABILITY FOR AREAS NOT IDENTIFIED IN INITIAL INVESTIGATION WORKS.
CONTINUED MONITORING OF SITE IS RECOMMENDED

-  SURVEY BOUNDARY
-  AREA OF JAPANESE KNOTWEED
-  7M RISK ZONE




SURVEY ORIENTATED TO MAGNETIC NORTH

Rev	Description	Date	By	Chk
-----	-------------	------	----	-----

Client
Mace Group

Contract
Project RED, Manchester Royal Infirmary, North Manchester
General Hospital, Grafton St, Manchester, M13 9NT

Drawing
Japanese knotweed Location Plan




Japanese Knotweed
Solutions

UK'S LEADING JAPANESE KNOTWEED CONTROL & REMEDIATION SPECIALISTS

Workable from: **T**el: 0161 275 1234 **E**mail: info@jk-solutions.co.uk

Emergency: **R**ed: 0161 275 1234 **M**an: 0161 275 1234

Drawing No.	JK21-7735-01	Revision	/
Scales	NTS	Date	07/12/2021
Drawn	KH	Checked	AD



DISCLAIMER :
SURVEY BASED ON VISUAL INSPECTION OF SURFACE GROWTH. JKSL HOLD NO
LIABILITY FOR AREAS NOT IDENTIFIED IN INITIAL INVESTIGATION WORKS.
CONTINUED MONITORING OF SITE IS RECOMMENDED

- SURVEY BOUNDARY
- AREA OF JAPANESE KNOTWEED
- 7M RISK ZONE
- EXCAVATION AREA
- VERTICAL ROOT BARRIER
- TRAFFIC DIRECTION IN/OUT OF SITE
- WAGONS LEAVING/ENTERING SITE
- PROPOSED JKSL STOCKPILE AREA




SURVEY ORIENTATED TO MAGNETIC NORTH

Rev	Description	Date	By	Chk
-----	-------------	------	----	-----

Client
Mace Group

Contract
Project RED, Manchester Royal Infirmary, North Manchester
General Hospital, Grafton St, Manchester, M13 9NT

Drawing
Traffic Management Plan



Drawing No.	JK21-7735-03	Revision	/
Scales	NTS	Date	15/12/2021
Drawn	KH	Checked	AD



JAPANESE KNOTWEED SOLUTIONS

147543
JAPANESE KNOTWEED SOLUTIONS LTD
Itadori House, Melton Street, Radcliffe, Manchester M26 4BR
t: 0161 723 2000 f: 0161 723 2001 e: jk@sktd.co.uk w: www.jksl.com

DUTY OF CARE TRANSFER NOTE

No. 2588

Waste Description	1. European Waste Code (EWC) 17-05-03	
	2. Please describe fully the waste being transferred, including its physical form: Stone & soils & 5% knotweed	
A	3. How is the waste contained? Loose ☐ Sacks ☐ Skips ☐ Drum ☐ Vehicle ☒ Other	
	4. What is the quantity of the waste? e.g. tonnage, cubic metres 8 wheelbar	
Current Holder/Producer	1. Full Name (BLOCK CAPITALS) MACE GROUP	
	2. Name and Address of Company ISS MOORGATE LONDON E22 6XD Postcode SIC (2007) 41201	
B	3. Address waste collected from (if different to the above) M/C M/R1 A+E NORTH RD M/C M13 9NZ	
	4. Which of the following are you? Exempt from requirement - give reason Producer of the waste ☒ Registered Waste Carrier - Reg No Collection Authority ☐ Holder of an environmental permit - Permit No Registered Waste Exemption - Reg No	
By signing the below I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulation 2011		
Signed on behalf of producer PACOP Date 06/04/22		
Person Collecting/Carrying the Waste	1. Full Name (BLOCK CAPITALS) BAXTER CLAB HIRE	
	2. Name and Address of Company BOLTON RD WIGAN W12 1PK Postcode	
C	3. REGISTERED WASTE CARRIER Reg. No. CB0179065 Vehicle Reg. ND21 AYO	
	4. If exempt please give reason	
By signing the below I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulation 2011		
Signed on behalf of carrier STEVE Date 06/04/22		
Waste Broker	Name and Address of Broker: Japanese Knotweed Solutions Limited, Itadori House, Melton Street, Radcliffe, Manchester, M26 4BR. Registration No: CBDU223977	
	D	
Disposer/Holder of the Waste	1. Full Name (BLOCK CAPITALS) BIFFA M/C RAIL HUB	
	2. Address of place of Transfer 37 OLDHAM RD M/C M40 HB 3702LZ	
E	3. Which of the following are you? Holder of a permit ☐ Permit No: Exempt from permit ☐ Give reason	
	Signed on behalf of disposer/holder Date	

White - Producer/Holder Yellow - Carrier Blue - Disposer/Holder



JAPANESE KNOTWEED SOLUTIONS

147543
JAPANESE KNOTWEED SOLUTIONS LTD
Itadori House, Melton Street, Radcliffe, Manchester M26 4BR
t: 0161 723 2000 f: 0161 723 2001 e: jk@sktd.co.uk w: www.jksl.com

DUTY OF CARE TRANSFER NOTE

No. 2587

Waste Description	1. European Waste Code (EWC) 17-05-03	
	2. Please describe fully the waste being transferred, including its physical form: Soils & stones & 5% knotweed	
A	3. How is the waste contained? Loose ☐ Sacks ☐ Skips ☐ Drum ☐ Vehicle ☒ Other	
	4. What is the quantity of the waste? e.g. tonnage, cubic metres 8 wheelbar.	
Current Holder/Producer	1. Full Name (BLOCK CAPITALS) MACE GROUP	
	2. Name and Address of Company ISS MOORGATE LONDON Postcode E22 6XD SIC (2007) 41201	
B	3. Address waste collected from (if different to the above) M/C M/R1 A+E NORTH RD M/C M13 9NZ	
	4. Which of the following are you? Exempt from requirement - give reason Producer of the waste ☒ Registered Waste Carrier - Reg No Collection Authority ☐ Holder of an environmental permit - Permit No Registered Waste Exemption - Reg No	
By signing the below I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulation 2011		
Signed on behalf of producer PACOP Date 06/04/22		
Person Collecting/Carrying the Waste	1. Full Name (BLOCK CAPITALS) BAXTER CLAB HIRE	
	2. Name and Address of Company BOLTON RD WIGAN W12 1PK Postcode	
C	3. REGISTERED WASTE CARRIER Reg. No. CB0179065 Vehicle Reg. ND21 AYO	
	4. If exempt please give reason	
By signing the below I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulation 2011		
Signed on behalf of carrier STEVE Date 06/04/22		
Waste Broker	Name and Address of Broker: Japanese Knotweed Solutions Limited, Itadori House, Melton Street, Radcliffe, Manchester, M26 4BR. Registration No: CBDU223977	
	D	
Disposer/Holder of the Waste	1. Full Name (BLOCK CAPITALS) BIFFA M/C RAIL HUB	
	2. Address of place of Transfer 37 OLDHAM RD M/C M40 HB 3702LZ	
E	3. Which of the following are you? Holder of a permit ☐ Permit No: Exempt from permit ☐ Give reason	
	Signed on behalf of disposer/holder Date	

White - Producer/Holder Yellow - Carrier Blue - Disposer/Holder



JAPANESE KNOTWEED
SOLUTIONS

147543
JAPANESE KNOTWEED SOLUTIONS LTD
Itadori House, Melton Street, Radcliffe, Manchester M26 4BR
t: 0161 723 2000 f: 0161 723 2001 e: jk@sltd.co.uk w: www.jksl.com

DUTY OF CARE TRANSFER NOTE

No. 2589

Waste Description	1. European Waste Code (EWC) 17-05-03 2. Please describe fully the waste being transferred, including its physical form: STONE & SOILS < 50% KNOTWEED 3. How is the waste contained? Loose ☐ Sacks ☐ Skips ☐ Drum ☐ Vehicle ☒ Other 4. What is the quantity of the waste? e.g. tonnage, cubic metres 8 wheelar
Current Holder/ Producer	1. Full Name (BLOCK CAPITALS) MACE GROUP 2. Name and Address of Company ISS MOOR GATE LONDON EC2GXB Postcode SIC (2007) 41201 3. Address waste collected from (if different to the above) M/C MRI A+E NORTH RD M/C M13 9NZ 4. Which of the following are you? Exempt from requirement - give reason Producer of the waste ☒ Registered Waste Carrier - Reg No Collection Authority ☐ Holder of an environmental permit - Permit No Registered Waste Exemption - Reg No By signing the below I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulation 2011 Signed on behalf of producer PACEP Date 06/04/22
Person Collecting/ Carrying the Waste	1. Full Name (BLOCK CAPITALS) BAXTER GRAB HIRE 2. Name and Address of Company BOLTON RD WIGAN CB0U 179065 Postcode WAZ1PR 3. REGISTERED WASTE CARRIER Reg. No. ND21 Vehicle Reg. AXO 4. If exempt please give reason By signing the below I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulation 2011 Signed on behalf of carrier STEVE Date 06/04/22
Waste Broker	Name and Address of Broker: Japanese Knotweed Solutions Limited, Itadori House, Melton Street, Radcliffe, Manchester, M26 4BR. Registration No: CBDU223977
Disposer/Holder of the Waste	1. Full Name (BLOCK CAPITALS) BIFFA M/C RAIL HUB 2. Address of place of Transfer OLDHAM RD M/C HB 370212 3. Which of the following are you? Holder of a permit ☒ Permit No. Exempt from permit ☐ Give reason Signed on behalf of disposer/holder Date

White - Producer/Holder Yellow - Carrier Blue - Disposer/Holder



JAPANESE KNOTWEED
SOLUTIONS

147543
JAPANESE KNOTWEED SOLUTIONS LTD
Itadori House, Melton Street, Radcliffe, Manchester M26 4BR
t: 0161 723 2000 f: 0161 723 2001 e: jk@sltd.co.uk w: www.jksl.com

DUTY OF CARE TRANSFER NOTE

No. 2590

Waste Description	1. European Waste Code (EWC) 17-05-03 2. Please describe fully the waste being transferred, including its physical form: STONE & SOILS < 50% KNOTWEED 3. How is the waste contained? Loose ☐ Sacks ☐ Skips ☐ Drum ☐ Vehicle ☒ Other 4. What is the quantity of the waste? e.g. tonnage, cubic metres 8 wheelar
Current Holder/ Producer	1. Full Name (BLOCK CAPITALS) MACE GROUP 2. Name and Address of Company ISS MOOR GATE LONDON EC2GXB Postcode SIC (2007) 41201 3. Address waste collected from (if different to the above) M/C MRI A+E NORTH RD M/C M13 9NZ 4. Which of the following are you? Exempt from requirement - give reason Producer of the waste ☒ Registered Waste Carrier - Reg No Collection Authority ☐ Holder of an environmental permit - Permit No Registered Waste Exemption - Reg No By signing the below I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulation 2011 Signed on behalf of producer PACEP Date 06/04/22
Person Collecting/ Carrying the Waste	1. Full Name (BLOCK CAPITALS) BAXTER GRAB HIRE 2. Name and Address of Company BOLTON RD WIGAN CB0U 179065 Postcode WAZ1PR 3. REGISTERED WASTE CARRIER Reg. No. ND21 Vehicle Reg. AXO 4. If exempt please give reason By signing the below I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England & Wales) Regulation 2011 Signed on behalf of carrier STEVE Date 06/04/22
Waste Broker	Name and Address of Broker: Japanese Knotweed Solutions Limited, Itadori House, Melton Street, Radcliffe, Manchester, M26 4BR. Registration No: CBDU223977
Disposer/Holder of the Waste	1. Full Name (BLOCK CAPITALS) BIFFA M/C RAIL HUB 2. Address of place of Transfer OLDHAM RD M/C M40 HB 370212 3. Which of the following are you? Holder of a permit ☐ Permit No. Exempt from permit ☐ Give reason Signed on behalf of disposer/holder Date

White - Producer/Holder Yellow - Carrier Blue - Disposer/Holder

Risk Assessment – Herbicide Application Using Hand-Held Applicators

Page 1 of 3



Description of Work Activities:	Application of herbicide to surface plant growth.	Persons at Risk:	JKSL Site Operatives, clients and contractors, residents of the site, members of the public.
Are vulnerable persons at risk? (Delete as applicable) Who?	Consult the COSHH assessment for the herbicide used. Application itself poses no additional hazards to vulnerable groups.	If any of these groups are at risk, an additional Risk Assessment must be undertaken to address the risks to the groups identified.	

This risk assessment is for the use of herbicide applicators only – it does not cover the herbicide itself; see relevant COSHH assessment. A site-specific RAMS should be in place and should be read along with other relevant documents like manual handling risk assessment.

Vans should be locked at all times and all herbicide and equipment must be locked in the safe in the van when not in use.

Working areas should be appropriately fenced, signed, or other measures should be in place to prevent people from entering the working area. JKSL's Site Foreman will not go ahead with works or will stop and inform the client's site manager and JKSL head office if they deem the safety measures on site to be insufficient to protect persons at risk from on-site hazards associated with the work activities.

Staff will wear the following PPE for herbicide application: wellington boots to EN ISO:20345 and EN 13832-3 with good tread; full-length hard-wearing PPE; Cat III type 5 & 6 chemical resistant suit (to ISO 13982-1 and ISO 13034); EN 374 gloves and both goggles and solid full-face visor to EN166. For mixing, wear all of the above PPE plus an EN 14605 apron. Alternative / equivalent PPE to items specified below may be provided or used if it has been deemed suitable for the task.

The **x** and **y** listed below for the "severity" of herbicide can be found in JKSL's COSHH assessment. "**x**" is for concentrate, "**y**" for dilute.

Hazard	Potential Consequences	Risk Rating (see notes)			Actions Required	Residual Risk (see notes)		
		Severity (1-5)	Likelihood (0-5)	Risk Rating		Severity (1-5)	Likelihood (0-5)	Risk Rating
Concealed / unidentified objects, dips or bumps, slippery surfaces etc.	Ground-level slips/trips/falls, twists, sprains, broken ankle/leg etc.	4	4	16	JKSL site foreman will carry out a visual survey of the working areas and cut access channels if required to achieve safe working conditions. Use a long lance to spray from a distance if this provides a safer working area. Continually assess your footing whilst working or moving around the site and exercise due care to avoid both known and unidentified hazards. Where the site has significant trip hazards, use “move-spray-move” (don’t spray and walk at the same time).	4	2	8
		Also see site-specific RA				Also see site-specific RA		

Risk Assessment – Herbicide Application Using Hand-Held Applicators

Page 2 of 3



Manual handling (misc. equipment, knapsack sprayer, herbicide containers, opening hydrants etc.)	Back injuries, WRULDs; cuts, abrasions; impact injuries from falling objects	3	3	9	See manual handling risk assessment. Avoid manual handling where possible. Work according to training and direction and all relevant points in the manual handling RA. Adjust knapsack sprayers before you first fill them and again after filling to check fit. Take regular breaks when wearing a knapsack for extended periods and consider part-filling the knapsack to reduce the weight. When using the electric sprayer, leave this on the ground where feasible, rather than carrying it on your back. Use the electric sprayer with extendible lances and handle the lance with both hands in a side-on stance, as per training.	3	2	6
Overhead services (particularly when using long or extendible lances)	Contact with overhead services causing electrical discharge, electrocution. Causing outages to local buildings.	5	2	10	Carry out a visual survey of the site before starting work. Note locations of overhead services and, where these fall within 5m of spraying areas or haul routes, the locations should be marked on the ground using paint. If these are potentially high voltage cables, JKSL's MS must be reviewed by JKSL's project manager (and the site manager) to provide a safe system of work, considering: potential for electricity to arc from overhead cables; the length of the spray lance used; whether a smaller lance can be used; whether the cables can be deactivated.	5	1	5
		Also see site-specific RA				Also see site-specific RA		
Use of electrical equipment (battery-powered sprayer & charger)	Faulty equipment or cables causing electric shock, electrocution or fire.	5	1	5	Check that thorough inspection & testing has been completed for the power pack in past three 3 months (or in line with HSE guidance). Only trained operatives to use the batter-powered sprayer. Carry out pre-use checks.	5	1	5
Stem injection	Dilute or concentrated herbicide "backfiring" into Operative's face or eyes. See COSHH assessment for potential effects.	x	3	3x	See COSHH Assessment. Ensure full face protection is in place at all times. Wear PPE as above. Look directly at the injection gun on each application. Clean or dispose of contaminated PPE in accordance with training, product label and COSHH.	x	1	1x
Handling and diluting concentrated herbicide	Contact with herbicide on unprotected skin. See COSHH assessment for potential effects.	x	4	4x	See COSHH Assessment. Follow safe dilution method as trained. Wear PPE as above, including apron. Deal with spills immediately, as per training & Emergency Contingency Plan. Clean or dispose of contaminated PPE in accordance with product label and COSHH.	x	1	1x

Risk Assessment – Herbicide Application Using Hand-Held Applicators

Page 3 of 3



Spraying activities (using knapsack or battery-powered sprayer)	Contact with dilute herbicide on unprotected skin. See COSHH assessment for potential effects.	y	5	5y	See COSHH Assessment. Assess weather conditions before and during spraying. Only spray if there are no unauthorised persons in the working area. Take all available steps to minimise spray drift. Use 2m long lance when spraying over waist height. Wear PPE as above. Remove PPE and wash hands after spraying. Clean or dispose of contaminated PPE in accordance with product label and COSHH. Cease spraying if any unauthorised persons approach the application area.	y	1	1y
Further information: JKSL Health & Safety Policy; COSHH Assessment (and MSDS); Safe System of Works; Risk Assessment Notes								
	Name:	Position:			Signature:	Date:		
Carried out by:	Chris Oliver	Operations Manager				28/04/2019		
Last review by:	Chris Oliver	Operations Manager				23/09/2021		
Checked by:								
Next review due before:		01/05/2023						



SAFE SYSTEM OF WORK:

Herbicide application via spray, injection or other hand-held applicators

CREATED:	05/06/2020	BY: Chris Oliver
LAST REVIEW / UPDATE:	17/05/2021	REVIEWED BY: Chris Oliver
NEXT REVIEW BEFORE:	01/05/2023	

INTRODUCTION

Herbicide application must (by law) be carried out by trained operatives using only approved products, approved equipment and suitable PPE. When following the measures in JKSL's risk assessments (RAs) and COSHH assessments, risks to health and safety are low.

JKSL's herbicides can be applied by a variety of methods, depending on the approvals on the product label, including: spraying, stem injection and leaf wiping. Spraying is generally the preferred method. Chemical injection and leaf wiping are mostly used to minimise damage to other desirable plant species or contamination of water.

HEALTH AND SAFETY

This Safe System of Work covers herbicide application and should be read with the relevant RAs, COSHH assessment(s) and other JKSL health and safety documents.

The works may involve significant manual handling, depending on the amount of spray works to be undertaken. Battery-powered spray equipment is available, which can be set on the ground to minimise manual handling. Also see JKSL's manual handling RA.

Other significant areas of concern include:

- Overhead services (particularly when using extendible lance)

EQUIPMENT

The following equipment may be used for the task:

- Manual knapsack sprayer
- Battery powered sprayer
- Short (1m), long (2m) or extendible (e.g. 3.6-5.0m) spray lances
- Herbicide injection gun
- Leaf wiper, disposable wipes, paintbrush

The following potentially-harmful substances may be used (see COSHH for details):

- Any UK-approved herbicide (see site-specific MS for which)
- Any UK-approved adjuvant (see site-specific MS)
- Line marker spray

The site-specific RAMS will specify what PPE is to be used, but the minimum PPE required for this task is:

- Chemical-resistant wellingtons to ISO 20345 and EN13832-3



- Chemical resistant gloves to EN ISO 374
- Cat III Type 5+6 spray suit to ISO 13982-1 and ISO 13034
- Both goggles and visor to EN166
- In addition, for mixing, an EN 14605 apron is required.

PREPARATION

JKSL site foreman must undertake a visual survey of the area before starting work, to check for slip/trip/fall hazards, watercourses and overhead power cables as well as other hazards including sharps and asbestos-containing materials. Any significant hazards should be reported to JKSL's Project Manager before starting works.

If appropriate, the areas for application should be marked before starting application.

Clean Site Policy should be implemented if there are invasive species present.

If the areas are accessible to the public, a spotter should be nominated and signals agreed for stopping and re-starting works and any other important instructions.

Before use, all equipment must be checked, adjusted and (where necessary) calibrated. Separate check-sheets are provided for this

WATER QUALITY MANAGEMENT

Spraying near to watercourses is not permitted without approval from the local authorising agency (e.g. Environment Agency, SEPA, Natural Resources Wales, etc.). The prohibited distance and conditions for approval vary between agencies and approval will be subject to certain conditions which may vary from site to site and year to year.

In England, spraying may be carried out up to 1m from the top of the bank (the first break in slope) of any watercourse without seeking approval; within 1m, EA approval is required.

In Scotland, mixing must not be carried out within 10m of any watercourse. Additionally, application within 1m of the top of the bank of any watercourse is prohibited during rain; high wind; within 50m of any spring, well or borehole (unless it is capped to prevent such ingress), 250m upstream of any water abstraction intended for human consumption (or 250m from such on a lake or wetland). In line with the above conditions and additional conditions outlined by SEPA, application within 1m of the top of the bank does not need approval if it is for treatment of invasive species using a pesticide approved for use near water and provided no herbicide enters the water. Otherwise, SEPA approval is required.

In Wales, herbicide applications may be made in line with NRW conditions if herbicide is used within 250m of water but not actually on or in water and/or within 1500m but not actually in a designated site and/or not within 1km of a drinking water abstraction point or 500m of any other type of water abstraction point. For other activities, a permit is needed.

Before application near water, JKSL must request permission in writing. Approval will include a number of conditions and is not guaranteed so there is no guarantee that herbicide application can proceed as planned. If a previously unidentified watercourse is found on site, works in the protected area will not proceed, JKSL may charge for seeking permission and further applications may be required in these areas at a later date.



MIXING AND PREPARATION FOR APPLICATION

JKSL will comply with relevant legislation, any relevant code of practice issued by DEFRA and the conditions outlined on the product label(s) at all times during applications. Spray operatives (or a person directly supervising them one-to-one) will hold a valid, current sprayer certificate, (e.g. NPTC PA1 and PA6a) including e.g. PA6w for working near water.

Mixing of herbicides must be carried out in a suitable location, away from any watercourses, and in an area where there is no significant risk of any spillage running off into drains or watercourses. Only mix enough herbicide for the job (or mix small batches). Empty containers will be put in the chemical storage as soon as they are used and removed from site for disposal.

Any water taken from a watercourse must be taken out using a clean container which has never been used to carry pesticides or other environmentally harmful materials. The water must be transferred into an intermediate container or spraying equipment in such a way that no herbicide (concentrated or dilute) can come in to contact with it.

SPRAYING

Spraying must only be carried out in appropriate weather conditions. Spraying must not go ahead in excessive wind and/or precipitation, low light levels or other adverse weather conditions. Where wind or precipitation make spray works unsuitable, leaf wiping or stem injection can potentially be used as an alternative for some species but this may not be practical or may require additional costs, particularly if the application areas are large.

Spraying will either be a ground-level blanket spray or will be targeted and directed to specific species only (as per the MS for site). For foliar-acting herbicides, spray must only be applied to active weed growth. JKSL operatives will take measures to minimise spray drift onto other areas of the site, land adjoining the site and any non-target plant species.

Some diluted herbicide is likely to remain in the tank when you finish spraying; spray these residues out over a suitable area of waste ground, then rinse the knapsack with a small volume of water and spray the washings out over a suitable area and repeat twice more.

Any application along a flowing watercourse (whether it is spraying or any other method) must proceed against the direction of flow of the watercourse – that is to say, moving upstream at all times. This approach reduces the concentration of any herbicide which enters the watercourse.

STEM INJECTION

Injection is approved for limited specific uses (mostly applying glyphosate to mature Japanese knotweed). Injection will be used if it is appropriate and necessary to ensure effective treatment in adverse weather conditions or to protect surrounding plant species.

Once the equipment has been tested and filled with herbicide as per the product label, insert the gun into the stem of the plant (for JK, between the first two internodes) and apply the herbicide with a single press of the trigger. If the herbicide leaks out of either side of the stem after the press of the trigger, then the application should be repeated.



In large stands, paint or marker spray can be applied to each treated stem to prevent stems from being missed or treated more than once.

LEAF WIPING

A dedicated leaf wiper can be filled with (dilute) herbicide as directed on the product label and the wick used to liberally wet the leaves of the target plants.

A dedicated paintbrush (for one product only) can be used to apply dilute herbicide from a suitable container. Care should be taken to avoid over-wetting the brush, causing dripping.

Wipes may be used; a small amount (1-2ml) of concentrated herbicide can be applied to each wipe and the contents transferred to the plant by wiping on to the leaves. Used wipes should be placed into a sealable, water-tight container immediately after use, and should be removed from the site upon leaving the area.

Leaf wiping shall not be carried out adjacent to water unless the equipment can be prepared away from the watercourse and kept in a sealed, water-tight bag before and after use. No concentrated herbicide is to be taken in to the watercourse or on to the banks.