




















Project:	VS9B Plot 9B, First Street, Manchester
Title:	External Materials Tracker
Document No:	VS9B-TGA-Z100-SC-XX-00001
Status:	Stage 5
Date:	19.02.26
Revision:	P04

Revision	Date	Key
First Issue for Comment	07.08.25	Submitted
Revised to RBL Comments	14.08.25	Validation confirmed
Mortar Colour Selected	07.11.25	Approval confirmed
Mastic Colours Added. MCC Review.	19.02.26	

	Description	Product Reference	Texture/ Range / Colour / RAL	Size / Joint	Image / RAL Colour	Sample Drawing (if applicable)	Application Submission No.	Product Link	Planning Condition	Submitted to	Validation & Reference	LPA Comments	Target Decision Date	Approved by LPA	Reference	
1.00 // Decorative Brickwork : Sample Panel 01																
1.01	Stretcher Bond MBR-101 (F10) Facing Brickwork	Vandersanden Lima	Grey Multi 3mm Recessed Mortar Joints	215 x 102.5 x 65mm, 10mm Joint. Laid in half lap stretcher bond.				https://www.vandersanden.com/en-uk/products-and-solutions/lima	Condition 3c						Brickwork Sample Panel 01. 1002.5 x 975mm panel	
1.02	Mortar MBR-101 (F10) Facing Brickwork	Flomix Mortar	Colour: Flomix, Renaker White	10mm Joint.					Condition 3c						Brickwork Sample Panel 01. 1002.5 x 975mm panel	
1.03	Decorative Recessed Brickwork MBR-101 (F10) Facing Brickwork	Vandersanden Lima	Grey Multi 3mm Recessed Mortar Joints	215 x 102.5 x 65mm, 10mm Joint. 112.5mm Recessed brickwork reveal.					https://www.vandersanden.com/en-uk/products-and-solutions/lima						Condition 3c	Brickwork Sample Panel 01. 1002.5 x 975mm panel
1.04	Decorative Projecting Brickwork Header MBR-101 (F10) Facing Brickwork	Vandersanden Lima	Grey Multi 3mm Recessed Mortar Joints	215 x 102.5 x 65mm, 10mm Joint. 50mm Alternating Projecting Header brickwork.					https://www.vandersanden.com/en-uk/products-and-solutions/lima						Condition 3c	Brickwork Sample Panel 01. 1002.5 x 975mm panel
2.00 // Decorative Brickwork : Sample Panel 02																
2.01	Stretcher Bond MBR-101 (F10) Facing Brickwork	Vandersanden Lima	Grey Multi 3mm Recessed Mortar Joints	215 x 102.5 x 65mm, 10mm Joint. Laid in half lap stretcher bond.				https://www.vandersanden.com/en-uk/products-and-solutions/lima	Condition 3c						Brickwork Sample Panel 02. 1227.5 x 975mm panel	
2.02	Mortar MBR-101 (F10) Facing Brickwork	Flomix Mortar	Colour:Flomix Renaker White	10mm Joint.					Condition 3c						Brickwork Sample Panel 02. 1227.5 x 975mm panel	
2.03	English Bond MBR-101 (F10) Facing Brickwork	Vandersanden Lima	Grey Multi 3mm Recessed Mortar Joints	215 x 102.5 x 65mm, 10mm Joint. Laid in English Bond.					https://www.vandersanden.com/en-uk/products-and-solutions/lima						Condition 3c	Brickwork Sample Panel 02. 1227.5 x 975mm panel
2.04	Decorative Projecting Brickwork Header MBR-101 (F10) Facing Brickwork	Vandersanden Lima	Grey Multi 3mm Recessed Mortar Joints	215 x 102.5 x 65mm, 10mm Joint. 25mm Projecting Header brickwork.					https://www.vandersanden.com/en-uk/products-and-solutions/lima						Condition 3c	Brickwork Sample Panel 02. 1227.5 x 975mm panel
2.04	Decorative Rowlock Course MBR-101 (F10) Facing Brickwork	Vandersanden Lima	Grey Multi 3mm Recessed Mortar Joints	215 x 102.5 x 65mm, 10mm Joint. Rowlock Course.				https://www.vandersanden.com/en-uk/products-and-solutions/lima	Condition 3c						Brickwork Sample Panel 02. 1227.5 x 975mm panel	
2.05	Wet Cast Stone EWS-804 (H52) Cast Stone Cladding - Window Sill	Amber Valley Stone Ltd	Wet Cast Stone Colour: 0264	Where required joints to relieve flexible sealant to match stone colour.					https://www.ambervalleystone.co.uk/product-wet-cast-stone/						Condition 3c	Brickwork Sample Panel 02. 1227.5 x 975mm panel
2.06	Curtain Walling EWS-101 (H11) Capped stick built curtain walling system	Focchi	Anodised Aluminium Colour: Oxicolour R56 Bronze	50mm mullion and transom					N/a						Condition 3c	Brickwork Sample Panel 02. 1227.5 x 975mm panel

Continued overleaf

Ref	Description	Product Reference	Texture/ Range / Colour / RAL	Size / Joint	Image / RAL Colour	Sample Drawing (if applicable)	Application Submission No.	Product Link	Planning Condition	Submitted to	Validation & Reference	LPA Comments	Target Decision Date	Approved by LPA	Reference
8.00 // External Doors															
8.01	External Doors		Anodised Aluminium Colour: Oxicolour R56 Bronze	N/A			CDN/25/1146		Condition 3a						A4 Anodising Sample 01
	DRS-201, 251 (H11) Glazed Door (H11) Curved Sliding Door														
8.02	Louvred Door		Anodised Aluminium Colour: Oxicolour R56 Bronze	N/A			CDN/25/1146		Condition 3a						A4 Anodising Sample 01
	DRS-401, 451 (H11) Metal Door (H11) Metal Louvered Door														
9.00 // Façade Accessories															
9.01	Movement Joint	Adshead Radcliffe Movement joint sealant incorporating compressible filler. Sealant	Colour: Portland	N/A				https://www.arbo.co.uk/arbo-sealants	Condition 3c						Full Sized VMU
9.02	Weepholes	Ryttons Building Products Ryttons Rytweep	A1 Fire-rated Metal Rytweep	N/A				https://its.vents.co.uk/blog/product-details/ryttons-a1-fire-rated-metal-rytweep-fire-rated-cavity-weep/	Condition 3c						Full Sized VMU
	MAC-811 Weepholes														
9.03	Visible Fixings/Mechanisms		PPC Colour: RAL 8040 To match Anodised Colour	N/A					Condition 3c						A4 Anodising Sample 01 Full Sized VMU
10.00 // Mechanical Louvres															
10.01	Generally		Anodised Aluminium Colour: Oxicolour R56 Bronze	N/A					Condition 3c						A4 Anodising Sample 01 Full Sized VMU
10.02	Window Soffits		Anodised Aluminium Colour: Oxicolour R56 Bronze	N/A					Condition 3c						A4 Anodising Sample 01 Full Sized VMU