

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	Window Orientation	Total Suns per Room Annual Existing	Total Suns per Room Annual Proposed	Annual Suns Lost	Annual Pr/Ex	Total Suns per Room Winter Existing	Total Suns per Room Winter Proposed	Wnter Suns Lost	Winter Pr/Ex
St Chads Church													
Ground	R1	Commercial	Pastoral	W1 W2	199° 199°	79.00	67.00	12.00	0.85	23.00	14.00	9.00	0.61
	R2	Commercial	Pastoral	W3 W4 W5	199° 199° 199°	77.00	64.00	13.00	0.83	19.00	9.00	10.00	0.47
	R3	Commercial	Pastoral	W6 W7 W8 W9 W10 W11 W12 W13	289°N 199° 109° 199° Inc 109° 109° 109° 109°	90.00	79.00	11.00	0.88	20.00	12.00	8.00	0.60
First	R1	Commercial	Pastoral	W1 W2 W3 W4 W5 W6	289°N 289°N 289°N 199° 199° 199° Inc	76.00	64.00	12.00	0.84	22.00	12.00	10.00	0.55
	R2	Commercial	Pastoral	W7 W8 W9	199° 199° 199° Inc	86.00	75.00	11.00	0.87	24.00	15.00	9.00	0.63
	R3	Commercial	Pastoral	W10 W11 W12	199° 199° 199° Inc	81.00	69.00	12.00	0.85	22.00	12.00	10.00	0.55
Britton House													
Ground	R1	Residential	LKD	W1 W2 W3	25°N 295°N 295°N			*North	*North			*North	*North
	R2	Residential	Bedroom	W4	295°N			*North	*North			*North	*North
	R3	Residential	Bedroom	W5	295°N			*North	*North			*North	*North
	R4	Residential	LKD	W6 W7	292°N 205°	33.00	9.00	24.00	0.27	5.00	1.00	4.00	0.20
	R5	Residential	Bedroom	W8	206°	14.00	12.00	2.00	0.86	3.00	1.00	2.00	0.33
	R6	Residential	Bedroom	W9	205°	44.00	27.00	17.00	0.61	6.00	5.00	1.00	0.83
	R7	Residential	LKD	W10	205°	44.00	27.00	17.00	0.61	6.00	5.00	1.00	0.83
	R8	Residential	Bedroom	W11	205°	43.00	28.00	15.00	0.65	5.00	5.00	0.00	1.00
	R9	Residential	LKD	W12	206°	8.00	6.00	2.00	0.75	4.00	4.00	0.00	1.00
	R10	Residential	LKD	W13 W14	205° 205°	45.00	33.00	12.00	0.73	8.00	8.00	0.00	1.00
	R11	Residential	Bedroom	W15	205°	6.00	6.00	0.00	1.00	4.00	4.00	0.00	1.00
	R12	Residential	LKD	W16	206°	22.00	21.00	1.00	0.95	4.00	4.00	0.00	1.00
	R13	Residential	Bedroom	W17	206°	26.00	17.00	9.00	0.65	6.00	6.00	0.00	1.00
First	R1	Residential	LKD	W1 W2 W3	25°N 295°N 295°N			*North	*North			*North	*North
	R2	Residential	Bedroom	W4	295°N			*North	*North			*North	*North
	R3	Residential	Bedroom	W5	295°N			*North	*North			*North	*North
	R4	Residential	LKD	W6 W7 W8	24°N 292°N 205°	36.00	12.00	24.00	0.33	6.00	2.00	4.00	0.33
	R5	Residential	Bedroom	W9	206°	15.00	13.00	2.00	0.87	4.00	2.00	2.00	0.50
	R6	Residential	Bedroom	W10	205°	46.00	28.00	18.00	0.61	7.00	6.00	1.00	0.86
	R7	Residential	LKD	W11	205°	44.00	28.00	16.00	0.64	7.00	6.00	1.00	0.86
	R8	Residential	Bedroom	W12	205°	44.00	29.00	15.00	0.66	6.00	6.00	0.00	1.00
	R9	Residential	LKD	W13	206°	18.00	15.00	3.00	0.83	4.00	4.00	0.00	1.00

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	Window Orientation	Total Suns per Room Annual Existing	Total Suns per Room Annual Proposed	Annual Suns Lost	Annual Pr/Ex	Total Suns per Room Winter Existing	Total Suns per Room Winter Proposed	Wnter Suns Lost	Winter Pr/Ex
	R10	Residential	LKD	W14 W15	205° 205°	48.00	35.00	13.00	0.73	9.00	9.00	0.00	1.00
	R11	Residential	Bedroom	W16	205°	11.00	11.00	0.00	1.00	5.00	5.00	0.00	1.00
	R12	Residential	LKD	W17	206°	27.00	25.00	2.00	0.93	5.00	5.00	0.00	1.00
	R13	Residential	Bedroom	W18	206°	28.00	18.00	10.00	0.64	6.00	6.00	0.00	1.00
Second	R1	Residential	LKD	W1 W2 W3	25°N 295°N 295°N				*North	*North		*North	*North
	R2	Residential	Bedroom	W4	295°N				*North	*North		*North	*North
	R3	Residential	Bedroom	W5	295°N				*North	*North		*North	*North
	R4	Residential	LKD	W6 W7 W8	24°N 292°N 205°	38.00	13.00	25.00	0.34	7.00	3.00	4.00	0.43
	R5	Residential	Bedroom	W9	206°	16.00	14.00	2.00	0.88	4.00	2.00	2.00	0.50
	R6	Residential	Bedroom	W10	205°	50.00	30.00	20.00	0.60	9.00	7.00	2.00	0.78
	R7	Residential	LKD	W11	205°	49.00	31.00	18.00	0.63	10.00	8.00	2.00	0.80
	R8	Residential	Bedroom	W12	205°	47.00	30.00	17.00	0.64	7.00	6.00	1.00	0.86
	R9	Residential	LKD	W13	206°	19.00	17.00	2.00	0.89	5.00	5.00	0.00	1.00
	R10	Residential	LKD	W14 W15	205° 205°	50.00	36.00	14.00	0.72	10.00	10.00	0.00	1.00
	R11	Residential	Bedroom	W16	205°	12.00	12.00	0.00	1.00	5.00	5.00	0.00	1.00
	R12	Residential	LKD	W17	206°	29.00	27.00	2.00	0.93	7.00	7.00	0.00	1.00
	R13	Residential	Bedroom	W18	206°	31.00	21.00	10.00	0.68	8.00	8.00	0.00	1.00
Third	R1	Residential	LKD	W1 W2 W3	25°N 295°N 295°N				*North	*North		*North	*North
	R2	Residential	Bedroom	W4	295°N				*North	*North		*North	*North
	R3	Residential	Bedroom	W5	295°N				*North	*North		*North	*North
	R4	Residential	LKD	W6 W7 W8	24°N 292°N 205°	39.00	14.00	25.00	0.36	7.00	3.00	4.00	0.43
	R5	Residential	Bedroom	W9	206°	17.00	15.00	2.00	0.88	4.00	2.00	2.00	0.50
	R6	Residential	Bedroom	W10	205°	53.00	32.00	21.00	0.60	11.00	8.00	3.00	0.73
	R7	Residential	LKD	W11	205°	51.00	33.00	18.00	0.65	12.00	10.00	2.00	0.83
	R8	Residential	Bedroom	W12	205°	49.00	32.00	17.00	0.65	9.00	8.00	1.00	0.89
	R9	Residential	LKD	W13	206°	19.00	17.00	2.00	0.89	5.00	5.00	0.00	1.00
	R10	Residential	LKD	W14 W15	205° 205°	52.00	38.00	14.00	0.73	11.00	11.00	0.00	1.00
	R11	Residential	Bedroom	W16	205°	13.00	13.00	0.00	1.00	6.00	6.00	0.00	1.00
	R12	Residential	LKD	W17	206°	30.00	28.00	2.00	0.93	8.00	8.00	0.00	1.00
	R13	Residential	Bedroom	W18	206°	33.00	23.00	10.00	0.70	9.00	9.00	0.00	1.00
Fourth	R1	Residential	LKD	W1 W2 W3	25°N 295°N 295°N				*North	*North		*North	*North
	R2	Residential	Bedroom	W4	295°N				*North	*North		*North	*North
	R3	Residential	Bedroom	W5	295°N				*North	*North		*North	*North
	R4	Residential	LKD	W6 W7 W8	24°N 292°N 205°	39.00	14.00	25.00	0.36	7.00	3.00	4.00	0.43

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	Window Orientation	Total Suns per Room Annual Existing	Total Suns per Room Annual Proposed	Annual Suns Lost	Annual Pr/Ex	Total Suns per Room Winter Existing	Total Suns per Room Winter Proposed	Wnter Suns Lost	Winter Pr/Ex
	R5	Residential	Bedroom	W9	206°	17.00	15.00	2.00	0.88	4.00	2.00	2.00	0.50
	R6	Residential	Bedroom	W10	205°	53.00	32.00	21.00	0.60	11.00	8.00	3.00	0.73
	R7	Residential	LKD	W11	205°	52.00	33.00	19.00	0.63	12.00	9.00	3.00	0.75
	R8	Residential	Bedroom	W12	205°	52.00	34.00	18.00	0.65	11.00	9.00	2.00	0.82
	R9	Residential	LKD	W13	206°	21.00	19.00	2.00	0.90	6.00	6.00	0.00	1.00
	R10	Residential	LKD	W14 W15	205° 205°	54.00	40.00	14.00	0.74	12.00	12.00	0.00	1.00
	R11	Residential	Bedroom	W16	205°	14.00	14.00	0.00	1.00	6.00	6.00	0.00	1.00
	R12	Residential	LKD	W17	206°	32.00	29.00	3.00	0.91	10.00	9.00	1.00	0.90
	R13	Residential	Bedroom	W18	206°	36.00	27.00	9.00	0.75	10.00	10.00	0.00	1.00
Fifth	R1	Residential	LKD	W1 W2 W3	25°N 295°N 295°N			*North	*North			*North	*North
	R2	Residential	Bedroom	W4	295°N			*North	*North			*North	*North
	R3	Residential	Bedroom	W5	295°N			*North	*North			*North	*North
	R4	Residential	LKD	W6 W7 W8	24°N 292°N 205°	40.00	15.00	25.00	0.38	7.00	3.00	4.00	0.43
	R5	Residential	Bedroom	W9	206°	17.00	15.00	2.00	0.88	4.00	2.00	2.00	0.50
	R6	Residential	Bedroom	W10	205°	54.00	33.00	21.00	0.61	11.00	8.00	3.00	0.73
	R7	Residential	LKD	W11	205°	54.00	35.00	19.00	0.65	13.00	10.00	3.00	0.77
	R8	Residential	Bedroom	W12	205°	53.00	35.00	18.00	0.66	12.00	10.00	2.00	0.83
	R9	Residential	LKD	W13	206°	22.00	20.00	2.00	0.91	6.00	6.00	0.00	1.00
	R10	Residential	LKD	W14 W15	205° 205°	54.00	39.00	15.00	0.72	12.00	11.00	1.00	0.92
	R11	Residential	Bedroom	W16	205°	15.00	15.00	0.00	1.00	6.00	6.00	0.00	1.00
	R12	Residential	LKD	W17	206°	34.00	31.00	3.00	0.91	10.00	9.00	1.00	0.90
	R13	Residential	Bedroom	W18	206°	36.00	27.00	9.00	0.75	10.00	10.00	0.00	1.00
Sixth	R1	Residential	LKD	W1 W2 W3	25°N 295°N 295°N			*North	*North			*North	*North
	R2	Residential	Bedroom	W4	295°N			*North	*North			*North	*North
	R3	Residential	Bedroom	W5	295°N			*North	*North			*North	*North
	R4	Residential	LKD	W6 W7 W8	24°N 292°N 205°	40.00	15.00	25.00	0.38	7.00	3.00	4.00	0.43
	R5	Residential	Bedroom	W9	206°	20.00	18.00	2.00	0.90	4.00	2.00	2.00	0.50
	R6	Residential	Bedroom	W10	205°	57.00	35.00	22.00	0.61	12.00	8.00	4.00	0.67
	R7	Residential	LKD	W11	205°	57.00	37.00	20.00	0.65	14.00	10.00	4.00	0.71
	R8	Residential	Bedroom	W12	205°	55.00	37.00	18.00	0.67	12.00	10.00	2.00	0.83
	R9	Residential	LKD	W13	206°	24.00	22.00	2.00	0.92	7.00	7.00	0.00	1.00
	R10	Residential	LKD	W14 W15	205° 205°	57.00	42.00	15.00	0.74	14.00	13.00	1.00	0.93
	R11	Residential	Bedroom	W16	205°	15.00	15.00	0.00	1.00	6.00	6.00	0.00	1.00
	R12	Residential	LKD	W17	206°	37.00	33.00	4.00	0.89	12.00	10.00	2.00	0.83
	R13	Residential	Bedroom	W18	206°	36.00	27.00	9.00	0.75	10.00	10.00	0.00	1.00
Seventh	R1	Residential	LKD	W1 W2 W3	25°N 295°N 295°N			*North	*North			*North	*North

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	Window Orientation	Total Suns per Room Annual Existing	Total Suns per Room Annual Proposed	Annual Suns Lost	Annual Pr/Ex	Total Suns per Room Winter Existing	Total Suns per Room Winter Proposed	Wnter Suns Lost	Winter Pr/Ex
	R2	Residential	Bedroom	W4	295°N			*North	*North			*North	*North
	R3	Residential	Bedroom	W5	295°N			*North	*North			*North	*North
	R4	Residential	LKD	W6 W7 W8	24°N 292°N 205°	40.00	16.00	24.00	0.40	7.00	3.00	4.00	0.43
	R5	Residential	Bedroom	W9	206°	22.00	19.00	3.00	0.86	5.00	2.00	3.00	0.40
	R6	Residential	Bedroom	W10	205°	60.00	37.00	23.00	0.62	13.00	8.00	5.00	0.62
	R7	Residential	LKD	W11	205°	59.00	39.00	20.00	0.66	14.00	10.00	4.00	0.71
	R8	Residential	Bedroom	W12	205°	57.00	39.00	18.00	0.68	13.00	10.00	3.00	0.77
	R9	Residential	LKD	W13	206°	26.00	24.00	2.00	0.92	7.00	7.00	0.00	1.00
	R10	Residential	LKD	W14 W15	205° 205°	57.00	42.00	15.00	0.74	16.00	14.00	2.00	0.88
	R11	Residential	Bedroom	W16	205°	17.00	17.00	0.00	1.00	6.00	6.00	0.00	1.00
	R12	Residential	LKD	W17	206°	36.00	32.00	4.00	0.89	12.00	10.00	2.00	0.83
	R13	Residential	Bedroom	W18	206°	36.00	28.00	8.00	0.78	10.00	10.00	0.00	1.00
	Eighth	R1	Residential	LKD	W1 W2 W3	25°N 295°N 295°N			*North	*North			*North
R2		Residential	Bedroom	W4	295°N			*North	*North			*North	*North
R3		Residential	Bedroom	W5	295°N			*North	*North			*North	*North
R4		Residential	LKD	W6 W7 W8	24°N 292°N 205°	42.00	18.00	24.00	0.43	8.00	4.00	4.00	0.50
R5		Residential	Bedroom	W9	206°	23.00	20.00	3.00	0.87	6.00	3.00	3.00	0.50
R6		Residential	Bedroom	W10	205°	62.00	41.00	21.00	0.66	14.00	10.00	4.00	0.71
R7		Residential	LKD	W11	205°	61.00	42.00	19.00	0.69	15.00	11.00	4.00	0.73
R8		Residential	Bedroom	W12	205°	59.00	41.00	18.00	0.69	14.00	11.00	3.00	0.79
R9		Residential	LKD	W13	206°	26.00	24.00	2.00	0.92	7.00	7.00	0.00	1.00
R10		Residential	LKD	W14 W15	205° 205°	60.00	45.00	15.00	0.75	16.00	14.00	2.00	0.88
R11		Residential	Bedroom	W16	205°	17.00	17.00	0.00	1.00	6.00	6.00	0.00	1.00
R12		Residential	LKD	W17	206°	42.00	38.00	4.00	0.90	15.00	13.00	2.00	0.87
R13		Residential	Bedroom	W18	206°	38.00	30.00	8.00	0.79	11.00	11.00	0.00	1.00
Ninth	R1	Residential	LKD	W1 W2 W3	25°N 295°N 295°N			*North	*North			*North	*North
	R2	Residential	Bedroom	W4	295°N			*North	*North			*North	*North
	R3	Residential	Bedroom	W5	295°N			*North	*North			*North	*North
	R4	Residential	LKD	W6 W7 W8	24°N 292°N 205°	43.00	20.00	23.00	0.47	8.00	4.00	4.00	0.50
	R5	Residential	Bedroom	W9	206°	25.00	23.00	2.00	0.92	7.00	5.00	2.00	0.71
	R6	Residential	Bedroom	W10	205°	63.00	42.00	21.00	0.67	15.00	11.00	4.00	0.73
	R7	Residential	LKD	W11	205°	63.00	44.00	19.00	0.70	16.00	12.00	4.00	0.75
	R8	Residential	Bedroom	W12	205°	61.00	44.00	17.00	0.72	15.00	12.00	3.00	0.80
	R9	Residential	LKD	W13	206°	29.00	27.00	2.00	0.93	8.00	8.00	0.00	1.00
	R10	Residential	LKD	W14 W15	205° 205°	63.00	49.00	14.00	0.78	17.00	15.00	2.00	0.88

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	Window Orientation	Total Suns per Room Annual Existing	Total Suns per Room Annual Proposed	Annual Suns Lost	Annual Pr/Ex	Total Suns per Room Winter Existing	Total Suns per Room Winter Proposed	Wnter Suns Lost	Winter Pr/Ex
	R11	Residential	Bedroom	W16	205°	20.00	19.00	1.00	0.95	7.00	6.00	1.00	0.86
	R12	Residential	LKD	W17	206°	43.00	38.00	5.00	0.88	16.00	13.00	3.00	0.81
	R13	Residential	Bedroom	W18	206°	40.00	32.00	8.00	0.80	11.00	11.00	0.00	1.00
Tenth	R1	Residential	LKD	W1 W2 W3	25°N 295°N 295°N				*North	*North		*North	*North
	R2	Residential	Bedroom	W4	295°N			*North	*North			*North	*North
	R3	Residential	Bedroom	W5	295°N			*North	*North			*North	*North
	R4	Residential	LKD	W6 W7 W8	24°N 292°N 205°	46.00	25.00	21.00	0.54	9.00	6.00	3.00	0.67
	R5	Residential	Bedroom	W9	206°	27.00	25.00	2.00	0.93	8.00	6.00	2.00	0.75
	R6	Residential	Bedroom	W10	205°	64.00	44.00	20.00	0.69	15.00	11.00	4.00	0.73
	R7	Residential	LKD	W11	205°	64.00	46.00	18.00	0.72	16.00	12.00	4.00	0.75
	R8	Residential	Bedroom	W12	205°	64.00	47.00	17.00	0.73	15.00	12.00	3.00	0.80
	R9	Residential	LKD	W13	206°	30.00	29.00	1.00	0.97	8.00	8.00	0.00	1.00
	R10	Residential	LKD	W14 W15	205° 205°	64.00	51.00	13.00	0.80	17.00	15.00	2.00	0.88
	R11	Residential	Bedroom	W16	205°	21.00	21.00	0.00	1.00	7.00	7.00	0.00	1.00
	R12	Residential	LKD	W17	206°	47.00	43.00	4.00	0.91	16.00	14.00	2.00	0.88
	R13	Residential	Bedroom	W18	206°	42.00	35.00	7.00	0.83	11.00	11.00	0.00	1.00
Eleventh	R1	Residential	LKD	W1 W2 W3	25°N 295°N 295°N				*North	*North		*North	*North
	R2	Residential	Bedroom	W4	295°N			*North	*North			*North	*North
	R3	Residential	Bedroom	W5	295°N			*North	*North			*North	*North
	R4	Residential	LKD	W6 W7 W8	24°N 292°N 205°	46.00	25.00	21.00	0.54	9.00	6.00	3.00	0.67
	R5	Residential	Bedroom	W9	206°	31.00	29.00	2.00	0.94	9.00	7.00	2.00	0.78
	R6	Residential	Bedroom	W10	205°	67.00	48.00	19.00	0.72	15.00	11.00	4.00	0.73
	R7	Residential	LKD	W11	205°	68.00	50.00	18.00	0.74	16.00	12.00	4.00	0.75
	R8	Residential	Bedroom	W12	205°	66.00	50.00	16.00	0.76	15.00	12.00	3.00	0.80
	R9	Residential	LKD	W13	206°	31.00	30.00	1.00	0.97	8.00	8.00	0.00	1.00
	R10	Residential	LKD	W14 W15	205° 205°	67.00	54.00	13.00	0.81	18.00	16.00	2.00	0.89
	R11	Residential	Bedroom	W16	205°	22.00	22.00	0.00	1.00	7.00	7.00	0.00	1.00
	R12	Residential	LKD	W17	206°	48.00	44.00	4.00	0.92	16.00	14.00	2.00	0.88
	R13	Residential	Bedroom	W18	206°	44.00	37.00	7.00	0.84	11.00	11.00	0.00	1.00
Twelfth	R1	Residential	LKD	W1 W2 W3	25°N 295°N 295°N				*North	*North		*North	*North
	R2	Residential	Bedroom	W4	295°N			*North	*North			*North	*North
	R3	Residential	Bedroom	W5	295°N			*North	*North			*North	*North
	R4	Residential	LKD	W6 W7 W8	24°N 292°N 205°	48.00	27.00	21.00	0.56	10.00	7.00	3.00	0.70
	R5	Residential	Bedroom	W9	206°	31.00	29.00	2.00	0.94	9.00	7.00	2.00	0.78
	R6	Residential	Bedroom	W10	205°	71.00	54.00	17.00	0.76	16.00	12.00	4.00	0.75

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight & Sunlight - Neighbour Analysis

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	Window Orientation	Total Suns per Room Annual Existing	Total Suns per Room Annual Proposed	Annual Suns Lost	Annual Pr/Ex	Total Suns per Room Winter Existing	Total Suns per Room Winter Proposed	Wnter Suns Lost	Winter Pr/Ex
	R7	Residential	LKD	W11	205°	69.00	52.00	17.00	0.75	16.00	12.00	4.00	0.75
	R8	Residential	Bedroom	W12	205°	68.00	51.00	17.00	0.75	16.00	12.00	4.00	0.75
	R9	Residential	LKD	W13	206°	36.00	34.00	2.00	0.94	9.00	8.00	1.00	0.89
	R10	Residential	LKD	W14 W15	205° 205°	70.00	57.00	13.00	0.81	19.00	16.00	3.00	0.84
	R11	Residential	Bedroom	W16	205°	24.00	24.00	0.00	1.00	7.00	7.00	0.00	1.00
	R12	Residential	LKD	W17	206°	51.00	47.00	4.00	0.92	16.00	14.00	2.00	0.88
	R13	Residential	Bedroom	W18	206°	46.00	39.00	7.00	0.85	11.00	11.00	0.00	1.00
Thirteenth	R1	Residential	LKD	W1 W2 W3	25°N 295°N 295°N			*North	*North			*North	*North
	R2	Residential	Bedroom	W4	295°N			*North	*North			*North	*North
	R3	Residential	Bedroom	W5	295°N			*North	*North			*North	*North
	R4	Residential	LKD	W6 W7 W8	24°N 292°N 205°	50.00	31.00	19.00	0.62	10.00	7.00	3.00	0.70
	R5	Residential	Bedroom	W9	206°	33.00	31.00	2.00	0.94	10.00	8.00	2.00	0.80
	R6	Residential	Bedroom	W10	205°	73.00	56.00	17.00	0.77	17.00	13.00	4.00	0.76
	R7	Residential	LKD	W11	205°	72.00	55.00	17.00	0.76	16.00	12.00	4.00	0.75
	R8	Residential	Bedroom	W12	205°	71.00	54.00	17.00	0.76	16.00	12.00	4.00	0.75
	R9	Residential	LKD	W13	206°	28.00	26.00	2.00	0.93	10.00	9.00	1.00	0.90
	R10	Residential	LKD	W14 W15	205° 205°	72.00	59.00	13.00	0.82	19.00	16.00	3.00	0.84
	R11	Residential	Bedroom	W16	205°	19.00	18.00	1.00	0.95	8.00	7.00	1.00	0.88
	R12	Residential	LKD	W17	206°	52.00	48.00	4.00	0.92	16.00	14.00	2.00	0.88
	R13	Residential	Bedroom	W18	206°	46.00	39.00	7.00	0.85	11.00	11.00	0.00	1.00
Fourteenth	R1	Residential	Unknown	W1 W2	25°N 295°N			*North	*North			*North	*North
	R2	Residential	LKD	W3 W4	295°N 205°	76.00	59.00	17.00	0.78	21.00	16.00	5.00	0.76
	R3	Residential	Bedroom	W5	205°	74.00	56.00	18.00	0.76	20.00	15.00	5.00	0.75
	R4	Residential	LKD	W6	205°	75.00	60.00	15.00	0.80	22.00	19.00	3.00	0.86
	R5	Residential	Bedroom	W7	205°	73.00	60.00	13.00	0.82	21.00	18.00	3.00	0.86
	R6	Residential	LKD	W8	205°	69.00	58.00	11.00	0.84	19.00	16.00	3.00	0.84
	R7	Residential	LKD	W9	205°	63.00	55.00	8.00	0.87	15.00	15.00	0.00	1.00
	R8	Residential	Bedroom	W10	205°	47.00	40.00	7.00	0.85	9.00	9.00	0.00	1.00
Fifteenth	R1	Residential	Bedroom	W1	205°	51.00	45.00	6.00	0.88	13.00	13.00	0.00	1.00
Sixteenth	R1	Residential	Bedroom	W1	205°	51.00	45.00	6.00	0.88	13.00	13.00	0.00	1.00