


MINI • SOIL • SURVEYS



Minisoils Ltd Ridgeway Nurseries, 6 Ridgeway Road, Timperley, Cheshire WA15 7EY

Tel: 0161 980 4937

Job Number: MIN50852

Borehole No: 1 of 2

Fax: 0161 980 0055

Site: 37 Liverpool Road Manchester

Crew: A

Date Drilled: 21/01/2020

Description	Depth	Leg	Test Depth	Type	Value
150MM Concrete overlying fragmented brick, and gravel, FILL					
Loose brown topsoil with fine gravel, becoming sandy with depth, MADE GROUND	1.00		1.20	SPT	N=6
			1.80	SPT	N=5
			2.40	SPT	N=9
Loose brown fine to medium SAND with occasional gravel.	2.50		3.00	SPT	N=6
			3.60	SPT	N=30*
Dense brwon SANDSTONE (suspect bedrock)	3.80				
End of Hole	3.90				

S P T @ 1.20M 3/2/1,2,1,2, S P T @ 1.80M 1/1/1,1,1,2, S P T @ 2.40M 2/2/2,2,2,3,
S P T @ 3.00M 2/1/1,2,2,1, S P T @ 3.60M 2/3/6,9,15* REFUSAL
NO STANDING WATER ON COMPLETION OF BOREHOLE