

**Dormer d2w
Second from east**

**Lloyd Street gutter
SR10 proposed
adjustments**

Extend upstand to
drip so gutter width
is consistent move/
pack out shaped
batten so face is
flush with face of
board

Page 1 of 5

OTH-PUR-TH-RF-SKE-A-3403

**Dormer d2e
Second from east**

**Lloyd Street gutter
SR10 proposed
adjustments**



**No changes this end
gutter to be fed in from
end**

Page 2 of 5

OTH-PUR-TH-RF-SKE-A-3403

Dormer d4w

**Lloyd Street gutter
SR10 proposed
adjustments**

Upstands and
ventilation detail
through dormer to be
completed

Consistent gutter width
to be created at this end
as noted for dormer d2

Page 3 of 5

OTH-PUR-TH-RF-SKE-A-3403

Dormer d4e

**Lloyd Street gutter
SR10 proposed
adjustments**

Upstand and
ventilation detail
through dormer to be
completed

Gutter width to vary this
end gutter to be fed in
from end

Page 4 of 5


OTH-PUR-TH-RF-SKE-A-3403

**Wall at east end
location of RWP
15.2**

**Lloyd Street gutter
SR10 proposed
adjustments**

Vertical hole to be
filled with NHL 3.5
lime : sand mortar 1 : 2
with brick and stone
fragments

Reclaimed stone to be
used to fill hole.



Page 5 of 5

OTH-PUR-TH-RF-SKE-A-3403