

[illegible]

DOOR TYPE D
MAIN STAIR SIDE
SCALE 1:20

TO SUIT EXISTING

HINGE

HINGE

CLEAR SAFETY GLASS

1500

HINGE

DOOR TYPE D
LOBBY SIDE
SCALE 1:20

GLAZING NOTE:
GLAZING SHOULD BE DESIGNED TO RESIST HUMAN IMPACT AS SET OUT IN BS 6262-4:2018, WHERE ALL OR PART, OF A PANE IS:

- WITHIN 800mm OF FLOOR LEVEL, OR,
- PART OF A DOOR LEAF,
- OR WITHIN 300mm OF A DOOR LEAF,
- AND WITHIN 1.5M OF FLOOR LEVEL

TO BE LAMINATED SAFETY GLASS TO BS 6206 1981
SPECIFICATION FOR IMPACT PERFORMANCE REQUIREMENTS FOR FLAT SAFETY GLASS AND SAFETY PLASTICS FOR USE IN BUILDINGS AND MARKED WITH THE BS KITE MARK ACCORDINGLY.

FOR INGS	RSB DRAWN	DRAWN REVISION	DEC 25 DATE	PC VER
	<div style="text-align: center;">  </div> <div style="display: flex; justify-content: space-between; margin-top: 20px;"> <p>7 Buxton Road West, Disley, Stockport, Cheshire, SK12 2AE. Website: www.allisonpike.com</p> <p>Telephone: 01663 763000 Facsimile: 01663 766772 Email: studio@allisonpike.com</p> </div> <p style="text-align: center; margin-top: 10px;">© Allison Pike Partnership Limited.</p>			
TENDER ISSUE	PROJECT			
	INNKEEPERS COLLECTION 1-3 YORK STREET (BROWNS) MANCHESTER			
	TITLE			
	DOOR TYPE D SCHEDULE AND DETAILS			
SCALE				
1:20, AND 1:5 @ A3				
JOB No		DRAWING No		REV
MAB46		AZ64		/